



Nova Scotia Atlee  
Perinatal Database  
Coding Manual  
12th Edition  
(Release 7.0.0)

April 2008

# NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

## TABLE OF CONTENTS

<b>LISTING OF HOSPITALS</b> .....	12
<b>ADMISSION INFORMATION</b> .....	19
<b>DELIVERED ADMISSIONS</b>	
Routine Information – Delivered .....	31
Routine Information – Labour .....	52
Routine Information – Infant .....	69
<b>UNDELIVERED ADMISSIONS</b>	
Routine Information – Undelivered .....	87
<b>POSTPARTUM ADMISSIONS</b>	
Routine Information – Postpartum .....	93
<b>NEONATAL ADMISSIONS</b>	
Routine Information – Neonatal .....	97
<b>ADULT RCP CODES</b> .....	109
<b>INFANT RCP CODES</b> .....	125
<b>INDEX MATERNAL DISEASES AND PROCEDURES</b> .....	157
<b>INDEX NEONATAL DISEASES AND PROCEDURES</b> .....	175

# NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

## INDEX FOR ADMISSION INFORMATION

Admission date/time .....	19
Admission Process Status .....	29
Admission type .....	20
A/S/D number .....	20
Birth Date .....	21
City/Town .....	27
Contact hospital .....	19
Discharge date .....	26
Discharge time .....	26
Given name(s) .....	19
Health card number .....	21
Mail address .....	27
Marital status .....	25
Municipal code for residence .....	22
Physician attending .....	26
Postal code .....	27
Previous surname .....	20
Province .....	28
Sex .....	26
Street address .....	27
Surname .....	19
Unit number .....	19

# NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

## INDEX FOR ROUTINE INFORMATION – DELIVERED ADMISSION

Abdominal circumference .....	48
Abortions .....	33
Admitted from .....	32
Analgesia during labour .....	50
Antibiotic therapy .....	51
Attendance at prenatal classes .....	41
Biparietal diameter .....	47
Crown/rump length .....	47
Date of first ultrasound .....	47
Date of late normal menstrual period .....	32
Delivery hospital .....	31
Discharge date/time .....	45
Discharge to .....	46
Early Breast Contact .....	77
Education .....	39
Femur length .....	48
Fetus number .....	46
Gravida .....	33
Head circumference .....	48
Intent to breast feed .....	39
Maternal height .....	41
Maternal Screening Test(s) .....	44
Maternal ultrasound .....	46
Maternal Steroid Therapy .....	49
Number of fetuses .....	45
Number of previous c-sections .....	34
Number of previous fetal deaths .....	34
Number of previous low birth weight infants .....	35
Number of previous neonatal deaths .....	34
Number of previous overweight infants .....	35
Number of previous pre-term deliveries .....	35
Number of previous postpartum hemorrhage .....	34

# **NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

## **INDEX FOR ROUTINE INFORMATION – DELIVERED ADMISSION** (continued)

Para .....	33
Pre-conceptual folate intake .....	33
Prenatal record on chart at time of coding .....	32
Pre-pregnancy smoking .....	36
Pre-pregnancy weight .....	40
Present weight .....	43
Race/Ethnicity .....	39
Route of administration for analgesia .....	50
Smoking at first prenatal visit .....	37
Smoking at time of admission .....	42
Smoking at 20 weeks .....	38

# NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

## INDEX FOR ROUTINE INFORMATION – LABOUR

APGAR score .....	66
Birth order .....	52
Birth weight .....	65
Date of medical augmentation .....	59
Date of rupture of membranes .....	52
Date/time of admission to LDR .....	58
Date of 4 centimetres dilatation .....	60
Date of second stage .....	61
Dilatation at c-section .....	64
Dilatation at medical augmentation .....	60
Dilatation on admission to LDR .....	58
Episiotomy .....	65
Indication for induction .....	56
Induction of labour – methods and agents .....	57
Induction of labour – place .....	57
Labour .....	55
Meconium staining .....	54
Medical augmentation .....	59
Method of delivery .....	63
Mode of delivery .....	62
Physician attending delivery .....	67
Position at delivery .....	64
Primary indication for c-section .....	67
Time of 4 centimeters dilation .....	61
Time of admission to LDR .....	58
Time of medical augmentation .....	59
Time of rupture of membranes .....	53
Time of second stage .....	62
Time of rupture of membranes .....	54

# NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

## INDEX FOR ROUTINE INFORMATION – INFANT

A/S/D number .....	72
Autopsy .....	78
Baby not admitted to hospital.....	70
Base excess value .....	82
Breastfeeding .....	76
Chromosomal abnormalities .....	86
Clinical gestation .....	74
Cord artery pH .....	81
Cord artery pH value .....	81
Date of admission .....	70
Date of birth .....	69
Date/time of death .....	80
Depression at birth .....	84
Discharge date/time .....	77
Discharged to .....	78
Early Breast Contact .....	77
Elective non-ressuscitation .....	85
Fetal malnutrition .....	83
Given name(s) .....	69
Head Circumference .....	73
Health card number .....	72
Infant length .....	73
Outcome of infant .....	75
pCO <sub>2</sub> value .....	82
Physician attending .....	73
Primary cause of death .....	79
Retinopathy of prematurity .....	85
SCN (Special Care Nursery) .....	74
Sex .....	69
Surname .....	69
Time of birth .....	70
Time of fetal death .....	71
Time of infant's admission to hospital .....	71

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

Twin type ..... 83  
Unit number ..... 69

# **NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

## **INDEX FOR ROUTINE INFORMATION – UNDELIVERED ADMISSION**

Abortions .....	88
Admitted from .....	87
Antibiotic therapy .....	91
Date/time of discharge .....	90
Discharged to .....	90
Gravida .....	88
Para .....	88
Process status .....	92
Screening test .....	89

## **INDEX FOR ROUTINE INFORMATION – POSTPARTUM ADMISSION**

Abortions .....	94
Admitted from .....	93
Antibiotic therapy .....	96
Date/time of discharge .....	95
Discharged to .....	95
Gravida .....	94
Para .....	94
Process status .....	96

# NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

## INDEX FOR ROUTINE INFORMATION – NEONATAL ADMISSION

Admitted from .....	97
Autopsy .....	102
Birth hospital .....	98
Birth order .....	97
Breastfeeding .....	100
Chromosomal abnormalities .....	108
Date/time of death .....	104
Date/time of discharge .....	101
Depression at birth .....	106
Discharge to .....	101
Elective non-resuscitation .....	106
Fetal malnutrition/soft tissue wasting .....	104
Maternal steroid therapy .....	107
Outcome .....	99
Primary cause of death .....	102
Retinopathy of prematurity .....	107
SCN (Special Care Nursery) .....	98
Twin type .....	105

# NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

## ADULT RCP CODES

Anaesthesia during delivery only .....	114
Anaesthesia during labour and delivery .....	113
Anaesthesia during labour only .....	113
Blood Dyscrasias affecting pregnancy .....	120
Complications of Anaesthesia .....	115
Endocrine Disease affecting pregnancy .....	117
Heart Disease affecting pregnancy .....	118
Maternal antibody conditions during pregnancy .....	109
Maternal carrier states and/or chronic infection during pregnancy .....	110
Maternal drug and chemical abuse during pregnancy .....	111
Maternal drug therapies for specific conditions of pregnancy, delivery and postpartum .....	110
Maternal drug therapy during pregnancy/postpartum period .....	111
Maternal/fetal diagnostic and therapeutic procedures .....	112
Maternal Transfusions, Blood and other products .....	122
Maternal Transfusions, Blood, Reason for .....	123
Neoplasms affecting pregnancy .....	120
Neurological Illness affecting pregnancy .....	118
Other Obstetrical Conditions affecting pregnancy .....	116
Other Non-Obstetrical Disease, not elsewhere classifiable .....	121
Previous Pregnancy Maternal Diseases .....	122
Psychiatric Illness affecting pregnancy .....	117
Pulmonary Diseases affecting pregnancy .....	121
Renal Disease affecting pregnancy .....	119

# NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

## INFANT RCP CODES

Anomaly/Metabolic syndromes and conditions .....	126
Apnea .....	156
Arterial catheters .....	146
Birth asphyxia sequella .....	142
Burns .....	149
Central venous catheters .....	146
Chronic pulmonary disease of prematurity .....	142
Convulsions/Seizures .....	143
Drug withdrawal .....	145
Ductus syndrome of prematurity .....	141
Endotracheal intubation (Complications of) .....	148
Immunizations .....	150
Intra-Ventricular Hemorrhage .....	153
Lab Results .....	150
Medications (Complications of) .....	149
Mode of ventilation .....	147
Naso/Oro-gastric tube (Complications of) .....	149
Neoplasms .....	144
Non-Specific Neurological Findings .....	154
Other Specific Neurological Findings .....	155
Persistent fetal circulation/Persistent pulmonary hypertension of the newborn .....	141
Phototherapy .....	149
Placental or cord anomalies .....	125
Requirement for home oxygen .....	142
Respiratory Distress syndromes .....	141
Resuscitation at delivery .....	156
Surgery (Complications of) .....	149
Trauma .....	153
Vascular catheters (Complications of) .....	148

# NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

## LISTING OF HOSPITALS

*Hospitals appearing in bold are currently providing maternity services.*

	<u>HOSPITAL #</u>
<b>Aberdeen Hospital</b>	
New Glasgow .....	11
All Saints Hospital	
Springhill .....	12
Annapolis Community Health Centre	
Annapolis Royal .....	13
Antrpartum Mable	
Home .....	91
Bayview Memorial Health Centre	
Advocate Harbour .....	58
Buchanan Memorial Hospital	
Neil's Harbour .....	15
<b>Cape Breton Health Care Complex:</b>	
<b>Glace Bay Site</b> .....	87
Northside (North Sydney Site) .....	87
<b>Sydney Site</b> .....	87
CFB Cornwallis	
Cornwallis .....	79
CFB Stadacona	
Halifax .....	78
Chaleur Regional Hospital	
New Brunswick .....	-10
<b>Colchester Regional Hospital</b>	
Truro .....	18
<b>Cumberland Regional Healthcare Centre</b>	
Amherst .....	30

# NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

## LISTING OF HOSPITALS (continued)

*Hospitals appearing in bold are currently providing maternity services.*

	<u>HOSPITAL #</u>
Dartmouth General Hospital Dartmouth .....	65
Digby General Hospital Digby .....	20
East Coast Forensic Dartmouth .....	71
Eastern Memorial Hospital Canso .....	22
Eastern Shore Memorial Hospital Sheet Harbour .....	23
Fishermen's Memorial Hospital Lunenburg .....	24
George Dumont Hospital New Brunswick .....	-11
<b>Glace Bay Health Care Corporation</b> (See Cape Breton Healthcare Complex) .....	87
Guysborough Memorial Hospital Guysborough .....	27
Hants Community Hospital Windsor .....	37
<b>Health Services Association of the South Shore</b> Bridgewater .....	14
Home of the Guardian Angel Halifax .....	88
(Use for discharge to only if Mom and Babe both go to the Home)	

# NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

## LISTING OF HOSPITALS (continued)

*Hospitals appearing in bold are currently providing maternity services.*

	<u>HOSPITAL #</u>
Intended Delivery at home ( <b>NOT</b> Attended by a Health Care Professional)	
Home .....	-7
Intended Delivery at home (Attended by a Health Care Professional)	
Home .....	-8
<b>Inverness Consolidated Memorial Hospital</b>	
Inverness .....	34
<b>IWK Health Centre</b>	
Halifax .....	86
Lillian Fraser Memorial Hospital	
Tatamagouche .....	32
<b>Moncton Hospital (The)</b>	
New Brunswick .....	-12
Musquodoboit Valley Memorial Hospital	
Middle Musquodoboit .....	33
New Waterford Consolidated Hospital	
New Waterford .....	63
North Cumberland Memorial Hospital	
Pugwash .....	35
Northside General Hospital	
Dartmouth .....	77
Point Pleasant Lodge	
Halifax .....	64
Prince County Hospital	
Prince Edward Island .....	-13

# NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

## LISTING OF HOSPITALS (continued)

*Hospitals appearing in bold are currently providing maternity services.*

	<u>HOSPITAL #</u>
Queen Elizabeth Hospital Prince Edward Island .....	-14
Queen Elizabeth II Health Sciences Centre Halifax .....	85
Queens General Hospital Liverpool .....	38
Roseway Hospital Shelburne .....	39
Sackville Memorial Hospital New Brunswick .....	-15
Sacred Heart Hospital Cheticamp .....	47
Self Discharge Home .....	-6
Soldiers Memorial Hospital Middleton .....	48
South Cumberland Community Care Centre Parrsboro .....	49
St. Anne's Hospital Arichat .....	40
<b>St. Martha's Regional Hospital</b> Antigonish .....	43
St. Mary's Memorial Hospital Sherbrooke .....	45
Strait Richmond Hospital Cleveland .....	68

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**LISTING OF HOSPITALS** (continued)

*Hospitals appearing in bold are currently providing maternity services.*

	<b><u>HOSPITAL #</u></b>
Sutherland-Harris Memorial Hospital Pictou .....	50
Twin Oaks Memorial Hospital Musquodoboit Harbour .....	52
<b>Valley Regional Hospital</b> Kentville .....	67
Victoria County Memorial Hospital Baddeck .....	53
Western Kings Memorial Health Centre Berwick .....	55
<b>Western Regional Health Centre</b> Yarmouth .....	56
Hospitals in Alberta Alberta .....	-16
Hospitals in Bermuda Bermuda .....	-31
Hospitals in British Columbia British Columbia .....	-17
Hospitals in Manitoba Manitoba .....	-18
Hospitals in Newfoundland and Labrador Newfoundland /and Labrador .....	-19
Hospitals in New Brunswick (other than those listed) New Brunswick .....	-20
Hospitals in Northwest Territories Northwest Territories .....	-21

# NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

## LISTING OF HOSPITALS (continued)

*Hospitals appearing in bold are currently providing maternity services.*

	<u>HOSPITAL #</u>
Hospitals in Ontario	
Ontario .....	-22
Hospitals in PEI (other than those listed)	
Prince Edward Island .....	-23
Hospitals in Quebec	
Quebec .....	-24
Hospitals in Saskatchewan	
Saskatchewan .....	-25
Hospitals in United States	
United States .....	-26
Hospitals in Yukon	
Yukon .....	-27
Hospitals in Nunavut	
Nunavut .....	-28
Hospital not in list	
Non-Specific .....	-32

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

# NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

## ADMISSION INFORMATION

### UNIT NUMBER

Patient's hospital unit number.

Found on the health record folder on the '*HOSPITAL ADMISSION FORM*'.

### CONTACT HOSPITAL

Hospital in which the chart is being coded. *When the hospital number is associated with a coder user name, this field will be auto-filled.*

Found on the '*HOSPITAL ADMISSION FORM*'

Code using one of the standard 2 digit provincial codes for hospitals found on pages 10-14.

### ADMISSION DATE

Patient's admission date to hospital.

Found on the '*HOSPITAL ADMISSION FORM*'.

Use the following format: '*YYYYMMDD*'

### ADMISSION TIME

Patient's admission time to hospital.

Found on the '*HOSPITAL ADMISSION FORM*'.

Use the following format: '*HHMM*'

"HH" is in range 0-23, "MM" is in range 0-59

### GIVEN NAME(S)

Patient's given name(s).

Found on the '*HOSPITAL ADMISSION FORM*'.

### SURNAME

Patient's surname.

Found on the '*HOSPITAL ADMISSION FORM*'.

# NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

## ADMISSION TYPE

Type of Admission

Found on Admission Separation Sheet

- 1 Delivered Admission
- 2 Undelivered Admission
- 3 Postpartum Admission
- 5 Neonatal Admission

## PREVIOUS SURNAME

Patient's maiden name or other previous surname. Found on the '*HOSPITAL ADMISSION FORM*'.

Leave blank for neonatal admissions.

*This field can be left blank if not documented.*

## A/S/D NUMBER

Hospital number referring to the patient's present admission.

Found on the patients '*HOSPITAL ADMISSION FORM*'.

Use the following format: 'CCNNNNNNNN/YY': where "CC" is the admit type, "NNNNNNNN" is an ascension number related to the number of admissions of the year and "YY" denotes the fiscal year (April 1 to March 31), changing on April 1<sup>st</sup> of each year. The / has to be entered before the YY denoting the fiscal year.

*Zeroes before the ascension number must be entered if number does not have 7 digits, e.g. AS0000123/05.*

Code "999999999999" for other provincial account numbers, or when unknown.

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### HEALTH CARD NUMBER

Found on the '*HOSPITAL ADMISSION FORM*'.

Record the patients' **Nova Scotia** Health Card Number or the hospital generated '8000' number for;

Nova Scotia residents admitted without a Nova Scotia Health Card Number  
Patients from outside Nova Scotia

If a Nova Scotia Health Card Number or hospital generated '8000' number is not available, code;

0	Nova Scotia Patient, card not available
0	Armed Forces
0	RCMP
0	First Nations
0	Self-paying
1	Patient from outside Nova Scotia

### BIRTH DATE

Patient's date of birth.

Found on the '*HOSPITAL ADMISSION FORM*'.

Use the following format: 'YYYYMMDD'

# NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

## MUNICIPAL CODE FOR RESIDENCE

Patient's municipal code.

Found on the '*HOSPITAL ADMISSION FORM*'.  
Code using one of the following:

### ANNAPOLIS COUNTY

- 12 Annapolis Municipality
- 13 Annapolis Royal
- 19 Bridgetown
- 49 Middleton

### ANTIGONISH COUNTY

- 14 Antigonish Municipality
- 15 Town of Antigonish

### CAPE BRETON COUNTY

- 22 Cape Breton Municipality
- 31 Dominion
- 32 Glace Bay
- 45 Louisbourg
- 52 New Waterford
- 53 North Sydney
- 67 Sydney
- 68 Sydney Mines

### COLCHESTER COUNTY

- 26 Colchester Municipality
- 65 Stewiacke
- 70 Truro

### CUMBERLAND COUNTY

- 11 Amherst
- 27 Cumberland Municipality
- 54 Oxford
- 55 Parrsboro
- 63 Springhill

# NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

## MUNICIPAL CODE FOR RESIDENCE (continued)

### DIGBY COUNTY

- 24 Clare Municipality
- 29 Digby Municipality
- 30 Town of Digby

### GUYSBOROUGH COUNTY

- 21 Canso
- 33 Guysborough Municipality
- 50 Mulgrave
- 66 St. Mary's Municipality

### HALIFAX

- 77 Bedford
- 28 Dartmouth City
- 34 Halifax City
- 35 Halifax Municipality (not Bedford, Dartmouth, or Halifax)

### HANTS COUNTY

- 38 Hantsport
- 36 East Hants Municipality
- 37 West Hants Municipality
- 73 Windsor

### INVERNESS COUNTY

- 39 Inverness Municipality
- 58 Port Hawkesbury

### KINGS COUNTY

- 18 Berwick
- 41 Kentville
- 42 Kings Municipality
- 74 Wolfville

# NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

## MUNICIPAL CODE FOR RESIDENCE (Continued)

### LUNENBURG COUNTY

- 20 Bridgewater
- 23 Chester Municipality
- 46 Lunenburg Municipality
- 47 Lunenburg Town
- 48 Mahone Bay

### PICTOU COUNTY

- 51 New Glasgow
- 56 Pictou Municipality
- 57 Pictou Town
- 64 Stellarton
- 69 Trenton
- 72 Westville

### QUEENS COUNTY

- 43 Liverpool
- 59 Queens Municipality

### RICHMOND COUNTY

- 60 Richmond Municipality

### SHELBURNE COUNTY

- 17 Barrington Municipality
- 25 Clark's Harbour
- 44 Lockeport
- 61 Shelburne Municipality
- 62 Shelburne Town

### VICTORIA COUNTY

- 71 Victoria Municipality

### YARMOUTH COUNTY

- 16 Argyle Municipality
- 75 Yarmouth Municipality
- 76 Yarmouth Town

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### MUNICIPAL CODE FOR RESIDENCE (continued)

### OUT OF PROVINCE RESIDENTS

81	Alberta
82	British Columbia
83	Manitoba
84	New Brunswick
85	Newfoundland and Labrador
86	Ontario
87	Prince Edward Island
88	Quebec
89	Saskatchewan
90	Yukon
92	Nunavut
91	Northwest Territories
97	USA
95	Bermuda
98	Other Countries
99	Unknown

### MARITAL STATUS

Patient's marital status

Found on the '*HOSPITAL ADMISSION FORM*'.

Code using one of the following:

1	Single
2	Married
3	Widowed
4	Divorced
5	Separated
6	Common Law
7	Unknown

Marital Status will automatically blank out for Neonatal Admissions.

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### ATTENDING PHYSICIAN

Physician most responsible for the patient's care *while in hospital*.

Found on the 'HOSPITAL ADMISSION FORM'.

Code using the Provincial Medical Board Registration Number.

Code '66666' if delivery was performed by a midwife.

Code '88888' if physician is not registered in Nova Scotia.

Code '99999' for unknown.

### DISCHARGE DATE

Patient's discharge date from hospital.

Found on the 'NURSES NOTES'.

Use the following format: 'YYYYMMDD'.

### DISCHARGE TIME

Patient's discharge time from hospital.

Found on the 'NURSES NOTES'.

Use the following format: 'HHMM'.

"HH" is in range 0-23, "MM" is in range 0-59

If Discharge Time is not documented leave Discharge Time blank and code '9' in the field immediately following.

### SEX

For adult patients the sex will automatically fill as **F** for female.

For neonatal admissions select the legal phenotypical sex of the infant regardless of Karyotype.

<b>F</b>	Female
<b>M</b>	Male
<b>A</b>	Ambiguous
<b>9</b>	Unknown

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### STREET ADDRESS

Patient's street address at time of admission

Found on the '*HOSPITAL ADMISSION FORM*'.

Example: 4 King Street

### MAIL ADDRESS

Patient's mailing address.

*This field can be left blank if mailing address is not documented or same as street address.*

Found on the '*HOSPITAL ADMISSION FORM*'.

Example: PO Box 40 pr RR#2

### CITY/TOWN

Patient's city, town or village of residence.

Found of the '*HOSPITAL ADMISSION FORM*'.

### POSTAL CODE

Patient's postal code.

Found on the '*HOSPITAL ADMISSION FORM*'.

Use the following format: 'A1A1A1' where "A" is an alphabetic character and "1" is a number.

*Code '888888' when the postal code is known and outside the country, e.g. USA, Britain, St. Pierre-Miquelon.*

Code '999999' for unknown.

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### PROVINCE

Patient's province of residence.

Found on the '*HOSPITAL ADMISSION FORM*'.

Code using one of the following:

AB	Alberta
BC	British Columbia
MB	Manitoba
NS	Nova Scotia
NB	New Brunswick
NL	Newfoundland and Labrador
NT	Northwest Territories
NU	Nunavut
ON	Ontario
PE	Prince Edward Island
QC	Quebec
SK	Saskatchewan
YT	Yukon
US	USA
XX	Not for Canada or USA

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### ADMISSION PROCESS STATUS

Indicated the coding status of the admission information.

Code using one of the following:

Coding of chart in process. *The case is set to 2 automatically when it is accessed by the coder for the first time.*

Coding of admission information completed.

*Once the case is saved (status 4 or 5) the data can be viewed, but not changed. Status 4 indicates that the data is ready to be transferred, status 5 indicated that data has been transferred.*

*Once data has been frozen (status 4 or 5), requests for any necessary changes or corrections must be forwarded to the Health Information Coordinator at RCP.*

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

# NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

## ROUTINE INFORMATION – DELIVERED ADMISSION

### DELIVERED ADMISSIONS

Any admission of a pregnant women resulting in the delivery of;

1. a live born fetus OR
2. a fetus that has reached 20 or more weeks gestation OR
3. a fetus weighing 500 or more grams OR
4. a fetus that was one of a set of multiples where at least one met any of the previous three criteria.

### DELIVERY HOSPITAL

Hospital in which the delivery of the infant took place.

Found on the '*HOSPITAL ADMISSION FORM*' or '*MATERNAL ADMISSION ASSESSMENT*'.

Code using one of the standard 2 digit provincial codes for hospitals found on pages 10-14.

*If an emergency birth occurs in a hospital not providing maternity services, and the mother and baby are transferred to another facility that provides maternity services, the hospital receiving the transfer is responsible for coding the case as a delivered case. In these situations, the '**Delivery Hospital**' should be coded with the hospital number of the facility where the birth actually occurred.*

Code the following for the unusual situations:

- 1 Unplanned out of hospital, e.g. delivery en route to hospital, unplanned birth at home.
- 2 Planned birth at home
- 5 Midwife delivery at home

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### ADMITTED FROM

Mother's location immediately prior to admission.

Found on the '*HOSPITAL ADMISSION FORM*'

If patient is transferred from another hospital, record the standard 2 digit provincial code number for that facility found on pages 10-14.

*If patient comes from home, code '0'*

If patient comes from the emergency room of another facility without having been admitted to the facility Code '0' admitted from home.

### PRENATAL RECORD ON CHART AT TIME OF CODING

The prenatal record was filed on the chart at the time of coding.

Code using one of the following:

Y     Yes     Prenatal record on chart at time of coding

N     No     Prenatal record not on chart at time of coding

### DATE OF LAST NORMAL MENSTRUAL PERIOD

Date of patient's last normal menstrual period.

Found on the '*PRENATAL RECORD*' or the '*MATERNAL ADMISSION ASSESSMENT*' or the '*PHYSICIANS ASSESSMENT*'.

Use the following format: 'YYYYMMDD'

If the date of the last normal menstrual period is unknown, leave 'LMP date' blank and code '9' in the field immediately following.

If unsure is ticked in the box but a date is given, enter the date given in the field provided.

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### PRE-CONCEPTIONAL FOLATE INTAKE

Maternal pre-conceptual folate intake.

Found on the '*PRENATAL RECORD*'.

Code using one of the following:

Y Yes

N No

Unknown

### GRAVIDA

The number of pregnancies, including the present pregnancy.

Found on the '*PRENATAL RECORD*', or the '*MATERNAL ADMISSION ASSESSMENT*' or the '*PHYSICIANS ASSESSMENT*'.

Code '**99**' for unknown.

### PARA

The number of pregnancies, excluding the present pregnancy, which resulted in one or more infants weighing 500 grams or more at birth or 20 weeks or greater gestational age (regardless of whether such infants lived, were stillborn or died after birth).

Found on the '*PRENATAL RECORD*', or the '*MATERNAL ADMISSION ASSESSMENT*' or the '*PHYSICIANS ASSESSMENT*'.

Code '**99**' for unknown.

### ABORTIONS

The number of pregnancies, excluding the present pregnancy, which resulted in a fetus weighing less than 500 grams or, when weight not known, less than 20 weeks gestation, regardless of whether the fetus was born alive.

Found on the '*PRENATAL RECORD*', or the '*MATERNAL ADMISSION ASSESSMENT*'.

Code '**99**' for unknown.

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**NUMBER OF PREVIOUS  
FETAL DEATHS WEIGHING  
500 GRAMS OR MORE**

Number of previous fetal deaths specifically recorded as weighing 500 grams or more, and /or equal to or greater than 20 weeks gestation or when documented as a fetal death or stillbirth by the physician.

Found on the '*PRENATAL RECORD*', or the '*MATERNAL ADMISSION ASSESSMENT*' or the '*PHYSICIANS ASSESSMENT*'.

Code '**9**' for unknown.

**NUMBER OF PREVIOUS  
NEONATAL DEATHS  
WEIGHING 500 GRAMS OR  
MORE**

Number of previous neonatal deaths specifically recorded as weighing 500 grams or more or when documented as a neonatal death by the physician.

Found on the '*PRENATAL RECORD*', or the '*MATERNAL ADMISSION ASSESSMENT*' or the '*PHYSICIANS ASSESSMENT*'.

Code '**9**' for unknown.

**NUMBER OF PREVIOUS  
C-SECTIONS**

Number of previous C-sections.

Found on the '*PRENATAL RECORD*', or the '*MATERNAL ADMISSION ASSESSMENT*' or the '*PHYSICIANS ASSESSMENT*'.

Code '**0**' if no previous C-sections.

Code '**9**' for unknown.

**POSTPARTUM HEMORRHAGE  
IN A PREVIOUS PREGNANCY**

Postpartum hemorrhage in a previous pregnancy as stated *and/or* there has been blood loss >500ml.

Found on the '*PRENATAL RECORD*', or the '*MATERNAL ADMISSION ASSESSMENT*' or the '*PHYSICIANS ASSESSMENT*'.

Code using one of the following:

Y	Yes
N	No
9	Unknown

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**PREVIOUS PRE-TERM DELIVERY**

Number of Pre-term deliveries in Previous Pregnancies.

Found on the '*PRENATAL RECORD*'

Code the number of deliveries excluding the present pregnancy where the delivery took place less than 36 weeks gestational age.

**NUMBER OF PREVIOUS PRE-TERM DELIVERIES IN EACH CATEGORY**

Enter the number occurring within the appropriate gestational age category

Found on the '*PRENATAL RECORD*'

# Previous PTD <29 weeks

# Previous PTD 29-32 weeks

# Previous PTD 33-36

# Previous PTD weeks unspecified

**NUMBER OF PREVIOUS LOW BIRTH WEIGHT INFANTS**

Number of previous infants with birth weight less than or equal to **2499 grams** (5 lbs. 8 oz.).

Found on the '*PRENATAL RECORD*' or the '*PHYSICIANS ASSESSMENT*'.

Code '**9**' for unknown.

**NUMBER OF PREVIOUS OVERWEIGHT INFANTS**

Number of previous infants with birth weight greater than **4080 grams** (9 lbs.).

Found on the '*PRENATAL RECORD*' or the '*PHYSICIANS ASSESSMENT*'.

Code '**9**' for unknown.

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### PRE-PREGNANCY SMOKING

Number of cigarettes smoked per day before the mother became pregnant.

Found on the '*PRENATAL RECORD*'.

Code the number of cigarettes smoked per day pre-pregnancy, with the following **exceptions**:

Patient did not smoke pre-pregnancy

Patient smoked  $\geq 75$  cigarettes per day pre-pregnancy

88 Patient known to be a smoker pre-pregnancy, but number of cigarettes smoked per day is unknown

99 Not indicated whether or not the patient smoked pre-pregnancy

***NOTE: ½ PACK = 13 CIGS, 1 PACK = 25 CIGS***

If the number is recorded in a range, code the highest number, e.g. 10-15 would be coded as 15.

*If the number is contradicted on different forms, use the highest number recorded.*

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**SMOKING AT FIRST  
PRENATAL VISIT**

Number of cigarettes smoked per day at the time of the first prenatal visit.

Found on the '*PRENATAL RECORD*'.

Code the number of cigarettes smoked per day at first prenatal visit, with the following **exceptions**:

Patient did not smoke at the time of the first prenatal visit.

Patient smoked  $\geq 75$  cigarettes per day at the time of the first prenatal visit

88 Patient known to be a smoker pre-pregnancy, but number of cigarettes smoked per day is unknown

99 Not indicated at the first prenatal visit whether or not the patient smoked before she was pregnant

*NOTE: ½ PACK = 13 CIGS, 1 PACK = 25 CIGS*

If the number is recorded in a range, code the highest number, e.g. 10-15 would be coded as 15.

*If the number is contradicted on different forms, use the highest number recorded.*

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### SMOKING AT 20 WEEKS

Number of cigarettes smoked per day at the time of prenatal visit from 18-22 weeks.

Found on the '*PRENATAL RECORD*'.

Code the number of cigarettes smoked per at the time of prenatal visit from 18-22 weeks, with the following **exceptions:**

- 0 Patient did not smoke at the time of prenatal visit from 18-22 weeks.
- 75 Patients smoked  $\geq 75$  cigarettes per day at the time of prenatal visit from 18-22 weeks.
- 88 Patient known to be a smoker pre-pregnancy, but number of cigarettes smoked per day is unknown at the time of prenatal visit from 18-22 weeks.
- 99 Not indicated at the time of prenatal visit from 18-22 weeks whether or not the patient smoked before she was pregnant

**NOTE:**  $\frac{1}{2}$  PACK = 13 CIGS, 1 PACK = 25 CIGS

If the number is recorded in a range, code the highest number, e.g. 10-15 would be coded as 15.

*If the number is contradicted on different forms, use the highest number recorded.*

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**MATERNAL RACE/ETHNICITY**

Maternal Race/Ethnicity

Found on the '*PRENATAL RECORD*'

ACA Acadian  
AFC African Canadian  
ASN Asian  
CAU Caucasian  
FNA First Nations  
HIS Hispanic  
JSH Jewish  
MED Mediterranean  
MDE Middle Eastern  
QUE Quebecois  
Unknown

**HIGHEST LEVEL OF EDUCATION**

Highest Level of Education

Found on the '*PRENATAL RECORD*'

Less than Secondary Education  
Secondary Education  
Technical/Some Post Secondary Education  
Post Secondary Education  
Graduate Level  
Post Graduate Level  
99 Unknown

**INTENT TO BREASTFEED**

Maternal intention to breastfeed.

Found on the '*PRENATAL RECORD*' or the '*MATERNAL ADMISSION ASSESSMENT*'.

Code using one of the following:

Y Yes  
N No  
U Unsure  
9 Unknown

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### PRE-PREGNANCY WEIGHT

Maternal pre-pregnancy weight.

Found on the '*PRENATAL RECORD*' or the '*MATERNAL ADMISSION ASSESSMENT*'.

This field has been designed to allow either pounds (lbs.) or kilograms (kgs.) to be coded. If the weight is recorded in kilograms, it should be entered in kgs., and 'K' should be coded in the field immediately following, e.g. 60 K.

If the weight is recorded in pounds (lbs.), it should be entered in pounds, and 'P' should be coded in the field immediately following, e.g. 121 P.

*If weight not documented as a whole number, round to the nearest whole number.*

e.g. 60.2 kg.=60 kg.  
60.7 kg.=61 kg.

*If weight is recorded in a range, code the highest weight.*

e.g. 130-135 lbs. = 135 lbs.

*If pre-pregnancy weight is unknown, subtract weight gain from pre-pregnancy weight.*

Code '**999**' for unknown.

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### MATERNAL HEIGHT

Maternal Height

Found on the '*PRENATAL RECORD*'

Refers to mother's height in centimetres or feet and inches.

For measurements in centimetres round up to the next whole number. Example: 150.6cm record as 151cm. For measurements in feet and inches round up to the next whole number for inches. Example: 5' 3.5" record as 5' 4".

Enter '**999**' in the centimetres field for an unknown value.

### ATTENDANCE AT PRENATAL CLASSES OR RECEIVED ANY PRENATAL EDUCATION

Maternal attendance at any prenatal classes or education such as videos, seminars or other educational tools

Found on the '*PRENATAL RECORD*' or the '*MATERNAL ADMISSION ASSESSMENT*'.

Code for *current* pregnancy only.

Code using one of the following:

Y	Yes
N	No
9	Unknown

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### SMOKING AT TIME OF ADMISSION

Number of cigarettes smoked per day at time of the delivery.

Found on the 'MATERNAL ADMISSION ASSESSMENT', the 'MATERNAL NURSING REASSESSMENT', or the 'PHYSICIANS ASSESSMENT'.

*If neither of these forms are present or the information is missing, if the most recent prenatal visit documented is within 7 days of the delivery admission and smoking data were recorded at that visit enter that number.*

*If there is no information about maternal smoking within 7 days of the delivery admission, code 99*

Code the number of cigarettes smoked per day at the time of delivery, with the following **exceptions**:

- 0 Patient did not smoke at the time of delivery
- 75 Patient smoked  $\geq 75$  cigarettes per day at the time of delivery
- 88 Patient known to be a smoker at the time of delivery, but number of cigarettes smoked per day is unknown
- 99 Not indicated whether or not the patient smoked at the time of delivery

**NOTE:**  $\frac{1}{2}$  Pack = 13 CIGS, 1 PACK = 25 CIGS

If the number is recorded in a range, code the highest number, e.g. 10-15 would be coded as 15.

*If the number is contradicted on different forms, use the highest number recorded.*

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### PRESENT WEIGHT

Patient's weight just before delivery.

Found on the '*MATERNAL ADMISSION ASSESSMENT*', **OR** patient's last weight (if within a week of delivery) on the '*PRENATAL RECORD*'.

This field has been designed to allow either pounds (lbs.) or kilograms (kgs.) to be coded. If the weight is recorded in kilograms, it should be entered in kgs., and 'K' should be coded in the field immediately following, e.g. 60 K.

If the weight is recorded in pounds (lbs.), it should be entered in pounds, and 'P' should be coded in the field immediately following, e.g. 121 P.

*If weight not documented as a whole number, round to the nearest whole number.*

e.g. 60.2 kg. = 60 kg.  
60.7 kg. = 61 kg.

*If weight is recorded in a range, code the highest weight.*

e.g. 130-135 lbs. = 135 lbs.

*If present weight is unknown, add pre-pregnancy and weight gain.*

Code '**999**' for unknown value.

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### MATERNAL SCREENING TEST

Found on 'LAB REPORTS', 'DIAGNOSTIC IMAGING REPORTS' or documented on the 'PRENATAL RECORD'

Review Lab/Diagnostic Imaging Reports for evidence that specified screening tests were done. If Lab/Diagnostic Imaging Reports are not available, review the Prenatal Record for evidence that the screening was done or not done. If there is no documentation indicate Unknown.

#### **Group B Strep Screening** (usually done at 35-37 weeks)

Y = Yes, done

N = Not done

U = Unknown

#### **Nuchal Translucency Screening**

Y = Yes, done

N = Not done

U = Unknown

#### **HIV Testing**

Y = Yes, done

D = Declined

U = Unknown

N = Not done

#### **Maternal Serum**

Y = Yes, done

D = Declined

U = Unknown

N = Not done

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### NUMBER OF FETUSES

Code the number of fetuses which the mother carried to delivery during the present pregnancy.

Found on the '*BIRTH RECORD*' or the '*PRENATAL RECORD*' or the '*PHYSICIANS ASSESSMENT*' or the '*MATERNAL ADMISSION ASSESSMENT*'.

Use one of the following codes:

Singleton  
Twins  
Triplets  
Quadruplets  
Quintuplets

### DISCHARGE DATE

Mother's discharge date from hospital.

Found on the '*NURSES NOTES*'.

Use the following format: 'YYYYMMDD'.

### DISCHARGE TIME

Mother's discharge time from hospital.

Found on the '*NURSES NOTES*'.

Use the following format: 'HHMM'.

"HH" is in range 0-23, "MM" is in range 0-59

If Discharge Time is not documented leave Discharge Time blank and code '9' in the field immediately following.

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### MOTHER DISCHARGED TO

The immediate destination of patient on discharge.

Found in the '*NURSES NOTES*' or the '*HOSPITAL ADMISSION FORM*' or the '*PHYSICIANS ORDER SHEET*'.

Code using one of the standard 2 digit provincial codes for hospitals found on pages 10-14 or use one of the following codes:

-9 Maternal death  
0 Home

### MATERNAL ULTRASOUND

Maternal Ultrasound.

Found on an '*ULTRASOUND REPORT*' within the chart.

Indicate **Y** if an ultrasound report is on the chart. If there is no ultrasound report on the chart but it is documented that the patient had an ultrasound, record **Y** indicating that the patient had an ultrasound and click the box stating ultrasound done but no values recorded.

If there is no ultrasound report on the chart and it is not documented that an ultrasound has been done record **N**.

### FETUS NUMBER

This column holds a value to differentiate between ultrasound studies for multiple births.

For singleton pregnancies, the number will always be 1.

In multiple pregnancies, study 1 for first reported baby, study 2 for second, etc.

If there is no indication of an ultrasound being done, leave field blank.

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### DATE OF FIRST ULTRASOUND

Date of **earliest** ultrasound during this pregnancy where measurements of the fetus are recorded.

Found on the '*ULTRASOUND REPORT*'.

If there is no indication of an ultrasound being done, leave field blank.

### CROWN/RUMP LENGTH

Crown/rump length recorded on ultrasound done with measurements during this pregnancy.

Found on the '*ULTRASOUND REPORT*'.

Use the following format: '**XX.X**' (in centimetres)

Decimal points must be entered.

If the crown/rump length is not recorded on the first ultrasound (with measurements) for this pregnancy, leave this field blank and record values for the following four variables: **biparietal diameter, head circumference, abdominal circumference, and femur length.**

If the crown/rump length is recorded you do not have to fill in the other values.

### BIPARIETAL DIAMETER

Biparietal diameter recorded on first ultrasound with measurements done during this pregnancy.

Found on the '*ULTRASOUND REPORT*'.

Use the following format: '**XX.X**' (in centimetres)

Decimal points must be entered.

If the **crown/rump length** has been recorded, leave this field blank.

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### HEAD CIRCUMFERENCE

Head circumference recorded on first ultrasound with measurements done during this pregnancy.

Found on the '*ULTRASOUND REPORT*'.

Use the following format: '**XX.X**' (in centimetres)

Decimal points must be entered.

If the **crown/rump length** has been recorded, leave this field blank.

### ABDOMINAL CIRCUMFERENCE

Abdominal circumference recorded on first ultrasound with measurements done during this pregnancy.

Found on the '*ULTRASOUND REPORT*'.

Use the following format: '**XX.X**' (in centimetres)

Decimal points must be entered.

If the **crown/rump length** has been recorded, leave this field blank.

### FEMUR LENGTH

Femur length recorded on first ultrasound with measurements done during this pregnancy.

Found on the '*ULTRASOUND REPORT*'.

Use the following format: '**XX.X**' (in centimetres)

Decimal points must be entered.

If the **crown/rump length** has been recorded, leave this field blank.

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**NO APPLICABLE DATA  
RECORDED**

No Applicable Data Recorded

If it is indicated on the chart that an Obstetrical Ultrasound was done but none of the applicable values recorded click the NAD box to indicate this fact.

**MATERNAL STEROID  
THERAPY**

Found on the '*MEDICATION SHEET*' or on the '*PRENATAL RECORD*'.

Code the earliest dose of the first course of treatment. For stillbirths, estimate duration of therapy to time of delivery.

In this case of multiples code for birth order 1 only. Code one of the following:

**Dexamethasone**

<24 hours before delivery

24 to 48 hours before delivery

>48 hours but <=7 days before delivery

>7 days before delivery

Unknown when administered

**Betamethasone (Celestone)**

<24 hours before delivery

24 to 48 hours before delivery

>48 hours but <=7 days before delivery

>7 days before delivery

Unknown when administered

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### ANALGESIA ADMINISTERED DURING LABOUR

(Exclude antepartum stillbirths)

Found on the 'BIRTH RECORD', MEDICATION SHEETS' or the 'PARTOGRAM'.

Choose only one drug and the route administered. Choose the drug administered **closest** to the time of delivery.

#### **Drug**

Demerol (Meperidine)  
Dilaudid (Hydromorphone HCl)  
Fentanyl (Sublimaze)  
Largactil (Chlorpromazine Tranquillizer)  
Morphine (Includes Opium; Pantopon)  
Nembutal (Pentobarbital Hypnotic)  
Nubain (Nalbuphine)  
Phenergan (Promethazine Tranquillizer)  
Seconal (Secobarbital)  
Sparine (Promazine Tranquillizer)  
Talwin (Pentazocine)  
Tuinal (Amo-Secobarb Hypnotic)  
Valium (Diazepam Tranquillizer)  
Other Specified Analgesia During Labour

### ROUTE OF ADMINISTRATION

Choose only **ONE** route of administration for the drug given closest to the time of delivery

Unknown route, < 1 hr. prior to delivery  
Unknown route, 1 to < 2 hr. prior to delivery  
Unknown route, 2 to 4 hr. prior to delivery  
Unknown route, > 4 hr. prior to delivery  
I.M., < 1 hr. prior to delivery  
I.M., 1 to < 2 hr. prior to delivery  
I.M., 2 to 4 hr. prior to delivery  
I.M., > 4 hr. prior to delivery  
I.V., < 1 hr. prior to delivery  
I.V., 1 to < 2 hr. prior to delivery  
I.V., 2 to 4 hr. prior to delivery  
I.V., > 4 hr. prior to delivery

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### ANTIBIOTIC THERAPY

Antibiotics administered during a delivered admission.

Found on the 'BIRTH RECORD', 'MEDICATION SHEETS' or the 'PARTOGRAM'.

Antibiotics may be given at any time during the delivered admission: Antepartum, Intrapartum or Post-Partum.

Enter a **Y** in all applicable fields.

If no antibiotics were administered, leave **blank**.

### PROCESS STATUS

Indicates the coding status of delivered routine information.

Select one of the following:

Coding of chart in process. *The case is set to 2 automatically when it is accessed by the coder for the first time.*

Coding of delivered information completed.

Once data has been 'frozen' (status 4 or 5), any necessary changes or corrections must be forwarded to the Health Information Coordinator at RCP.

**ROUTINE INFORMATION – LABOUR**

**BIRTH ORDER**

Found on the '*BIRTH RECORD*' or the '*OPERATIVE REPORT*'.

Use one of the following codes:

Singleton, or first born of multiples

Second born of multiples

Third born of multiples

Fourth born of multiples

Fifth born of multiples

**DATE OF RUPTURE OF MEMBRANES**

Date of rupture of membranes (ROM).

Found on the '*BIRTH RECORD*'

Use the following format '*YYYYMMDD*'

*If there is more than one rupture of membranes, code the earliest date.*

*If the patient has an elective C-section and there is no history of prior rupture of membranes, use the date of birth as the date of rupture of membranes, since membranes would have been ruptured on the day of delivery.*

If the date of rupture of membranes is unknown, leave 'Rupt Date' blank, and code '9' in the field immediately following.

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### TIME OF RUPTURE OF MEMBRANES

Time of rupture of membranes (ROM)  
Found on the 'BIRTH RECORD'

Use the following format: 'HHMM' where 'HH' is in the range of 0-23 and 'MM' is in the range of 0-59.

*If there is more than one rupture of membranes, record the earliest time. If the patient has a C-section and there is no history of prior rupture of membranes, use the time of birth as the time of rupture of membranes, since membranes would have been ruptured at the time of delivery.*

*When membranes are known to have ruptured within 5 minutes of delivery and the exact time not specified, then the time of birth should be coded as the time of rupture of membranes.*

*If more than 5 minutes and exact time not specified, then leave 'Rupt Time' blank and code '9' in the field immediately following.*

*In situations of long rupture and when the date is known, but the time is not specified, code the appropriate date, leave 'Rupt Time' blank, and code '9' in the field immediately following.*

If the time of rupture of membranes is unknown, leave 'Rupt Time' blank and code '9' in the field immediately following.

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### TYPE OF RUPTURE OF MEMBRANES

Type of rupture of membranes.

Found on the '*BIRTH RECORD*'

Code using one of the following:

S Spontaneous  
A Artificial  
9 Unknown

*If there is more than one rupture of membranes, code the type based on the first rupture of membranes. If the patient has a C-section and there is no history of prior rupture of membranes, code the type of rupture as 'artificial'.*

### MECONIUM STAINING

Meconium staining of the amniotic fluid.

Found on the '*BIRTH RECORD*' or the '*NURSES NOTES*'. Do **not** code **Y** if documentation states 'as noted at time of birth or delivery'.

Code using one of the following:

Y Yes  
N No  
9 Unknown

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### LABOUR

Initiation of labour.

Found on the 'BIRTH RECORD' or 'PARTOGRAM'.

Code using one of the following:

- S Spontaneous onset of labour (does not include augmentation of labour)
- I Artificial induction of labour (does not include augmentation of labour)
- N No labour prior to delivery (e.g. elective repeat C-section)
- A Attempted Induction. This is to be used if an attempt has been made but no labour happens. (Failed induction)

*If the cervical dilation is  $\geq 3$  cm **and** regular contractions are present when the oxytocin and/or prostin is initiated, code labour as spontaneous (**S**).*

*If the cervical dilation is  $< 3$  cm **or** there are no regular contractions when the oxytocin and/or prostaglandin are initiated, code labour is induced (**I**).*

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### INDICATION FOR INDUCTION OF LABOUR

Reason for induction of labour.

Found on the '*BIRTH RECORD*', the '*PHYSICIANS ASSESSMENT*' or the '*MATERNAL ADMISSION ASSESSMENT*'.

Code using one of the following:

Not Induced  
Elective  
Fetal growth restriction  
Diabetes  
Post Dates  
Premature rupture of membranes without  
Chorioamnionitis  
Premature rupture of membranes with clinical  
Chorioamnionitis  
Isoimmunization  
History of precipitate labour  
(Possible) fetal distress; low planning score  
Intrauterine death  
Geographic  
Hypertension  
Other  
Oligohydramnios (decreased amniotic fluid)  
Fetal anomaly  
Polyhydramnios  
Multiple pregnancy  
PUPP  
Cholestatic jaundice  
Thrombocytopenia  
Previous fetal death/poor obstetrical history  
Seizure  
Macrosomia  
No indication given  
Advanced Maternal Age  
Maternal Request  
Vaginal Bleeding

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**INDUCTION OR ATTEMPT AT  
INDUCTION OF LABOUR  
PLACE**

Found on the '*BIRTH RECORD*', the '*PHYSICIANS ASSESSMENT*' or the '*MATERNAL ADMISSION ASSESSMENT*'.

- 1 Inpatient
- 2 Outpatient
- 3 Both inpatient and outpatient
- 9 Unknown

**INDUCTION OR ATTEMPT AT  
INDUCTION OF LABOUR  
(METHODS/AGENTS)**

Found on the '*BIRTH RECORD*', the '*PHYSICIANS ASSESSMENT*', or the '*MATERNAL ADMISSION ASSESSMENT*'.

If labour was induced, enter "Y" for each documented method/agent used in an attempt to induce labour.

If Oxytocin is given, when you enter "Y", a screen will pop up for you to enter the time and date first given.

**Artificial rupture of membranes, if clearly stated to induce labour**

Y=Yes

**Cervical Catheter**

Y=Yes

**Oxytocin**

Y=Yes

**Prostaglandin Oral**

Y=Yes

**Prostaglandin Vaginal or Cervical**

Y=Yes

**Other Specified Agents**

Y=Yes

If method/agent of induction is **not known or documented**, code

9=In Artificial Rupture of Membranes to indicate Unknown

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### DATE OF ADMISSION TO LABOUR/DELIVERY ROOM

Date of admission to the Labour and Delivery Room in apparent labour and delivered before discharged from the unit.

Found on the '*PARTOGRAM*' or the '*PROGRESS NOTES*', or '*MATERNAL ADMISSION ASSESSMENT*'.

Use the following format: 'YYYYMMDD'.

If date of admission to LDR is unknown, leave 'LDR Date' blank, and code '9' in the field immediately following.

### TIME OF ADMISSION TO LABOUR/DELIVERY ROOM

Time of admission to the Labour and Delivery Room in apparent labour and delivered before discharged from the unit.

Found on the '*PARTOGRAM*' or the '*PROGRESS NOTES*' or the '*MATERNAL ADMISSION ASSESSMENT*'.

Use the following format: 'HHMM'. 'HH' is in range 0-23, 'MM' is in range 0-59.

If time of admission to LDR is unknown, leave 'LDR time' blank, and code '9' in the field immediately following.

### DILATATION AT TIME OF ADMISSION TO LABOUR/DELIVERY ROOM

Cervical dilatation at admission to the Labour and Delivery Room in apparent labour and delivered before discharge from the unit.

Found on the '*PARTOGRAM*'.

Code using the following format: 'XX' where 'XX' represents the dilation in centimetres.

*Code the first dilatation recorded within 2 hours of admission to the LDR. Round the dilatation down to the nearest centimetre, e.g. 3.5 would be coded as 3.*

Code '99' for unknown.

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### MEDICAL AUGMENTATION

Use of oxytocin to improve contractions after labour has started spontaneously.

Found on the '*PARTOGRAM*' or '*BIRTH RECORD*'.

Code using one of the following:

Y	Yes
N	No
9	Unknown
7	Not applicable

### DATE OF MEDICAL AUGMENTATION

Date of initiation of oxytocin administration for medical augmentation.

Found on the '*PARTOGRAM*'.

Use the following format: 'YYYYMMDD'

If date of medical augmentation is unknown, leave 'Aug Date' blank, and code '9' in the field immediately following.

### TIME OF MEDICAL AUGMENTATION

Time of initiation of oxytocin administration for medical augmentation.

Found on the '*PARTOGRAM*'.

Use the following format: 'HHMM'. 'HH' is in the range 0-23, 'MM' is in the range 0-59.

*If the time of initiation of oxytocin is the same as the time of admission to LDR, code the augmentation time as one minute after the admission time.*

If time of medical augmentation is unknown, leave 'Aug Time' blank, and code '9' in the field immediately following.

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### CERVICAL DILATION AT TIME OF MEDICAL AUGMENTATION

Cervical dilation at time of medical augmentation.

Found on the 'PARTOGRAM'.

Code using the following format: 'XX' where 'XX' represents the dilation in centimetres.

*Round the dilatation down to the nearest centimetre, e.g. 3.5 would be coded as 3.*

*If the dilatation is not documented, code the last dilatation recorded during the two hours prior to the initiation of the oxytocin.*

*If the dilatation is not recorded during this time frame, code '99'.*

*If the dilatation is noted to be less than dilatation on admission to LDR, code the dilatation at time of augmentation as noted, and change the dilatation on admission to LDR to the same lower dilatation.*

Code '99' for unknown.

### DATE WHEN CERVICAL DILATATION AT 4 CENTIMETRES

Date when cervical dilatation at 4 cm.

Found on the 'PARTOGRAM' or the 'PROGRESS NOTES'.

Use the following format: 'YYYYMMDD'.

*Code when first indicated by physician or nurse.*

If the patient goes into labour, but has a C-section AND dilatation at C-section is <4 cm, leave '4 cm Date' blank, and code '7' in the field immediately following.

If date cervical dilatation at 4cm is unknown, leave '4 cm Date' blank, and code '9' in the field immediately following.

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### TIME WHEN CERVICAL DILATATION AT 4 CENTIMETRES

Time when cervical dilatation at 4 cm.

Found on the '*PARTOGRAM*' or the '*PROGRESS NOTES*'.

Use the following format: 'HHMM'. 'HH' is in the range 0-23, 'MM' is in range 0-59.

*Code when first indicated by physician or nurse.*

If not recorded on the partogram, but dilatation before and after 4 cm is recorded, estimate the time when dilatation would have been 4 cm.

If the patient goes into labour, but has a C-section AND dilatation at C-section is <4 cm, leave '4 centimetres time' blank, and code '7' in the field immediately following.

If time cervical dilatation at 4 cm is unknown, leave '4 centimetres time' blank, and code '9' in the field immediately following.

### DATE OF ONSET OF SECOND STAGE OF LABOUR

Defined as full cervical dilatation (10 cm).

Found on the '*BIRTH RECORD*'.

Use the following format: 'YYYYMMDD'.

If the patient goes into labour, but does not get to second stage prior to have C-section, leave 'Stage 2 Date' blank, and code '7' in the field immediately following.

If date of stage 2 is unknown, leave 'Stage 2 Date' blank, and code '9' in the field immediately following.

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### TIME OF UNSET OF SECOND STAGE OF LABOUR

Defined as full cervical dilatation (10 cm).

Found on the '*BIRTH RECORD*'.

Use the following format: 'HHMM'. 'HH' is in the range 0-23, 'MM' is in range 0-59.

If the patient goes into labour, but does not get to second stage prior to having a C-section, leave 'Stage 2 Time' blank, and code '7' in the field immediately following.

If time of stage 2 is unknown, leave 'Stage 2 Time' blank, and code '9' in the field immediately following.

### MODE OF DELIVERY

Mode of delivery.

Found on the '*OPERATIVE REPORT*' or the '*BIRTH RECORD*'.

Code using **one** of the following:

- ABD Abdominal
- CSC C-section, combined transverse and vertical incision – Inverted T and J Incision. (This refers to the uterine incision, not skin incision).
- CSH C-section/hysterectomy
- CST C-section, transverse incision
- CSV C-section, classical incision (vertical incision in the body of uterus)
- CSU C-section, type unknown
- LVS C-section, low vertical incision
- VAG Vaginal

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### METHOD OF DELIVERY

Method of delivery.

Found on the '*OPERATIVE REPORT*' or the '*BIRTH RECORD*'.

Code using **one** of the following:

- ABR Assisted breech
- ACH Forceps to after-coming head (**Breech – vaginal delivery only**)
- BRE Breech extraction (**Vaginal delivery only**)
- CSF C-section with forceps
- CSV C-section with vacuum
- CSC C-section with vacuum and forceps
- CSN C-section
- FAF Failed forceps or failed trial of forceps followed by C-section
- FCF Failed forceps followed by C-section with forceps
- FVC Attempted forceps and vacuum followed by C-section using forceps and/or vacuum
- FVV Attempted Forceps followed by vacuum vaginal delivery
- HIF High forceps
- LMF Low-mid forceps
- LOF Low or outlet forceps
- MIF Mid forceps
- PVE Podalic version and extraction (**Do not use for C-section**)
- SPT Spontaneous vaginal
- VAC Vacuum followed by C-section
- VAF Vacuum followed by forceps
- VEX Vacuum extraction, malstrum extraction
- VFC Vacuum followed by forceps and then C-section
- VCV Attempted vacuum followed by C-section using forceps and/or vacuum
- 999 Unknown method of delivery

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### CERVICAL DILATATION DURING LAST EXAM PRIOR TO C-SECTION

Cervical dilatation during last exam prior to C-section.

Found on the 'PARTOGRAM' or the 'PROGRESS NOTES'.

Code using the following format: 'XX' where 'XX' represents the dilatation in centimetres.

Round the dilatation down to the nearest centimetre, e.g. 3.5 would be coded as 3.

Code '99' for unknown.

### POSITION AT DELIVERY

Position of infant at delivery.

Found on the 'OPERATIVE REPORT' or the 'BIRTH RECORD'.

Code using **one** of the following:

BCH Breech, other or unspecified  
BOW Brow  
CPD Compound presentation  
FAC Face  
FRB Frank breech  
FTB Footling breech  
POP Persistent occiput posterior (ROP, LOP, OP)  
SHL Shoulder presentation  
VTX Vertex (includes LOA, ROA, OT, ROT, LOT, OA, Transverse)  
999 Unknown

*If the position at delivery is not noted on any of the above forms, and the fetal position recorded on the 'PRENATAL RECORD' throughout the pregnancy is VTX, and the fetal position recorded on the 'PHYSICIANS ASSESSMENT' when the patient is admitted for delivery is Vertex, code VTX.*

If the position has been rotated during the delivery or prior delivery, code the position the baby is currently at the time of delivery. For example was POP and manually rotated to LOA in time of delivery. Code position at delivery as LOA.

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### EPISIOTOMY

Episiotomy.

Found on the '*BIRTH RECORD*' or the '*OPERATIVE REPORT*'.

Code using **one** of the following:

- 0 Not done
- 4 Medio-lateral
- 6 Midline
- 9 Unknown

### BIRTH WEIGHT

Infant's birth weight. First weight noted after birth.

Found on the '*BIRTH RECORD*' or the '*NEWBORN WEIGHT GRAPH*' in grams.

If an infant ( $\geq 500$  gms or gest.  $\geq 20$  weeks) was born dead or died after birth and was not weighed, code '**9999**'.

*For Siamese twins, split weight between babies.*

*If a baby has a tumour or growth at time of birth and the tumour or growth is removed shortly after, record actual weight at birth, including tumour or growth.*

**DO NOT** take from Pathology Report.

Code '**9999**' for unknown.

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### APGAR SCORE AT 1 MINUTE

APGAR score at 1 minute.

Found on the '*BIRTH RECORD*'.

Code between 0 and 10 for APGAR score.

Code '**99**' for unknown.

'**77**' for fetal deaths will auto fill.

### APGAR SCORE AT 5 MINUTES

APGAR score at 5 minutes.

Found on the '*BIRTH RECORD*'.

Code between 0 and 10 for APGAR score.

Code '**99**' for unknown.

'**77**' for fetal deaths will auto fill.

### APGAR SCORE AT 10 MINUTES

APGAR score at 10 minutes.

Found on the '*BIRTH RECORD*'.

Code between 0 and 10 for APGAR score.

Code '**99**' for unknown.

'**77**' for fetal deaths will auto fill.

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### PHYSICIAN ATTENDING DELIVERY

The physician attending the delivery.

Found on the '*BIRTH RECORD*' or the '*OPERATIVE RECORD*'.

Code using the Provincial Medical Board Registration number.

Code '**66666**' – if delivered by a midwife

Code '**88888**' – if physician is not registered in Nova Scotia

Code '**99999**' – if unknown

### PRIMARY INDICATION FOR C-SECTION

Primary Indication for C-section.

Found on the '*OPERATIVE RECORD*' or the '*BIRTH RECORD*' or the '*PROGRESS NOTES*' or the '*CONSULTATION NOTE*'.

Code using one of the following:

AMA Advanced Maternal Age

APL Abruptio placenta

BCH Breech

DBT Diabetes

CXD Diseases of the cervix

DYS Dystocia (***Cephalopelvic disproportion, (C.P.D), Failure-to-progress, Maternal exhaustion, Cervical Stenosis POP, OP***)

FID Failed Induction

FDS Fetal distress

FGT Fetal growth restriction (***retardation***)

HIV Human Immunodeficiency Virus

HSV Maternal herpes simplex infection

HTD Hypertensive disorders

ISO Isoimmunization

MAT Maternal choice

MLP Malpresentation (***e.g. shoulder, brow, face; exclude breech and transverse lie***)

MTP Multiple Pregnancy

OCC Other Obstetrical Conditions

OFC Other Fetal Conditions

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**PRIMARY INDICATION FOR C-SECTION (Cont)**

PCS Previous C-section  
PLC Prolapsed cord  
PLP Placenta previa  
PMC Postmortem C-section  
PRM Prolonged rupture of membranes  
SFA Suspected Fetal Anomaly  
SUR Suspected/imminent uterine rupture  
TLI Transverse Lie (include unstable lie and oblique lie)  
UTS Uterine surgery, previous  
VAG Vaginal delivery (**i.e. not applicable**)  
999 Unknown

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**ROUTINE INFORMATION – INFANT**

**INFANT'S UNIT NUMBER**

Infant's hospital unit number.

Found on the health record folder or the '*HOSPITAL ADMISSION FORM*'.

In a fetal death this field will auto fill '*7777777777*'.

**GIVEN NAME(S)**

Infant's given name(s).

Found on the '*HOSPITAL ADMISSION FORM*'.

**SURNAME**

Infant's surname.

Found on the '*HOSPITAL ADMISSION FORM*'.

**SEX**

The legal phenotypic sex of the infant, regardless of karyotype.

Found on the '*BIRTH RECORD*'.

Code using one of the following:

F     Female  
M     Male  
A     Ambiguous

**DATE OF INFANT'S BIRTH**

Date of infant's birth.

Found on the '*BIRTH RECORD*'.

Use the following format: '*YYYYMMDD*'

If the date of infant's birth is unknown, leave 'birth date' blank, and code '9' in the field immediately following.

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### TIME OF INFANT'S BIRTH

Time of infant's birth.

Found on the '*BIRTH RECORD*'.

Use the following format: 'HHMM'

"HH" is in the range 0-23, "MM" is in the range 0-59.

If the time of infant's birth is unknown, leave 'birth time' blank, and code '9' in the field immediately following.

### DATE OF INFANT'S ADMISSION TO HOSPITAL

Date of infant's admission to hospital.

Found on the '*HOSPITAL ADMISSION FORM*'.

Date of infant's admission to hospital where abstract is coded. Will usually be the same as the birth date. Will be different when the baby was born at home and subsequently needed to be admitted to hospital; en route to hospital; or in a non-obstetric hospital.

Use the following format: 'YYYYMMDD'

### BABY NOT ADMITTED TO HOSPITAL

If infant was not admitted to hospital but mother was, contact RCP Health Information Coordinator.

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### TIME OF INFANT'S ADMISSION TO HOSPITAL

Time of infant's admission to hospital.

Found on the '*HOSPITAL ADMISSION SHEET*'.

Time of infant's admission to hospital where abstract is coded. Will usually be the same as the birth time. Will be different when the baby was born at home and subsequently needed to be admitted to hospital; en route to hospital; or in a non-obstetric hospital.

Use the following format: 'HHMM'

"HH" is in the range of 0-23, "MM" is in the range of 0-59.

### TIME OF FETAL DEATH

When fetal death occurred.

Found on the '*BIRTH RECORD*' or the '*AUTOPSY REPORT*'.

Code using one of the following:

AA	After admission and before labour
BA	Before admission
IP	Intrapartum
NA	Not applicable
UK	Unknown

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### INFANT A/S/D NUMBER

Hospital number referring to the infant's present admission.

Found on the infant's '*HOSPITAL ADMISSION FORM*'.

Use the following format: 'CCNNNNNNNN/YY'. Where "CC" is the admit type, "NNNNNNNN" is an ascension number related to the number of admissions of the year and "YY" denotes the fiscal year (April 1 to March 31), changing on April 1<sup>st</sup> of each year.

*Zeros before the ascension number must be entered if number does not have 7 digits, e.g. AS0000123/05.*

Code '**999999999**' for unknown value.

In a fetal death this field will fill to '**777777777**'.

### INFANT'S HEALTH CARD NUMBER

Infant's health card number.

Found on the '*HOSPITAL ADMISSION FORM*'.

Record the patients **Nova Scotia** Health Card Number or the hospital generated '8000' number for:

Nova Scotia residents admitted without a Nova Scotia Health Card Number

Patients from outside Nova Scotia

If a Nova Scotia Health Card Number or hospital generated '8000' number is not available, code:

- 0 Nova Scotia patient, card not available
- 0 Armed Forces
- 0 RCMP
- 0 First Nations
- 0 Self-paying
- 1 Patient from outside Nova Scotia
- 7 Will auto fill for fetal deaths

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### INFANT'S ATTENDING PHYSICIAN

Physician most responsible for care of the infant while in hospital.

Found on the 'HOSPITAL ADMISSION FORM'.

Code using the Provincial Medical Board Registration Number.

Code '66666' if midwife is attending.

Code '88888' if physician is not registered in Nova Scotia.

Code '99999' for unknown.

In a fetal death this field will fill to '77777'

### INFANT LENGTH

Found on the 'PHYSICIANS NEWBORN EXAMINATION' or the 'NEWBORN NURSING ASSESSMENT'.

Refers to infant length circumference in centimetres (cm).

Enter infant length in centimetres, rounding to the closest whole number. Example: 39.7cms record as 40cms.

Enter '99' for an unknown value.

### HEAD CIRCUMFERENCE

Found on the 'PHYSICIANS NEWBORN EXAMINATION' or the 'NEWBORN NURSING ASSESSMENT'.

Refers to infant head circumference in centimetres (cm).

Enter head circumference in centimetres, rounding to the closest whole number. Example: 39.7cms record as 40cms.

Enter '99' for an unknown value.

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### CLINICAL ESTIMATE OF GESTIONAL AGE

The closest approximation in weeks to the gestational age obtained by physical examination of the infant.

Found on the '*PHYSICIAN NEWBORN EXAMINATION*' or the '*NEWBORN BIRTH ASSESSMENT*' or clearly stated by the physician.

Code stated number of completed weeks. The following is a guide:

<b>Documented as....</b>	<b>Use:</b>
38+ weeks	38
38-40 weeks	39
38-39 weeks	38
> 39 weeks	39
Term	40
Not documented	<b>99</b> (unknown)

### SCN ADMISSION

Infant admitted to the Special Care Nursery; or infants requiring special care in normal nursery where premature nursery not available.

Found in the '*PROGRESS NOTES*'.

Code using one of the following:

Y     Yes  
N     No

If 'Y' is entered, complete the SCN screen by entering the admit and discharge dates to and from the Special Care Nursery.

If there is more than one admission and discharge to the Special Care Nursery during the same admission, enter the dates of the second in the next row. Continue until all SCN admissions are recorded.

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### OUTCOME OF INFANT

Outcome of infant at time of discharge.

Found on the '*INFANT'S PROGRESS NOTES*'.

Code using one of the following:

LVD Infant lived to be discharged from hospital.

NND Live born infant who died before being discharged from the hospital.

FTD Fetal death before birth.

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### BREASTFEEDING

Record one of the following to indicate the method of feeding during the hospital stay.

Found in the 'NURSES NOTES' or the 'PHYSICIAN NEWBORN ADMISSION' or the 'DISCHARGE FORM'.

Code using one of the following:

E Breast milk was exclusively given, breast milk, or expressed breast milk (EBM) during the hospital stay.

Cannot be given any food or liquid other than breast milk. Exception: May be given undiluted drops of syrups consisting of vitamins, mineral supplements, or medicines. Breast milk may be given by the mother, health care provider or family member/supporter.

*If the baby was given breast milk and water or glucose water record as breast milk and formula.*

N Baby was not given any breast milk or expressed breast milk during hospital stay.

S Baby was given both breast milk and other supplements, e.g. formula, water, glucose water during hospital stay.

9 There is no documentation as to how the baby was fed during the hospital stay.

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**EARLY BREAST CONTACT**

Found on the '*PARTOGRAM OR NURSES NOTES*'.

Code using one of the following:

- Y Yes, if the fields Nuzzling/Licking, Attempting Sucking/Good Latch, Vigorous Sucking/Good Latch are checked on the Partogram and there was contact within one hour of delivery.
- N No, if none of the above boxes are checked or if noted baby asleep and it has not been documented there was breast contact within 1 hour of delivery.
- 9 Unknown, if none of the applicable boxes are checked and there is no noted breast contact within the first hour of delivery.

**INFANT'S DISCHARGE DATE**

Discharge date of infant's admission to the hospital of birth.

Found on the '*NURSES NOTES*'.

Use the following format: 'YYYYMMDD'

If the date of infant's discharge is unknown, leave 'Infant's Discharge Date' blank, and code '9' in the field immediately following.

**INFANT'S DISCHARGE TIME**

Discharge time of infant's admission to the hospital of birth.

Found in the '*NURSES NOTES*'.

Use the following format: 'HHMM'. "HH" is in the range 0-23, "MM" is in range 0-59.

If the time of infant's discharge is unknown, leave 'Infant's Discharge Time' blank, and code '9' in the field immediately following.

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### DISCHARGED TO

Immediate destination of infant on discharge from hospital.

Found in the '*PHYSICIANS PROGRESS NOTES*' or the '*NURSES NOTES*' or the '*PHYSICIANS ORDER SHEET*'.

Code using one of the standard 2 digit provincial codes for hospitals found on pages 10-14 or use one of the following codes:

0 Home  
-9 Infant Death

### AUTOPSY

Completion of infant autopsy.

Found on the '*NEWBORN CODING SHEET*' or the '*AUTOPSY REPORT*'.

Code using one of the following:

LVD Lived (not applicable)  
Y Died and autopsy done  
N Died but autopsy not done

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### INFANT'S PRIMARY CAUSE OF DEATH

Found on the 'AUTOPSY REPORT' or stated by the physician.

Leave blank if infant lived.

Use **one** of the following codes:

ABRP	Abruption placenta
AMNO	Amniocentesis
ANOM	Congenital anomaly
ANAL	Analgesia or anaesthesia
ANEC	Acute necrotizing enterocolitis
ASPN	Aspiration
CDOT	Cord, miscellaneous
CPDP	Chronic pulmonary disease
COTR	Complications of treatment
CORP	Cord prolapse
CRLK	Cord loops and/or knots
DBRN	Degenerative brain disease
DUCT	Ductus syndrome of prematurity
EXTX	Exchange transfusion
FETH	Fetal hemorrhage
FMAL	Fetal malnutrition
HMDD	Hyaline membrane disease
HYDR	Idiopathic hydrops
IBOM	Inborn errors of metabolism
INFT	Infection
ISOM	Isoimmunization
IVTF	Intravascular transfusion
KERN	Kernicterus
MALP	Malpresentation
OAIR	Airway failure DIAB Maternal Diabetes
MUSF	Multi-system failure
MINF	Myocardial infarction
NEOP	Neoplasia
TTTX	Twin-to-twin transfusion (Parabiotic syndrome)
PPFC	Persistent fetal circulation

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### INFANT'S PRIMARY CAUSE OF DEATH (Con't)

PLPV	Placenta previa
PPHN	Primary Pulmonary Hypertension
AIRL	Pneumothorax pneumomediastinum and/or pneumopericardium
PIVH	Primary intraventricular hemorrhage
PULH	Primary pulmonary hemorrhage
RUPU	Ruptured uterus
SHOC	Maternal shock
SIDS	Sudden Infant Death
THAB	Therapeutic abortions
TOXM	Toxemia
TRAS	Tracheal stenosis
TRAU	Trauma (Obstetrical)
UXPA	Unexplained peripartum asphyxia
UNEX	Unexplained
VOLV	Acquired volvulus

### DATE OF DEATH

Date of infant's death.

Found on the '*NURSES NOTES*' or the '*NEWBORN CODING SHEET*'.

Use the following format: 'YYYYMMDD'

Code '9' if date not known.

### TIME OF DEATH

Time of infant's death.

Found in the '*NURSES NOTES*' or the '*NEWBORN CODING SHEET*'.

Use the following format: 'HHMM'.

'HH' is in the range of 0-23, 'MM' is in range 0-59.

Code '9' if time not known.

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### CORD ARTERY pH

Cord artery pH completed.

Found on the '*LAB REPORTS*' or the '*PROGRESS NOTES*'.

Code using one of the following:

Y	Yes
N	No
9	Unknown

### CORD ARTERY pH VALUE

Cord artery pH value.

Found on the '*LAB REPORTS*'.

Use the following format: 'X.XX'

Decimal point must be entered if the value is not a whole number e.g. 7.14.

If the value is a whole number, enter that number e.g. 7.

Allowed range is **6.4 to 7.8**.

If it is outside this range and valid, contact the RCP Health Information Coordinator.

Code '99' for unknown

77 will auto fill for not applicable or fetal deaths.

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### pCO<sub>2</sub> VALUE

pCO<sub>2</sub> value.

Found on the '*LAB REPORTS*'.

Use the following format: 'XXX.X'

Decimal points must be entered if the value is not a whole number e.g. 56.9.

If the value is a whole number, enter that number e.g. 56.

**Allowed range is 0 to 130.**

If it is outside this range and valid, contact the RCP Health Information Coordinator.

Code '999' for unknown.

777 will auto fill for not applicable or fetal deaths.

### BASE EXCESS VALUE

Base excess value.

Found on the '*LAB REPORTS*'.

Use the following format: 'YXX' where Y is a negative sign (-) and 'XX' is the value or 'XX' where the value is positive.

**Allowed range is 10 to -30**

If it is outside this range and valid, contact the RCP Health Information Coordinator.

Code '99' for unknown.

77 will auto fill for not applicable or fetal deaths.

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### FETAL MALNUTRITION/SOFT TISSUE WASTING

Fetal malnutrition or soft tissue wasting.

Found on the '*DISCHARGE SUMMARY*' or '*NEONATOLOGIST'S LISTING*'.

Choose one of the following:

- 1 Moderate Wasting
- 2 Severe Wasting

### TWIN TYPE

Twin type.

Found on the '*DISCHARGE SUMMARY*' or '*NEONATOLOGIST'S LISTING*'.

Choose one from the following list:

- 1 Monoamniotic (One amniotic sac)
- 2 Monochorionic, diamniotic
- 3 Dichorionic, dissimilar sexes and blood groups
- 4 Dichorionic, similar sexes and blood groups
- 5 Dichorionic, similar sexes, blood groups undetermined
- 6 Undetermined
- 7 Siamese (Conjoined) twins

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### DEPRESSION AT BIRTH

Depression at birth.

Found on the '*BIRTH RECORD*', '*DISCHARGE SUMMARY*' or the '*NEONATOLOGIST'S LISTING*'.

Depression at birth, requiring intermittent positive pressure breathing. If both mask and tube are used from resuscitation, code as resuscitation by tube. Code the duration as the sum of both the mask and tube resuscitation. Or if masked and stopped and restarted again, code combined time of mask.

Code one of the following:

#### **Bag and Mask**

<1 minute

1 to 3 minutes

>3 minutes

Unknown duration

#### **Endotracheal tube**

<1 minute

1 to 3 minutes

>3 minutes

Unknown duration

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### ELECTIVE NON-RESUSCITATION

Elective Non-resuscitation.

Found on the '*DISCHARGE SUMMARY*' or the '*NEONATOLOGIST'S LISTING*'.

Choose from the following list:

Do not resuscitate order on chart

Withdrawal of ventilator care with not resuscitate order  
on chart

Non-resuscitation in labour and delivery room

### RETINOPATHY OF PREMATURETY

Retinopathy of prematurity.

Found on the '*DISCHARGE SUMMARY*'.

Code one of the following:

Stage 1	Peripheral vascular straightening
Stage 2	Peripheral shunt well seen
Stage 3	Vessels growing into vitreous
Stage 4	Retinal detachment

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### CHROMOSOMAL ABNORMALITIES

Found on the '*GENETICS REPORT*' or  
'*NEONATOLOGIST LISTING*'

Code one chromosomal abnormality from the listing:

- 1 Aneuploidy
- 2 Chimerism
- 3 Mosaicism
- 4 Triploidy
- 5 Deletion
- 6 Duplication
- 7 Microdeletion
- 8 Monosomy
- 9 Ring
- 10 Tandem Repeat
- 11 Trisomy
- 12 Uniparental Disomy
- 13 Translocation

Please note that chromosome numbers are from 1 to 23 and X and Y.

If aneuploidy, Chimerism or Triploidy are selected you DO NOT have to code the chromosome affected, the affected arm (p or q) or the site on the arm.

If Mosaicism, Deletion, Duplication, Microdeletion, Monosomy, Ring, Tandem Repeat, Trisomy or Uniparental Disomy is selected, code also the affected chromosome. You DO NOT have to code the affected arm (p or q) or the site on the arm if not documented.

If Translocation is selected two chromosomes should be coded. You DO NOT have to code the affected arm (p or q) or the site on the arm if not documented.

# NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

## ROUTINE INFORMATION – UNDELIVERED ADMISSIONS

### UNDELIVERED ADMISSIONS

Any admission of a woman during pregnancy in which a delivery does not take place.

### ADMITTED FROM

Patient's location immediately prior to admission.

Found on the '*HOSPITAL ADMISSION FORM*'

If patient is transferred from another hospital, record the standard 2-digit provincial code number for that facility found on pages 10-14.

*If patient comes from home, code '0'*

If patient comes from the Emergency room of another facility without having been admitted to the facility, code '0', admitted from home.

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### GRAVIDA

The number of pregnancies, including the present pregnancy.

Found on the '*PRENATAL RECORD*', or the '*MATERNAL ADMISSION ASSESSMENT*' or the '*PHYSICIANS' ASSESSMENT*'.

Code '**99**' for unknown.

### PARA

The number of pregnancies, excluding the present pregnancy, which resulted in one or more infants weighing 500 grams or more at birth or 20 weeks gestation or greater gestational age regardless of whether such infants were stillborn, died after birth or lived.

Found on the '*PRENATAL RECORD*', or the '*MATERNAL ADMISSION ASSESSMENT*' or the '*PHYSICIANS' ASSESSMENT*'.

Code '**99**' for unknown.

### ABORTIONS

The number of pregnancies excluding the present pregnancy, which resulted in a fetus weighing less than 500 grams or, when weight unknown, less than 20 weeks gestation, regardless of whether the fetus was born alive.

Found on the '*PRENATAL RECORD*' or the '*MATERNAL ADMISSION ASSESSMENT*'.

Code '**99**' for unknown.

# NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

## SCREENING TESTS

Found on '*LAB REPORTS*', '*DIAGNOSTIC IMAGING REPORTS*' or documented on the '*PRENATAL RECORD*'

Look for Lab/Diagnostic Imaging Reports showing that specified screening tests were done. If Lab/Diagnostic Imaging Reports are not available, review the Prenatal Record for evidence that the screening was done or not done. If there is no documentation indicate Unknown.

### **Group B Strep Screening**

Y = Yes, done  
N = Not done  
U = Unknown

### **Nuchal Translucency Screening**

Y = Yes, done  
N = Not done  
U = Unknown

### **HIV Testing**

Y = Yes, done  
D = Declined  
U = Unknown  
N = Not done

### **Maternal Serum**

Y = Yes, done  
D = Declined  
U = Unknown  
N = Not done

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### DISCHARGE DATE

Patient's discharge date from hospital.

Found on the '*NURSES NOTES*'.

Use the following format: 'YYYYMMDD'.

### DISCHARGE TIME

Patient's discharge time from hospital.

Found on the '*NURSES NOTES*'.

Use the following format: 'HHMM'.

"HH" is in range 0-23, "MM" is in range 0-59.

If Discharge Time is not documented enter '9' in the field immediately following.

### DISCHARGED TO

The immediate destination of patient on discharge.

Found in the '*NURSES NOTES*' or the '*HOSPITAL ADMISSION FORM*' or the '*PHYSICIANS ORDER SHEET*'.

Code using one of the standard 2-digit provincial codes for hospitals found on pages 10-14 or use one of the following codes:

*If patient is discharged home, code 0.*

Code '-9' for *Maternal Death*.

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**ANTIBIOTIC THERAPY**

Antibiotics administered during admission.

Found on the, '*MEDICATION SHEETS*'.

Enter **Y** if antibiotics administered. If no antibiotics administered, leave **blank**.

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### PATIENT'S PROCESS STATUS

Indicates the coding status of undelivered routine information.

Code using one of the following:

Coding of chart in process. *The case is set to 2 automatically when it is accessed by the coder for the first time.*

Coding of undelivered information completed.

*Once the case is saved (status 4 or 5) the data can be viewed, but not changed. Status 4 indicates that the data is ready to be transferred, status 5 indicates that data has been transferred.*

*Once data has been frozen (status 4 or 5), requests for any necessary changes or corrections must be sent to the Health Information Coordinator at RCP.*

# NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

## ROUTINE INFORMATION – POSTPARTUM ADMISSION

### POSTPARTUM ADMISSIONS

Any admission of a woman up to 6 weeks postpartum.

Also include any admission beyond 6 weeks from delivery if the reason for the admission is stated as related to or caused by the pregnancy and or delivery.

**NOTE:** If a mother is admitted after an emergency birth which occurred in a hospital not providing maternity services or at home, whether planned or unplanned and the mother and baby were transferred to another facility, the hospital receiving the transfer is requested to code the case as a '*DELIVERED ADMISSION*' and not a postpartum admission.

### ADMITTED FROM

Patient's location immediately prior to admission.

Found on the '*HOSPITAL ADMISSION FORM*'.

If patient is transferred from another hospital, record the standard 2-digit provincial code number for that facility found on pages 10-14.

*If patient comes from home, code '0'*

If a patient comes from the Emergency Room of another facility without having been admitted to the facility, code '**0**', admitted from home.

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### GRAVIDA

The number of pregnancies, **including the present pregnancy**.

Found on the '*PHYSICIANS ASSESSMENT*'.

Code '**99**' for unknown.

### PARA

The number of pregnancies, **including the present pregnancy**, which resulted in one or more infants weighing 500 grams or more at birth or 20 weeks gestation or greater gestational age regardless of whether such infants were stillborn, died after birth or lived.

Found on the '*PHYSICIANS ASSESSMENT*'.

Code '**99**' for unknown.

### ABORTIONS

The number of pregnancies, **excluding the present pregnancy**, which resulted in a fetus weighing less than 500 grams or, when weight not known, less than 20 weeks gestation, regardless of whether the fetus was born alive.

Found on the '*PHYSICIANS ASSESSMENT*'.

Code '**99**' for unknown.

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### DISCHARGE DATE

Patient's discharge date from hospital.

Found on the '*NURSES NOTES*'.

Use the following format: 'YYYYMMDD'.

### DISCHARGE TIME

Patient's discharge time from hospital.

Found on the '*NURSES NOTES*'.

Use the following format: 'HHMM'.

"HH is in range 0-23, "MM" is in range 0-59.

If Discharge Time is not documented enter '9' in the field immediately following.

### DISCHARGED TO

The immediate destination of patient on discharge.

Found in the '*NURSES NOTES*' or the '*HOSPITAL ADMISSION FORM*' or the '*PHYSICIANS ORDER SHEET*'.

Code using one of the standard 2-digit provincial codes for hospitals found on pages 10-14 or use one of the following codes:

*If patient is discharged home, code 0.*

Code '-9' for *Maternal Death*.

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### ANTIBIOTIC THERAPY

Antibiotics administered during admission.

Found on the '*MEDICATION SHEETS*'.

Enter **Y** if antibiotics administered. If no antibiotics administered, leave **blank**.

### PROCESS STATUS

Indicated the coding status of undelivered routine information.

Code using one of the following:

2 Coding of chart in process. *The case is set to 2 automatically when it is accessed by the coder for the first time.*

3 Coding of undelivered information completed.

*Once the case is saved (status 4 or 5) the data can be viewed, but not changed. Status 4 indicates that the data is ready to be transferred, status 5 indicates that data has been transferred.*

*Once the data has been frozen (status 4 or 5), requests for any necessary changes or corrections must be sent to the Health Information Coordinator at RCP.*

# NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

## ROUTINE INFORMATION – NEONATAL ADMISSIONS

### NEONATAL ADMISSIONS

- 1 Any infant with a birth weight of 500 grams or more, or a gestational age at birth of 20 or more completed weeks admitted or readmitted to hospital up to 27 days, 23 hours 59 minutes after birth.
- 2 Any infant transferred between hospitals who had not been discharged home from hospital.
- 3 Any admission to the special Care Nursery.

### BIRTH ORDER

Infant's order of birth.

Found on the '*BIRTH RECORD*' or the '*OPERATIVE REPORT*'.

Use one of the following codes:

- 1 Singleton, first born of multiples.
- 2 Second born of multiples.
- 3 Third born of multiples.
- 4 Fourth born of multiples.
- 5 Fifth born of multiples.

### ADMITTED FROM

Infant's location immediately prior to admission.

Found on the '*HOSPITAL ADMISSION FORM*'.

If patient is transferred from another hospital, record the standard 2-digit provincial code number for that facility found on pages 10-14.

If a patient comes from the Emergency Room of another facility without having been admitted to the facility, code '**0**', admitted from home.

*If patient comes from home, code '0'.*

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### BIRTH HOSPITAL

Infant's hospital of birth.

Found on the '*HOSPITAL ADMISSION FORM*' or the '*NURSES NOTES*'.

Code using one of the standard 2-digit provincial codes for hospitals found on pages 10-14.

### SCN

Infant admitted to the Special Care Nursery or Premature Nursery; or infants requiring special care in normal nursery where premature nursery not available.

Found in the '*PROGRESS NOTES*'.

Code using one of the following:

Y	Yes
N	No

If 'Y' is entered, the screen SCN dates will pop up. Enter the admit and discharge dates to and from the Special Care Nursery.

If there is more than one admission and discharge to the Special Care Nursery during the same admission, enter the dates of the second admission in the next row. Continue until all admissions to Special Care Nursery are recorded.

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**OUTCOME**

Outcome of infant at time of discharge.

Found on the '*INFANT'S PROGRESS NOTES*'.

Code using one of the following:

LVD Infant lived to be discharged from hospital.

NND Liveborn infant who died before being discharged home from hospital.

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### BREASTFEEDING

Record one of the following to indicate the method of feeding during the hospital stay.

Found in the '*NURSES NOTES*' or the '*PHYSICIAN NEWBORN ADMISSION*' or the '*DISCHARGE FORM*'.

Code using one of the following:

E Breast milk was exclusively given, breast milk, or expressed breast milk (EBM) during the hospital stay.

Cannot be given any food or liquid other than breast milk. Exception: May be given undiluted drops of syrups consisting of vitamins, mineral supplements, or medicines. Breast milk may be given by the mother, health care provider or family member/supporter.

If the baby was given breast milk and water or glucose water record as breast milk and formula.

N Baby was not given any breast milk or expressed breast milk during hospital stay.

S Baby was given both breast milk and other supplements, e.g. formula, water, glucose water during hospital stay.

9 There is no documentation as to how the baby was fed during the hospital stay.

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### DISCHARGE DATE

Patient's discharge date from hospital.

Found on the '*NURSES NOTES*'.

Use the following format: 'YYYYMMDD'.

### DISCHARGE TIME

Patient's discharge time from hospital.

Found on the '*NURSES NOTES*'.

Use the following format: 'HHMM'.

"HH" is in range 0-23, "MM" is in range 0-59.

If Discharge Time is not documented enter '**9**' in the field immediately following.

### DISCHARGED TO

The immediate destination of patient on discharge.

Found in the '*NURSES NOTES*' or the '*HOSPITAL ADMISSION FORM*' or the '*PHYSICIANS ORDER SHEET*'.

Code using one of the standard 2-digit provincial codes for hospitals found on pages 10-14 or use one of the following codes:

*If patient is discharged home, code '0'.*

Code '**-9**' for *Infant Death*.

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### AUTOPSY

Completion of infant autopsy.

Found on the '*NEWBORN CODING SHEET*' or the '*AUTOPSY REPORT*'.

Code using one of the following:

LVD Lived (e.g., not applicable)  
Y Died and autopsy done  
N Died but autopsy not done

### PRIMARY CAUSE OF DEATH

Found on the '*AUTOPSY REPORT*' or stated by the physician.

Field is grayed out if infant lived or it is not applicable for coder to assign.

Use **one** of the following codes:

ABRP	Abruption placenta
AMNO	Amniocentesis
ANOM	Congenital anomaly
ANAL	Analgesia or anesthesia
ANEC	Acute necrotizing enterocolitis
ASPN	Aspiration
CDOT	Cord, miscellaneous
CPDP	Chronic pulmonary disease
COTR	Complications of treatment
CORP	Cord prolapse
CRLK	Cord loops and/or knots
DBRN	Degenerative brain disease
DUCT	Ductus syndrome of prematurity
EXTX	Exchange transfusion
FETH	Fetal hemorrhage
FMAL	Fetal malnutrition
HMDD	Hyaline membrane disease
HYDR	Idiopathic hydrops
IBOM	Inborn errors of metabolism

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**PRIMARY CAUSE OF DEATH**  
**(continued)**

INFT	Infection
ISOM	Isoimmunization
IVTF	Intravascular transfusion
KERN	Kernicterus
MALP	Malpresentation
OAIR	Airway failure DIAB Maternal diabetes
MUSF	Multi-system failure
MINF	Myocardial infarction
NEOP	Neoplasia
TTTX	Twin-to-twin transfusion (Parabiotic syndrome)
PPFC	Persistent fetal circulation
PLPV	Placenta previa
PPHN	Primary Pulmonary Hypertension
AIRL	Pneumothorax pneumomediastinum and/or pneumopericardium
PIVH	Primary intraventricular hemorrhage
PULH	Primary pulmonary hemorrhage
RUPU	Ruptured uterus
SHOC	Maternal shock
SIDS	Sudden Infant Death
THAB	Therapeutic abortions
TOXM	Toxemia
TRAS	Tracheal stenosis
TRAU	Trauma (Obstetrical)
UXPA	Unexplained peripartum asphyxia
UNEX	Unexplained
VOLV	Acquired volvulus

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### DATE OF DEATH

Date of infant's death.

Found in the '*NURSES NOTES*' or the '*NEWBORN CODING SHEET*'.

Use the following format: 'YYYYMMDD'.

If Date of Death is unknown, enter '9' in the field immediately following.

### TIME OF DEATH

Time of infant's death.

Found in the '*NURSES NOTES*', or the '*NEWBORN CODING SHEET*'.

Use the following format: 'HHMM'.

"HH" is in the range 0-23, "MM" is in range 0-59. If Time of Death is unknown code '9' in the field immediately following.

### FETAL MALNUTRITION/SOFT TISSUE WASTING

Fetal malnutrition or soft tissue wasting.

Found in '*DISCHARGE SUMMARY*' or '*NEONATOLOGIST'S LISTING*'.

Choose one of the following:

- 1 Moderate Wasting
- 2 Severe Wasting

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### TWIN TYPE

Found on '*DISCHARGE SUMMARY*' or '*NEONATOLOGIST'S LISTING*'.

Choose one from the following list:

- 1 Monoamniotic (One amniotic sac)
- 2 Monochorionic, diamniotic
- 3 Dichorionic, dissimilar sexes or blood groups
- 4 Dichorionic, similar sexes and blood groups
- 5 Dichorionic, similar sexes, blood groups undetermined
- 6 Undetermined
- 7 Siamese (Conjoined) twins

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### DEPRESSION AT BIRTH

Found on the '*BIRTH RECORD*', '*DISCHARGE SUMMARY*' or '*NEONATOLOGIST'S LISTING*'.

Depression at birth, requiring intermittent positive pressure breathing. If both mask and tube are used for resuscitation, code as resuscitation by tube. Code the duration as the sum of both the mask and tube resuscitation. If patient masked and stopped and restarted again, code combined time of mask.

Code one of the following:

#### **Bag and Mask**

- <1 minute
- 1 to 3 minutes
- >3 minutes
- Unknown duration

#### **Endotracheal tube**

- <1 minute
- 1 to 3 minutes
- >3 minutes
- Unknown duration

### ELECTIVE NON-RESUSCITATION

Found on the '*DISCHARGE SUMMARY*' or '*NEONATOLOGIST'S LISTING*'.

Choose from the following list:

- 1 Do not resuscitate order on chart
- 2 Withdrawal of ventilator care with do not resuscitate order on chart
- 3 Non-resuscitation in labour and delivery room

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### MATERNAL STEROID THERAPY

Found on the '*MEDICATION SHEET*' or on the '*PRENATAL RECORD*'.

Code the earliest dose of the first course of treatment. In a fetal death, estimate the duration of therapy from the first dosage to time of delivery.

Code one of the following:

#### **Dexamethasone**

<24 hours before delivery  
24 to 48 hours before delivery  
>48 hours but ≤7 days before delivery  
>7 days before delivery  
Unknown when administered

#### **Betamethasone (Celestone)**

<24 hours before delivery  
24 to 48 hours before delivery  
>48 hours but ≤7 days before delivery  
>7 days before delivery  
Unknown when administered

### RETINOPATHY OF PREMATURITY

Found on the '*DISCHARGE SUMMARY*'.

Code one of the following:

Stage 1 Peripheral vascular straightening  
Stage 2 Peripheral shunt well seen  
Stage 3 Vessels growing into vitreous  
Stage 4 Retinal detachment

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### CHROMOSOMAL ABNORMALITIES

Found on the '*GENETICS REPORT*' or  
'*NEONATOLOGIST LISTING*'

Code one chromosomal abnormality from the listing:

Aneuploidy  
Chimerism  
Mosaicism  
Triploidy  
Deletion  
Duplication  
Microdeletion  
Monosomy  
Ring  
Tandem Repeat  
Trisomy  
Uniparental Disomy  
Translocation

Please note that chromosome numbers are from 1 to 23  
and X and Y.

If Aneuploidy, Chimerism or Triploidy are selected you  
DO NOT have to code the chromosome affected, the  
affected arm (p or q) or the site on the arm.

If Mosaicism, Deletion, Duplication, Microdeletion,  
Monosomy, Ring, Tandem Repeat, Trisomy or  
Uniparental Disomy are selected code also the affected  
chromosome. You DO NOT have to code the affected  
arm (p or q) or the site on the arm if not documented.

If Translocation is selected two chromosomes should be  
coded. You DO NOT have to code the affected arm (p or  
q) or the site on the arm if not documented.

**ADULT RCP CODES**

**MATERNAL ANTIBODY  
CONDITIONS DURING  
PREGNANCY (R001)**  
(ANTIBODY CONDITIONS)

For use with: Delivered  
                  Undelivered

Found on the '*RED CROSS SHEET*'  
Choose as many as are indicated:

- 100 Anti-La
- 200 Anti-D (Rh)
- 300 Anti-Big C (Cw)
- 400 Anti-Big E
- 500 Anti-Big S
- 600 Anti-Dha (DUCH)
- 700 Anti-Fya (Duffy)
- 800 Anti-Kell (K1/K2)
- 900 Anti-Kidd (Jka)
- 1000 Anti-Little c
- 1100 Anti-Little e
- 1200 Anti-Little s
- 1300 Anti-Lutheran (Lua/Lub)
- 1400 Anti-Wright (Wra/Wrb)
- 1500 Antinuclear Antibody (ANA)
- 1600 Anti-Cardiolipin
- 1700 Anti-DNA Antibody
- 1800 Lupus Antibody (Lupus Anticoaguant)
- 1900 Anti-SSA (Ro)
- 2000 Anti-Phospholipid
- 2100 Factor V Leiden
- 2200 PL-A1 Platelet Antigen Negative

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**MATERNAL CARRIER STATES  
AND/OR CHRONIC INFECTION  
DURING PREGNANCY (R002)**

(CARRIER-STATE/CHRONIC  
INFECTIONS)

For use with: Delivered  
Undelivered

Found on the '*PRENATAL RECORD*' or '*DISCHARGE SUMMARY*'.

Choose as any as are indicated:

- 100 Cytomegalovirus
- 200 Group B Strep
- 300 Herpes Simplex
- 400 HIV/Acquired Immune Deficiency Syndrome
- 500 Serum Hepatitis Carrier (Antigen positive;  
Hepatitis A, B, C, viral)
- 600 Syphilis
- 700 Toxoplasmosis

**MATERNAL DRUG THERAPIES  
FOR SPECIFIC CONDITIONS  
OF PREGNANCY, DELIVERY  
AND POSTPARTUM (R003)**

(DRUGS FOR CONDITIONS  
PREG/PP)

For use with: Delivered  
Undelivered  
Postpartum

Found on the '*PRENATAL RECORD*'.

Choose as many as are indicated:

- 100 Adalat (nifedipine) for premature labour
- 200 ASA Therapy (Low dose aspirin therapy for Lupus  
and/or any other autoimmune conditions)
- 300 Atosiban for premature labour
- 400 Hemabate for Postpartum Hemorrhage
- 500 Indocid (Indomethacin) for premature labour
- 600 Indocid (Indomethacin) for tx of Polyhydramnios
- 700 Magnesium Sulfate therapy (MgSO<sub>4</sub>) (for  
hypertension or seizures, e.g. Eclampsia  
prophylaxis or treatment).
- 800 Magnesium Sulfate (MgSO<sub>4</sub>) (for premature  
labour)
- 900 Pentaspan for Postpartum hemorrhage
- 1000 Terbutaline (Bricanyl) for premature labour
- 1100 Ventolin for premature labour
- 1200 Other Drugs for Specific Pregnancy, Delivery or  
Postpartum conditions

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**MATERNAL DRUG THERAPY  
DURING  
PREGNANCY/POSTPARTUM  
PERIOD (R004)**

(DRUG THERAPY IN PREG/PP)

For use with: Delivered  
Undelivered  
Postpartum

Found on the '*PRENATAL RECORD*'.  
Choose as many as are indicated:

- 100 Anti-coagulation therapy
- 200 Anti-depressives
- 300 Anti-epileptics
- 400 Anti-hypertensives
- 500 Chronic Narcotic Use (Not Abuse, when indicated for medical problems, e.g. Back pain)
- 600 Lithium
- 700 Methadone (Therapy, not abuse)
- 800 Other Psychiatric Medications
- 900 Other Specified

**MATERNAL DRUG AND  
CHEMICAL ABUSE DURING  
PREGNANCY (R005)**

(DRUG-ABUSE IN PREG)

For use with: Delivered  
Undelivered

Found on the '*PRENATAL RECORD*'.  
Choose as many as are indicated:

- 100 Alcohol abuse (Chronic or binge – NOT social)
- 200 Ativan
- 300 Cocaine/Crack
- 400 Codeine
- 500 Demerol
- 600 Dilaudid
- 700 Hash
- 800 Heroin
- 900 Marijuana
- 1000 Methadone
- 1100 Morphine
- 1200 Prescription Medication Abuse
- 1300 Solvents
- 1400 Valium
- 1500 Other Specified Abuse
- 1600 OxyContin
- 1700 Ecstasy

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**MATERNAL/FETAL  
DIAGNOSTIC AND  
THERAPEUTIC PROCEDURES  
(R006)**

For use with: Delivered  
Undelivered

Found on the '*PRENATAL RECORD*'.  
Choose as many as are indicated:

- Amniocentesis for Genetic testing
- 200 Amniocentesis for Isoimmunization
- 300 Amniocentesis for Lung Maturity
- 400 Amnioreduction (Polyhydramios, Twin to Twin Transfusion)
- 500 Amnioinfusion during labour
- 600 Chronic Villi Sampling
- 700 Cordocentesis
- 801 One (1) Fetal Blood transfusion
- 802 Two (2) Fetal Blood Transfusions
- 803 Three (3) Fetal Blood Transfusions
- 804 Four (4) Fetal Blood transfusions
- 805 Five (5) Fetal Blood transfusions
- 806 Six (6) Fetal Blood transfusions
- 807 Seven (7) Fetal Blood transfusions
- 808 Eight (8) Fetal Blood transfusions
- 809 None (9) Fetal Blood transfusions
- 810 Ten (10) Fetal Blood Transfusions
- 900 Fetal Drainage (e.g. Thoracentesis, hydrocephalus, Urinary)
- 1000 Fetal Reduction
- 1100 Feto/placental laser
- 1200 Fetal Stent Placement
- 1300 Forceps rotation during delivery
- 1400 Manual rotation during delivery
- 1500 Vacuum rotation during delivery
- 1600 Removal of device, cervix of cerclage suture
- 1700 External Version

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**ANAESTHESIA DURING  
LABOUR AND DELIVERY  
(R010)**

For use with: Delivered

Found on the '*ANAESTHESIA RECORD*'.  
Choose as many as were administered during labour  
and delivery:

- 100 Entonox (Nitronox)
- 200 Epidural – Single Administration
- 300 Epidural – Continuous Catheter with Intermittent Drug Administration
- 400 Epidural – Continuous Infusion of Drug (CIEA)
- 500 Epidural – Patient Controlled Epidural Analgesia (PCEA)
- 600 General Anaesthesia
- 700 Patient Controlled Intravenous Analgesia
- 800 Pudendal
- 900 Spinal Anaesthesia
- 1000 Spinal/Epidural double needle
- 1100 Other specified Anaesthesia (e.g. Acupuncture, Hypnotism Neuroleptic)

**ANAESTHESIA DURING  
LABOUR ONLY  
(R011)**

For use with: Delivered

Found on the '*ANAESTHESIA RECORD*'.  
Choose as many as were administered:

- 100 Entonox (Nitronox)
- 200 Epidural – Single Administration
- 300 Epidural – Continuous Catheter with Intermittent Drug Administration
- 400 Epidural – Continuous Infusion of Drug (CIEA)
- 500 Epidural – Patient Controlled Epidural Analgesia (PCEA)
- 600 General Anaesthesia
- 700 Patient Controlled Intravenous Analgesia
- 800 Pudendal
- 900 Spinal Anaesthesia
- 1000 Spinal/Epidural double needle
- 1100 Other specified Anaesthesia (e.g. Acupuncture, Hypnotism Neuroleptic)

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**ANAESTHESIA DURING  
DELIVERY ONLY  
(R012)**

For use with: Delivered

Found on the '*ANAESTHESIA RECORD*'.  
Choose as many as were administered:

- 100 Entonox (Nitronox)
- 200 Epidural – Single Administration
- 300 Epidural – Continuous Catheter with Intermittent Drug Administration
- 400 Epidural – Continuous Infusion of Drug (CIEA)
- 500 Epidural – Patient Controlled Epidural Analgesia (PCEA)
- 600 General Anaesthesia
- 700 Patient Controlled Intravenous Analgesia  
Pudendal
- 900 Spinal Anaesthesia  
Spinal/Epidural double needle
- 1100 Other specified Anaesthesia (e.g. Acupuncture, Hypnotism, Neuroleptic)

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**COMPLICATIONS OF ANESTHESIA (R013)**

Found on the 'ANAESTHESIA RECORD' or 'DISCHARGE SUMMARY'.  
Choose from the following:

For use with:Delivered	100 Blood Patching
Undelivered	Toxic Intravenous Injection (systemic reaction)
Postpartum	300 Epi-catheter Intravenous
	400 Accidental Dural Tap
	500 Total Spinal Anesthesia
	600 Prolonged Epidural Block
	700 High Epidural/Subdural Block
	800 Foot Drop
	900 Epidural Hematoma
	1000 Epidural Abscess
	1100 Spinal Cord Lesion
	1200 Aspiration Pneumonitis
	1300 Cardiac Arrest
	1400 Post-dural Puncture Headache
	1500 Paraesthesia
	1600 Hypotension
	1700 Back Pain
	1800 Failed Intubation for General Anesthetic

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**OTHER OBSTETRICAL  
CONDITIONS AFFECTING  
PREGNANCY  
(R014)**

For use with:Delivered  
Undelivered  
Postpartum

Found on the '*PRENATAL RECORD*' or '*DISCHARGE SUMMARY*'.

Choose as many as documented:

- 100 Pruritic urticarial papules and plaques of pregnancy
- 200 Impetigo herpetiformis
- 300 Dermatitis herpetiformis
- 400 Separation of symphysis pubis
- 500 Gestational (pregnancy-induced) hypertension without significant proteinuria. Includes Gestational hypertension NOS, Mild pre-eclampsia
- 600 Gestational (pregnancy-induced) hypertension with significant proteinuria. Includes HELLP syndrome (hemolysis/elevated liver enzymes/low platelets)
- 700 Pre-existing hypertension complicating pregnancy, childbirth and the puerperium
- 800 Pre-existing hypertensive disorder with superimposed proteinuria
- 900 Pre-existing diabetes mellitus, Type 1
- 1000 Pre-existing diabetes mellitus, Type 2
- 1100 Pre-existing diabetes mellitus of other specified type present when became pregnant during this pregnancy
- 1200 Pre-existing diabetes mellitus, of unspecified type present when became pregnant during this pregnancy
- 1300 Diabetes mellitus arising in pregnancy. Includes Gestational diabetes
- 1400 Diabetes mellitus in pregnancy, unspecified
- 1500 Anemia in Pregnancy

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**GASTRO-INTESTINAL  
DISEASES**

**(CODE IF CONDITION IS OR  
WAS PRESENT DURING THE  
PREGNANCY)  
(R015)**

For use with: Delivered  
Undelivered  
Postpartum

Found on the '*PRENATAL RECORD*' or '*DISCHARGE SUMMARY*'.

Choose as many as documented:

- 100 Cholelithiasis
- 200 Ulcerative colitis/proctitis
- 300 Crohn's disease
- 400 Irritable Bowel Syndrome
- 500 Pancreatitis, Acute and Chronic
- 600 Reflux Gastritis
- 700 Ulcers (all types)

**PSYCHIATRIC ILLNESS**

**(CODE IF CONDITION IS OR  
WAS PRESENT DURING THE  
PREGNANCY)  
(R016)**

Found on the '*PRENATAL RECORD*' or '*DISCHARGE SUMMARY*'.

Choose as many as documented:

- 100 Anxiety disorders
- 200 Depression
- 300 Eating disorders (e.g. anorexia nervosa, bulimia nervosa)
- 400 Manic-Depression
- 500 Schizophrenia
- 600 Other

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**NEUROLOGICAL ILLNESS**

**(CODE IF THE CONDITION IS  
OR WAS PRESENT DURING  
THE CURRENT PREGNANCY)  
(R017)**

For use with: Delivered  
Undelivered  
Postpartum

Found on the '*PRENATAL RECORD*' or '*DISCHARGE SUMMARY*'.

Choose as many as documented:

- 100 Bell's palsy
- 200 Cerebral palsy
- 300 Epilepsy
- 400 Intracerebral hemorrhage
- 500 Muscular dystrophy
- 600 Myasthenia gravis
- 700 Multiple sclerosis
- 800 Presence of Harrington Rod
- 900 Subarachnoid hemorrhage
- 1000 Seizure
- 1100 Tuberous sclerosis
- 1200 Thoracic outlet syndrome
- 1300 Other

**HEART DISEASE**

**(CODE IF THE CONDITION IS  
OR WAS PRESENT DURING  
THE CURRENT PREGNANCY)  
(R018)**

For use with: Delivered  
Undelivered  
Postpartum

Found on the '*PRENATAL RECORD*' or '*DISCHARGE SUMMARY*'.

Choose as many as documented:

- 100 Arrhythmia
- 200 Congenital heart disease
- 300 Cardiac Arrest
- 400 Coronary artery disease
- 500 Endocarditis
- 600 History of heart disease or surgery
- 700 Myocardial infarction
- 800 Prolapsed mitral valve
- 900 Cardiomyopathy
- 1000 Myocarditis
- 1100 Pulmonary hypertension
- 1200 Rheumatic heart disease
- 1300 Valve prosthesis
- 1400 Wolff Parkinson's White Syndrome
- 1500 Other acquired cardiac diseases
- 1600 Thromboembolic Disease

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### ENDOCRINE DISEASE

**(CODE IF THE CONDITION IS  
OR WAS PRESENT DURING  
THE CURRENT PREGNANCY)  
(R019)**

For use with: Delivered  
Undelivered  
Postpartum

Found on the '*PRENATAL RECORD*' or '*DISCHARGE SUMMARY*'.

Choose as many as documented:

- 100 Disorder of Adrenal Gland
- 200 Disorder of Ovary
- 300 Hashimoto's Thyroiditis
- 400 Hyperthyroidism with Goiter
- 500 Hyperthyroidism with Thyroid nodule
- 600 Hyperthyroidism with Goiter, nodular
- 700 Hyperthyroidism without Goiter
- 800 Hypothyroidism
- 900 Hyperparathyroidism
- 1000 Disorder of Hypothalamus
- 1100 Disorder of Pituitary gland

### RENAL DISEASE

**(CODE IF THE CONDITION IS  
OR WAS PRESENT DURING  
THE CURRENT PREGNANCY)  
(R020)**

For use with: Delivered  
Undelivered  
Postpartum

Found on the '*PRENATAL RECORD*' or '*DISCHARGE SUMMARY*'.

Choose as many as documented:

- 100 Acute pyelonephritis
- 200 Renal calculus
- 300 Chronic glomerulonephritis
- 400 Previous episode of acute pyelonephritis during current pregnancy
- 500 Hydronephrosis
- 600 Nephropathy
- 700 Nephrotic syndrome
- 800 Polycystic kidney disease
- 900 Chronic pyelonephritis
- 1000 Renal agenesis
- 1100 Renal transplant
- 1200 Chronic renal disease, type undetermined
- 1300 Urinary tract Infection

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**NEOPLASMS IN PREGNANCY  
INCLUDING MALIGNANCIES**

**(CODE IF CONDITION IS OR  
WAS PRESENT DURING THE  
CURRENT PREGNANCY)  
(R021)**

For use with: Delivered  
Undelivered  
Postpartum

Found on the '*PRENATAL RECORD*' or '*DISCHARGE SUMMARY*'.

Choose as many as documented:

100 Bowel  
200 Breast  
300 Cervix  
400 Other  
500 Ovary (Teratoma)  
600 Thyroid  
700 Vagina

**BLOOD DYSCRASIAS**

**(CODE IS THE CONDITION IS  
OR WAS PRESENT DURING  
THE CURRENT  
PREGNANCY/POSTPARTUM  
PERIOD)  
(R022)**

For use with: Delivered  
Undelivered  
Postpartum

Found on the '*PRENATAL RECORD*' or '*DISCHARGE SUMMARY*'.

Choose as many as documented:

100 Hemolytic anemia  
200 Dysfibrinogenemia  
300 Factor 12 deficiency  
400 Familial hypofibrinogenemia  
500 Factor VIII deficiency  
600 G6PD deficiency  
700 Idiopathic Hypoplastic Anemia  
800 Idiopathic thrombocytopenic purpura (ITP)  
900 Sickle cell anemia  
1000 Thalassemia  
1100 Von Willebrand's disease  
1200 Thrombotic Thrombocytopenia purpura (TTP)  
1300 Thrombocytopenia

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**PULMONARY DISEASE**

**(CODE IF THE CONDITION IS  
OR WAS PRESENT DURING  
CURRENT PREGNANCY)  
(R023)**

For use with: Delivered  
Undelivered  
Postpartum

Found on the 'PRENATAL RECORD or 'DISCHARGE SUMMARY'.

Choose as many as documented:

- 100 Asthma
- 200 Cystic fibrosis
- 300 Pulmonary edema
- 400 Other significant pulmonary diseases
- 500 Pneumonia, antepartum

**OTHER NON-OBSTETRICAL  
DISEASES, NOT ELSEWHERE  
CLASSIFIABLE**

**(CODE IF THE CONDITION IS  
OR WAS PRESENT DURING  
THE CURRENT PREGNANCY)  
(R024)**

For use with: Delivered  
Undelivered  
Postpartum

Found on the 'PRENATAL RECORD or 'DISCHARGE SUMMARY'.

Choose as many as documented:

- 100 Ankylosing spondylitis
- 200 Cholinesterase Deficiency
- 300 Family or personal history of Malignant Hyperthermia
- 400 Neurofibromatosis (Von Recklinghausen's Disease)
- 500 Porphyria
- 600 Maternal phenylketonuria
- 700 Rheumatoid arthritis/Psoriatic
- 800 Sarcoidosis
- 900 Scleroderma
- 1000 Scoliosis
- 1100 Sjogren's Syndrome
- 1200 Systemic lupus
- 1300 Scheurmann's Disease

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**PREVIOUS PREGNANCY  
MATERNAL DISEASES  
(R025)**

Found on the '*PRENATAL RECORD*' or '*DISCHARGE SUMMARY*'.

Choose as many as documented:

For use with: Delivered  
Undelivered  
Postpartum

- 100 Previous History of Personal Malignancy
- 200 Previously Sensitized Pregnancy
- 300 Hypertensive Disease In Previous Pregnancy
- 400 Previous Eclampsia
- 500 Previous Ectopic Pregnancy
- 600 Previous Molar Pregnancy
- 700 Previous Anemia
- 800 Previous Abruptio Placenta
- 900 Previous Breech
- 1000 Previous Thromboembolic Disease
- 1100 Previous Gestational Diabetes
- 1200 Previous History for Infertility
- 1300 Previous Postpartum Depression

**MATERNAL TRANSFUSIONS.  
BLOOD AND OTHER  
PRODUCTS  
(R026)**

Found on the '*PRENATAL RECORD*' or '*DISCHARGE SUMMARY*' or '*OPERATIVE REPORT*'.

Choose as many as documented:

- 100 One Maternal Blood Transfusion
- 200 Two Maternal Blood Transfusions
- 300 Three Maternal Blood Transfusions
- 400 Four Maternal Blood Transfusions
- 500 Five Maternal Blood Transfusions
- 600 Six Maternal Blood Transfusions
- 700 Seven Maternal Blood Transfusions
- 800 Eight Maternal Blood Transfusions
- 900 Nine Maternal Blood Transfusions
- 1000 Ten Maternal Blood Transfusions
- 1100 More than 10 Maternal Blood Transfusions
- 1200 Albumin Transfusion
- 1300 Cryoprecipitate Transfusion
- 1400 Fresh Frozen Plasma Transfusion
- 1500 Gamma Globulin Transfusion
- 1600 Plasma Exchange/Plasmapheresis Transfusion
- 1700 Platelet Transfusion

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**REASON FOR MATERNAL  
BLOOD TRANSFUSION  
(R027)**

Found on the '*PRENATAL RECORD* or '*DISCHARGE SUMMARY*'.

Choose as many as documented:

For use with: Delivered  
Undelivered  
Postpartum

100 Anemia in Pregnancy  
200 Antepartum Hemorrhage  
300 Intrapartum Hemorrhage  
400 Postpartum Hemorrhage

**LEFT BLANK INTENTIONALLY**

**INFANT RCP CODES**

**PLACENTAL OR CORD  
ANOMALIES  
(R051)**

Found in the '*OBSTETRICIAN'S REPORT*' or '*PLACENTAL PATHOLOGY REPORT*'.

Code all that are applicable:

- 100 Amnionodosum
- 200 Chorioamnionitis, marked or severe
- 300 Choroangioma of placenta
- 400 Circumvallate placenta
- 500 Funisitis
- 600 Funisitis, necrotizing
- 700 Funisitis, candidal
- 800 Hematoma of umbilical cord
- 900 Marginal insertion of cord
- 1000 Membranous placenta
- 1100 Placenta accreta
- 1200 Placenta Increta
- 1300 Placenta percreta
- 1400 Single umbilical artery
- 1500 True knot in cord
- 1600 Vasa previa
- 1700 Velamentous insertion of cord

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**ANOMALY/METABOLIC  
SYNDROMES AND  
CONDITIONS  
(R054)**

Found on the 'DISCHARGE SUMMARY' or  
'NEONATOLOGIST LISTING' or 'CHROMOSOMAL  
REPORT'.

Code all that are applicable:

100	Aarskog syndrome
200	Aase syndrome
300	Acardia
400	Accutane embryopathy
500	Achondrogenesis type Ia
600	Achondrogenesis type Ib
700	Achondrogenesis type II
800	Achondrogenesis-dysplasia congenital type II
900	Achondroplasia
1000	Acoustic neurofibromatosis
1100	Acrocallosal syndrome
1200	Acrocephalosyndactyly syndrome
1300	Acrodysostosis
1400	Acrofacial dysostosis syndrome
1500	Acromegaly
1600	Acromesomelic dwarfism (dysplasia)
1700	Acro-osteolysis syndrome (Artho-dento- osteo dysplasia)
1800	Adactyly
1900	Adams-Oliver syndrome
2000	Adenoma sebaceum
2100	Adrenal hyperplasia
2200	Adrenal hypoplasia
2300	Adrenoleukodystrophy
2400	Aec syndrome (Ankyloblepharon-ectodermal dysplasia-clefting syndrome)
2500	Agensis of corpus callosum
2600	Aglossia-adactyly syndrome
2700	Aicardia syndrome
2800	Akinesia sequence
2900	Alagille syndrome
3000	Albright hereditary osteodystrophy
3100	Alopecia
3200	Aminopterin embryopathy
3300	Amnion rupture sequence
3400	Amyoplasia congenital disruptive sequence
3500	Anal atresia
3600	Anencephaly
3700	Aneurysm of the vein of Galen

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**ANOMALY/METABOLIC  
SYNDROMES AND  
CONDITIONS (CONT)  
(R054)**

3800	Angelman syndrome (Happy Puppet Syndrome)
3900	Aniridia
4000	Aniridia-Wilm's tumor association
4100	Anodontia
4200	Anorectal malformation
4300	Antley-Bixler syndrome
4400	Apert syndrome
4500	Arachnodactyly
4600	Arachnoid cyst
4700	Argininaemia
4800	Argininosuccinic aciduria
4900	Arteriohepatic dysplasia
5000	Arteriovenous malformation of the lung
5100	Arthrogryposis, muscular
5200	Arthrogryposis, neurogenic
5300	Arthro-ophthalmopathy (Stickler Syndrome)
5400	Asphyxiating thoracic dystrophy
5500	Asplenia syndrome
5600	Ataxia – telangiectasia syndrome (Lovis-Bar Syndrome)
5700	Atelosteogenesis, type I (Chondrodysplasia, giant cell)
5800	Athyrotic hypothyroidism sequence
5900	Atr-x syndrome
6000	Baller Gerold syndrome
6100	Bannayan syndrome (Bannayan-Riley-Ruvalcaba syndrome)
6200	Bardet-Biedl syndrome
6300	Beals syndrome (Beals contractural arachnodactyly)
6400	Beckwith syndrome (Beckwith-Wiederman Syndrome)
6500	Berardinelli lipodystrophy syndrome
6600	Bicorunate uterus
6700	Bifid scrotum
6800	Bifid uvula
6900	Bladder exstrophy
7000	Blepharophimosis
7100	Bloch-sulzberger syndrome
7200	Bloom syndrome
7300	Blue sclera
7400	Body stalk anomaly
7500	Bor syndrome (Brachio-oto-renal syndrome)
7600	Börjeson-Forssman-Lehmann syndrome

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**ANOMALY/METABOLIC  
SYNDROMES AND  
CONDITIONS (CONT)  
(R054)**

7700	Brachmann-de Lange syndrome (Cornelia deLange)
7800	Brachydactyly
7900	Branchial sinus
8000	Branchio-oculo-facial syndrome
8100	Breech deformation sequence
8200	Brushfield spots
8300	Buru-Baraister syndrome
8400	Caffey pseudo-hurler syndrome
8500	Campomelic dysplasia
8600	Camurati-Engelmann syndrome
8700	Capillary hemangioma
8800	Cardio-facio-cutaneous syndrome (CFC)
8900	Cardiomyopathy, congenital
9000	Carnitine deficiency
9100	Carpenter syndrome
9200	Cartilage-hair hypoplasia syndrome
9300	Catel-Manzke syndrome
9400	Cat-eye syndrome
9500	Caudal dysplasia sequence
9600	Caudal regression syndrome
9700	Cavernous hemangioma
9800	Cobocephaly
9900	Cephalopolysyndactyly syndrome (Greig Syndrome)
10000	Cerebellar calcification
10100	Cerebellar hypoplasia
10200	Cerebral calcification
10300	Cerebral gigantism syndrome
10400	Cerebro-costo-mandibular syndrome
10500	Cerebro-oculo facio-skeletal (cofs) syndrome
10600	Cerevico-oculo-acoustic syndrome
10700	Charcot-Marie-Tooth syndrome
10800	Charge syndrome
10900	Child Syndrome (Congenital hemidysplasia)
11000	Choanal atresia
11100	Chondrodysplasia punctata (Condracti-Hünemann Syndrome)
11200	Chondrodystrophica myotonia (Schwartz-Jampel Syndrome)
11300	Chondroectodermal dysplasia (Ellis-van Creveld syndrome)
11400	Chondromatosis
11500	Citrullinaemia
11600	Cleft face

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**ANOMALY/METABOLIC  
SYNDROMES AND  
CONDITIONS (CONT)  
(R054)**

11700	Cleft lip, unilateral
11800	Cleft lip, bilateral
11900	Cleft tongue
12000	Cleft palate
12100	Cleidocranial dysostosis
12200	Clinodactyly
12300	Cloacal exstrophy
12400	Clouston syndrome
12500	Cloverleaf skull
12600	Clubfoot
12700	Cockayne syndrome
12800	Coffin-Lowry syndrome
12900	Coffin-Siris syndrome
13000	Cohen syndrome
13100	Coloboma of iris
13200	Colon, malrotation
13300	Congenital adrenal hyperplasia
13400	Congenital hypothyroidism
13500	Congenital microgastria-limb reduction complex
13600	Conjoined twins
13700	Cortical hypoplasia
13800	Costello syndrome
13900	Coumarin embryology effects
14000	Craniofacial dysostosis (Crouzon Syndrome)
14100	Craniofrontonasal dysplasia
14200	Craniometaphyseal dysplasia
14300	Craniosynostosis
14400	Craniosynostosis, coronal
14500	Craniosynostosis, frontal
14600	Craniosynostosis, kleeblattschadel
14700	Craniosynostosis, lambdoid
14800	Craniosynostosis, sagittal
14900	Craniosynostosis, trigonocephaly
15000	Cri du chat syndrome
15100	Cryptophthalmos anomaly (Fraser Syndrome)
15200	Cryptorchidism
15300	Cubitus valgus
15400	Cutis aplasia
15500	Cutis hyperelastica
15600	Cutis laxa
15700	Cutis marmorata
15800	Cyclopia
15900	Cyclops

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**ANOMALY/METABOLIC  
SYNDROMES AND  
CONDITIONS (CONT)  
(R054)**

16000	Cystathionuria
16100	Cystic adenomatoid malformation of the lung
16200	Cytomegalic inclusion disease
16300	Dandy-walker syndrome
16400	Darwinian tubercle
16500	Dental cyst
16600	Deprivation syndrome
16700	Dermal ridge, aberrant
16800	Desanctis-Cacchione syndrome
16900	Diabetes insipidus
17000	Diabetes mellitus
17100	Diaphragmatic hernia
17200	Diaphyseal aclasis
17300	Diastrophic dyslasia
17400	Diastrophic nanism
17500	DiGeorge syndrome
17600	Dilantin embryopathy
17700	Dimple, sacral
17800	Distal arthogyrposis syndrome
17900	Distichiasis-lymphedema syndrome
18000	Donohue syndrome (Leprechaunism Syndrome)
18100	Down syndrome
18200	Dubowitz syndrome
18300	Duodenal atresia
18400	Dwarfism, acromesomelic
18500	Dwarfism, metatrophoc
18600	Dyggve-Melchoir-Clausen syndrome
18700	Dysencephalia splanchnocystica (Meckel-Gruber Syndrome)
18800	Dyskeratosis congenital syndrome
18900	Dystrophia myotonica, Steinert (Myotonic dystrophy)
19000	Early urethral obstruction syndrome
19100	Ectodermal dysplasia
19200	Ectrodactyly, tibial
19300	Ectrodactyly-ectodermal dysplasia-clefting syndrome (EEC)
19400	Eczema
19500	Ehlers-danlos syndrome
19600	Elbow dysplasia
19700	Enamel hypoplasia
19800	Encephalocele
19900	Encephalocraniocutaneous lipomatosis
20000	Endocrine neoplasia, multiple, type 2

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**ANOMALY/METABOLIC  
SYNDROMES AND  
CONDITIONS (CONT)  
(R054)**

20100	Epidermal nevus syndrome
20200	Epiphyseal calcification
20300	Epiphyseal dysplasia, multiple
20400	Equinovarus deformity
20500	Escobar syndrome (Multiple pterygium dysplasia)
20600	Esophageal atresia
20700	Exomphalos
20800	External chonromatosis
20900	Fabry's disease
21000	Falx calcification
21100	Familial blepharophimosis syndrome
21200	Familial short stature
21300	Fanconi syndrome
21400	Fetal alcohol syndrome (FAS)
21500	Femoral hypoplasia-unusal facies syndrome
21600	Fetal face syndrome (Robinow Syndrome)
21700	Fg syndrome
21800	Fibrochondrogenesis
21900	Fibrodysplasia ossificans progressive syndrome
22000	First and second brachial arch syndrome
22100	Floating-harbour syndrome
22200	Fragile x syndrome (Martin-Bell Syndrome)
22300	Franceschetti-Klein syndrome (Treacher- Collins Syndrome)
22400	Freeman-Sheldon syndrome (Whistling Face Syndrome)
22500	Frenula, absent
22600	Frontal bossing
22700	Frontometaphyseal dysplasia
22800	Frontonasal dysplasia sequence
22900	Fryns syndrome
23000	Galactosemia
23100	Gastroschisis
23200	Geleophysic dysplasia
23300	Gilles telencephalic leucoencephalopathy
23400	Glaucoma
23500	Glossopalatine ankylosis syndrome
23600	B-glucuidase deficiency
23700	Glycogen storage disease
23800	Goiter
23900	Goldenhar syndrome
24000	Goltz syndrome
24100	Gonadal dysgenesis

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**ANOMALY/METABOLIC  
SYNDROMES AND  
CONDITIONS (CONT)  
(R054)**

24200	Gorlin syndrome (Nevoid basal cell carcinoma)
24300	Grebe syndrome
24400	Hallerman-streiff syndrome
24500	Hamartosis
24600	Hemangioma
24700	Hemangioma, capillary
24800	Hemangioma, cavernous
24900	Hemangioma, port-wine
25000	Hecht syndrome
25100	Hemifacial microsomia
25200	Hemochromatosis
25300	Hemorrhagic telangiectasia, hereditary
25400	Hereditary arthro-ophthalmopathy
25500	Hereditary osteo-onchodysplasia (Nail patella syndrome)
25600	Hirshsprung aganglionosis
25700	Holoprosencephaly
25800	Holt-oram syndrome
25900	Homocystinuria syndrome
26000	Homozygous Leri-Weill syndrome
26100	Hunter syndrome
26200	Hurler syndrome
26300	Hurler-Scheie syndrome
26400	Hutchinson-Gilford syndrome (Progeria Syndrome)
26500	Hydantoin embryology
26600	Hydatidiform placenta
26700	Hydranencephaly
26800	Hydrocele
26900	Hydrocephalus
27000	Hydrops fetalis
27100	Hyperammonaemia
27200	Hypochondrogenesis
27300	Hypochondroplasia
27400	Hypodactyly, hypoglossal
27500	Hypodontia
27600	Hypogenitalism
27700	Hypoglossia-hypodactyly syndrome
27800	Hypogonadism
27900	Hypohidrotic ectodermal dysplasia (Rapp-Hodgkin ectoderma)
28000	Hypomelanosis of ito
28100	Hypomellia-hypotrichosis-facial hemangioma syndrome

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**ANOMALY/METABOLIC  
SYNDROMES AND  
CONDITIONS (CONT)  
(R054)**

28200	Hypospadias
28300	Hypospadias, glandular (first degree)
28400	Hypospadias, coronal (second degree)
28500	Hypospadias, shaft (third degree)
28600	Hypospadias, perineal (fourth degree)
28700	Hypotrichosis
28800	Ichthyosiform erythroderma (Senter-Kid Syndrome)
28900	Immune deficiency
29000	Immunoglobulin deficiency
29100	Imperforate anus
29200	Iniencephaly
29300	Intestinal atresia
29400	Intestinal atresia, anal
29500	Intestinal atresia, colonic
29600	Intestinal atresia, duodenal
29700	Intestinal atresia, ileal
29800	Intestinal atresia, jejunal
29900	Intestinal stenosis
30000	Intestinal stenosis, anal
30100	Intestinal stenosis, colonic
30200	Intestinal stenosis, duodenal
30300	Intestinal stenosis, ileal
30400	Intestinal stenosis, jejunal
30500	Intestinal stenosis, rectal
30600	Intracardiac mass
30700	Intrathoracic vascular ring
30800	Ivenmark syndrome
30900	Jackson-Lawler pachyionchia congenital syndrome
31000	Jadossohn-Lewandowski pachyionchia congenital syndrome
31100	Jansen-type metaphyseal dysplasia
31200	Jarcho-Levin syndrome
31300	Johanson-Blizzard syndrome
31400	Jugular lymphatic obstruction sequence
31500	Kabuki syndrome
31600	Kartagener syndrome
31700	Keratoconus
31800	Killian/Teschler-Nicola syndrome (Pallister mosaic syndrome)
31900	Kinky hair syndrome (Menkes Syndrome)
32000	Klein-Waardenburg syndrome
32100	Klinefelter syndrome
32200	Klippel-Feil sequence

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**ANOMALY/METABOLIC  
SYNDROMES AND  
CONDITIONS (CONT)  
(R054)**

32300	Klippel-Trenaunay-Weber syndrome
32400	Kniest dysplasia
32500	Kozlowski spondylometaphyseal dysplasia
32600	Lacrimonal-auriculo-dento-digital syndrome
32700	Ladd syndrome
32800	Langer-Gideon Syndrome
32900	Langer-Saldino achondrogenesis
33000	Larsen syndrome
33100	Laryngeal abnormality
33200	Laryngeal atresia
33300	Laryngeal web
33400	Left-sidedness sequence
33500	Lens, dislocation
33600	Lenticular opacity
33700	Lentiginosities, multiple
33800	Lenz-Majewski hyperostosis syndrome
33900	Leopard syndrome
34000	Leri-weill dyschondrosteosis
34100	Leroy I-cell syndrome
34200	Lesch-Nylan syndrome
34300	Lethal multiple pterygium syndrome
34400	Levy-Hollister syndrome
34500	Limb-body wall complex
34600	Lipoatrophy
34700	Lipodosis, neurovisceral
34800	Lipodystrophy, generalized
34900	Lipomatosis, encephalocraniocutaneous
35000	Lippit-cleft hip syndrome (Van der Woude Syndrome)
35100	Lissencephaly Syndrome (Miller-Dreker Syndrome)
35200	Lobstein disease
35300	Lupus, neonatal
35400	Macrocephaly
35500	Macroglossia
35600	Macrohyria
35700	Macro-orchidiam
35800	Macrosomia
35900	Macrostomia
36000	Madelung deformity
36100	Maffucci syndrome
36200	Malar hypoplasia
36300	Male pseudohermaphroditism
36400	Mandibular hypodontia
36500	Marden-Waker syndrome

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**ANOMALY/METABOLIC  
SYNDROMES AND  
CONDITIONS (CONT)  
(R054)**

36600	Marfan syndrome
36700	Maroteaux-Lamy (mucopolysaccharidosis syndrome)
36800	Marshall syndrome
36900	Marshall-Smith syndrome
37000	Masa syndrome (X-linked hydrocephalus syndrome)
37100	Maternal phenylketonuria, fetal effects
37200	Maxillary hypoplasia
37300	Mccune-Albright syndrome (osteitis fibrosa cystica)
37400	Mckusick type metaphyseal dysplasia
37500	Meckel diverticulum
37600	Median cleft face syndrome
37700	Melanomata
37800	Melanosis, neurocutaneous
37900	Melnick-Fraser syndrome
38000	Melnick-needles syndrome
38100	Meningocele
38200	Meningomyelocele
38300	Metacarpal hypoplasia
38400	Metaphyseal dysplasia, Jansen type
38500	Metaphyseal dysplasia, Mckusick type
38600	Metaphyseal dysplasia, Pyle type
38700	Metaphyseal dysplasia, Schmid type
38800	Metatarsal hypoplasia
38900	Metatarsus adductus
39000	Metatropic dwarfism
39100	Metatropic dysplasia
39200	Methioninaemia
39300	Methotrexate embryology
39400	Microcephaly
39500	Microcolon
39600	Microcolon-megacystis-hypoperistalsis syndrome
39700	Microcornea
39800	Microdeletion syndrome
39900	Microgastria
40000	Microgastria
40100	Microglossia
40200	Micrognathia
40300	Micropenis
40400	Microphthalmia
40500	Microstomia
40600	Miller syndrome (postaxial acrofacial dysostosis)
40700	Moebius syndrome
40800	Mohr syndrome (OFD)

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**ANOMALY/METABOLIC  
SYNDROMES AND  
CONDITIONS (CONT)  
(R054)**

40900	Morquio syndrome
41000	Mucopolidosis III (Pseudo Hurler)
41100	Mucopolysaccharidosis I s (Scheie Syndrome)
41200	Mucopolysaccharidosis III, types a, b, c, d
41300	Mucopolysaccharidosis VII (Sly Syndrome)
41400	Mulibrey nanism syndrome (Perheentupu Syndrome)
41500	Multiple endocrine Neoplasia, type 2b
41600	Multiple neuroma syndrome
41700	Multiple synostosis syndrome (Symphalangism Syndrome)
41800	Murcs association
41900	Myasthenia gravis, newborn
42000	Myopathy, centronuclear
42100	Myopathy, myotubular
42200	Nanism, diastrophic
42300	Nasal dysplasia
42400	Neonatal lupus
42500	Neonatal teeth
42600	Nesidioblastosis
42700	Neu-laxova syndrome
42800	Neural tube defect
42900	Neurocutaneous melanosis syndrome
43000	Neurofibromatosis syndrome
43100	Neuromuscular defect
43200	Neurovisceral lipidosis, familial
43300	Noonan syndrome
43400	Occult spinal dysraphism
43500	Oculo-auriculo-vertebral defect spectrum
43600	Oculodentodigital syndrome
43700	Oculo-genito-laryngeal syndrome (optiz Syndrome)
43800	Odontoid hypoplasia
43900	Oculo-facial-digital syndrome, type I (OFD-I)
44000	Oculo-facial-digital syndrome, type III (OFD-III)
44100	Oligohydramnios sequence
44200	Ollier disease (osteochondromatosis syndrome)
44300	Omphalocele
44400	Optic nerve dysplasia
44500	Oromandibular-limb hypogenesis spectrum
44600	Osteochondrodysplasia
44700	Osteodysplasia
44800	Osteogenesis imperfecta, type I
44900	Osteogenesis imperfecta, type II
45000	Osteolysis

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**ANOMALY/METABOLIC  
SYNDROMES AND  
CONDITIONS (CONT)  
(R054)**

45100	Osteo-onychodysplasia
45200	Osteopetrosis
45300	Otocephaly
45400	Oto-plato-digital syndrome, type I (Taybi Syndrome)
45500	Oto-plato-digital syndrome, type II
45600	Pachydermoperiostosis syndrome
45700	Pachygyria
45800	Pachyonia congenital syndrome
45900	Pallister-Hall syndrome
46000	Parabiotic syndrome, donor (Twin-to-twin transfer)
46100	Parabiotic syndrome, recipient (Twin-to-twin transfer)
46200	Pectus carinatum
46300	Pectus excavatum
46400	Pena Shokeir phenotype, type I
46500	Pena-Shokier phenotype, type II
46600	Penta x syndrome
46700	Pentology of Cantrell
46800	Perinatal lethal hypophosphotasia
46900	Peters'-plus syndrome
47000	Peutz Jeghers syndrome
47100	Pfeiffer syndrome
47200	Phenylketonuria
47300	Phenylketonuria, maternal effects
47400	Photosensitive dermatitis
47500	Pierre Robin syndrome
47600	Pitting, lip
47700	Pitting, preauricular
47800	Poikiloderma congenitale syndrome (Rothmund-Thomson)
47900	Poland sequence
48000	Polydactyly
48100	Polymicrogyria
48200	Polysplenia syndrome
48300	Popliteal pteryguim syndrome
48400	Porencephalic cyst
48500	Port wine stain
48600	Potter syndrome
48700	Prader-Willi syndrome
48800	Preauricular tags
48900	Preauricular pits
49000	Prognathism
49100	Porteus syndrome
49200	Pseudoachondroplasia

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**ANOMALY/METABOLIC  
SYNDROMES AND  
CONDITIONS (CONT)  
(R054)**

49300	Pseudocamptodactyly
49400	Pulmonary agenesis
49500	Pulmonary hypoplasia
49600	Pulmonary lymphangectasia, congenital
49700	Pyknodysostosis
49800	Pyle disease (Pyle metaphyseal dysplasia)
49900	Pyruvate carboxylase deficiency
50000	Pyruvate dehydrogenase deficiency
50100	Rachischisis
50200	Ranula
50300	Rectal atresia
50400	Rectal atresia, with fistula
50500	Refsum's disease
50600	Reifenstein's syndrome
50700	Restrictive dermopathy
50800	Retinoic acid embryopathy
50900	Rhizomelic chondrodysplasia punctata
51000	Rieger syndrome
51100	Right-sidedness sequence
51200	Rokitansky malformation sequence
51300	Rubinstein-Taybi syndrome
51400	Russell-Silver syndrome (Silver Syndrome)
51500	Saddle nose
51600	Saethre-Chotzen syndrome
51700	Salino-noonan short rib-polydactyly syndrome
51800	Sc phocomelia
51900	Schinzel-Giedion syndrome
52000	Schimd type metaphyseal dysplasia
52100	Schizencephaly
52300	Sclerosteosis
52500	Scrotum, shawl
52600	Seckel syndrome
52700	Septo-optic dysplasia sequence
52800	Short bowel syndrome
52900	Short rib-polydactyly syndrome, type II
53000	Shprintzen syndrome
53100	Shwachman syndrome
53200	Simpson-Golabi-Behmel syndrome
53300	Sirenomelia sequence
53400	Smith-Lemli-Opitz Syndrome
53500	Spondyllocarpotarsal synostosis syndrome
53600	Spondylometaphyseal dysplasia
53700	Spondylometaphysel dysplasia, Kozlowski

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**ANOMALY/METABOLIC  
SYNDROMES AND  
CONDITIONS (CONT)  
(R054)**

53800	Stenal malformation-vascular dysplasia spectrum
53900	Struge-Weber sequece
54000	Sulfite oxidase deficiency
54100	Sugarman syndrome
54200	Syndactyly
54300	Tar syndrome (thromocytopenia absent radius)
54400	Taurodontism
54600	Tdo syndrome
54700	Testicular feminization syndrome
54800	Tesetis, hydrocele
54900	Tethered cord malformation syndrome
55000	Thanatophoric dysplasia
55100	Thyroglossal cyst
55200	Thrombocytopenia abent radius syndrome
55300	Thurston syndrome
55400	Tibial aplasia-ectrodactyly syndrome
55500	Townes-brock syndrome
55600	Tracheoesophageal fistula
55700	Transcobalamin II deficiency
55800	Trapezoidcephaly
55900	Tricho-rhino-phalangeal syndrome, type I
56000	Tridione embryopathy
56100	Trimethadione embryopathy
56200	Triphalangeal thumb
56300	Triploidy
56400	Trp I
56500	Turner syndrome
56600	Turner-like syndrome
56700	Umbilical hernia
56800	Urorectal septum malformation sequence
56900	Uterus, ambiguous
57300	Vagina, double
57400	Valproate embryopathy
57500	Varadi-Papp syndrome
57600	Vater association
57700	Vein of Galen, aneurysm
57800	Vertebral defect
57900	Volvulus, colon
58000	Volvulus, ileum
58100	Volvulus, jejunum
58200	Volvulus, small bowel
58300	Von Hippel-Lindau syndrome
58400	Vrolik disease

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**ANOMALY/METABOLIC  
SYNDROMES AND  
CONDITIONS (CONT)  
(R054)**

58500	Waardenburg syndrome, type I
58600	Waardenburg syndrome, type II
58700	Waardenburg syndrome, type III
58800	Wagr syndrome
58900	Walker-Warburg syndrome
59000	Warfarin embryology
59100	Weaver syndrome
59200	Weill-Marchesani syndrome
59300	Werner syndrome
59400	Whelan syndrome
59500	Williams syndrome
59600	Xeroderma pigmentosa syndrome
59700	Tunis-Varon syndrome
59800	Zellweger syndrome
59900	Zollinger-ellison syndrome

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**DUCTUS SYNDROME OF  
PREMATURITY  
(R057)**

Found on the '*DISCHARGE SUMMARY*'.  
Choose **one** of the following:

- 100 Non-surgical closure
- 200 Surgical closure
- 300 Treatment not stated

**PERSISTENT FETAL  
CIRCULATION/PERSISTENT  
PULMONARY HYPERTENSION  
OF THE NEWBORN  
(R058)**

Found on the '*DISCHARGE SUMMARY*'.  
Choose **one** of the following causes:

- 100 Congenital heart disease
- 200 Fetomaternal bleed
- 300 Hyaline membrane disease
- 400 Meconium aspiration
- 500 Pulmonary hypoplasia
- 600 Pneumonia
- 700 Primary pulmonary hypertension
- 800 Cause not stated

**RESPIRATORY DISTRESS  
SYNDROMES  
(R059)**

Found on the '*DISCHARGE SUMMARY*'.  
Choose **one** of the following:

- 100 Transient respiratory distress
- 200 IRDS, mild
- 300 IRDS, moderate
- 400 IRDS, severe
- 500 IRDS, severity not stated
- 600 Transient Tachypnea of the newborn
- 700 Benign respiratory distress

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**CHRONIC PULMONARY  
DISEASE OF PREMATURITY  
(R060)**

Found on the '*DISCHARGE SUMMARY*'.  
Choose **one** of the following:

- 100 Wilson-Mikity syndrome, non-cystic
- 200 Wilson-Mikity syndrome, cystic
- 300 Bronchopulmonary dysplasia, non-cystic
- 400 Bronchopulmonary dysplasia, cystic

**REQUIREMENT FOR HOME  
OXYGEN  
(R061)**

Found on the '*DISCHARGE SUMMARY*'.

- 100 Patient requires home oxygen

**BIRTH ASPHYXIA SEQUELLA  
(R062)**

Found on the '*DISCHARGE SUMMARY*'.

Choose as many as are present.

- 100 Post-Asphyctic CNS Depression
- 200 Post-Asphyctic CNS Excitation
- 300 Post-Asphyctic Increase Intracranial Pressure
- 400 Post-Asphyctic Brain Necrosis
- 500 Post-Asphyctic Congestive Heart Failure
- 600 Post-Asphyctic Acute Tubular Necrosis
- 700 Post-Asphyctic Liver and/or Adrenal Necrosis

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**CONVULSIONS/SEIZURES**  
**(R063)**

Convulsions or seizures due to a stated condition.

Found on the '*DISCHARGE SUMMARY*'.

Choose as many as are present.

100	Alkalosis
200	Arhinencephaly
300	Benign Familial
400	Brain Edema
500	Cerebral Anomaly, Unspecified
600	Drug Withdrawal
700	Hemorrhage, Brain Stem
800	Hemorrhage, Cerebellar
900	Hemorrhage, Cerebral
1000	Holoprosencephaly
1100	Hydrocephaly
1200	Hydranencephaly
1300	Hypercapnia
1400	Hypocalcemia
1500	Hypocapnia
1600	Hypoglycemia
1700	Hypomagnesemia
1800	Hyponatremia
1900	Inborn Error of Metabolism
2000	Infarction
2100	Kernicterus
2200	Meningitis
2300	Post-asphyctic
2400	Pyridoxine Deficiency
2500	Pyridoxine Dependency
2600	Unknown
2700	Venous Thrombosis

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**NEOPLASMS**  
**(R064)**

Found on the 'DISCHARGE SUMMARY'.

Code all that are applicable.

100	Astrocytoma
200	Choroid Plexus Papilloma
300	Connective Tissue
400	Craniopharyngioma
500	Cystadenoma
600	Cystic Hygroma
700	Endothelial Tissue
800	Ependymoma
900	Epithelial Tissue
1000	Familial Erythrophagocytic Lymphohistiocytosis
1100	Fibroma
1200	Follicular Cyst
1300	Glioma
1400	Hemangioma, Cavernous
1500	Hemangioma, Capillary
1600	Hepatoblastoma
1700	Histiocytosis
1800	Insulinoma
1900	Leukemia
2000	Lipoma
2100	Lymphangioma
2200	Lymphoma
2300	Mass, Unknown Type
2400	Medulloblastoma
2500	Melanoma
2600	Melanotic Neuroectodermal Tumor
2700	Mesoblastic Nephroma
2800	Muscle
2900	Myxofibrosarcoma
3000	Nasal Glioma
3100	Nephroblastoma
3200	Nesidioblastosis
3300	Neuroblastoma
3400	Neuroectodermal Tumor
3500	Neurofibroma
3600	Retinoblastoma
3700	Rhabdomyoma, Cardiac
3800	Rhabdomyoma

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**NEOPLASMS** (Continued)  
**(R064)**

3900	Sarcoma
4000	Teratoma, Cardiac
4100	Teratoma, Embryotic Rests
4200	Teratoma, Gonads
4300	Teratoma, Sacrococcygeal
4400	Teratoma, Site Not Specified
4500	Wilm's Tumor

**DRUG WITHDRAWL FROM**  
**MATERNAL USE**  
**(R067)**

Found on the '*DISCHARGE SUMMARY*'.

Code ALL applicable drugs.

100	Alprazolam (Xanax)
200	Barbituate
300	Benzodiazepam
400	Citalopram (Celexa)
500	Cocaine
600	Diazepam (Valium)
700	Fluoxetine (Prozac)
800	Ethchlorvyol (Placidyl)
900	Heroin
1000	Hydromorphone (Dilaudid)
1100	Lorazepam (Ativan)
1200	Meperidine (Demerol)
1300	Methadone
1400	Morphine
1500	Oxazepam
1600	Paroxetine (Paxil)
1700	Pentazocine (Talwin)
1800	Sertraline (Zoloft)
1900	Unknown
2000	Venlafaxine (Effexor)
2100	OxyContin

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**CENTRAL VENOUS  
CATHETERS  
(R069)**

Found on the '*OPERATIVE REPORT*' or on the '*DISCHARGE SUMMARY*'.

Code ALL that are applicable.

100	Umbilical vein, direct
200	Upper limb, direct
300	Upper limb, percutaneous (PICC)
400	Upper limb, cut down (surgical)
500	Upper limb, Broviac
600	Lower limb, direct
700	Lower limb, percutaneous (PICC)
800	Lower limb, cut down (surgical)
900	Lower limb, Brioviac
1000	Other

**ARTERIAL CATHETERS  
(R070)**

Found on the '*OPERATIVE REPORT*' or on the '*DISCHARGE SUMMARY*'.

Code ALL that are applicable.

100	Umbilical, direct
200	Radial, direct
300	Radial, percutaneous (PICC)
400	Radial, cut down (surgical)
500	Pedal, direct
600	Pedal, percutaneous (PICC)
700	Pedal, cut down (surgical)
800	Femoral, direct
900	Femoral, percutaneous (PICC)
1000	Femoral, cut down (surgical)

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**MODE OF VENTILATION**

Found on the '*RESPIRATORY THERAPY RECORD*' or on the '*DISCHARGE SUMMARY*'.

Code ALL that are applicable.

100	Intermittent mandatory ventilation (IMV)
200	Synchronized mandatory ventilation (SIMV)
300	Pressure support (PS)
400	Continuous positive airway pressure (CPAP)
500	High frequency Oscillatory ventilation (HFOV)
600	Positive pressure ventilation (PPV)

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**COMPLICATIONS OF  
ENDOTRACHEAL INTUBATION  
(R072)**

Found on the '*DISCHARGE SUMMARY*'.

Code ALL complications of an endotracheal intubation that are applicable.

100	Esophageal perforation
200	Granuloma
300	Laryngeal perforation
400	Laryngeal stenosis
500	Lip deformity
600	Necrotizing laryngitis
700	Necrotizing tracheitis
800	Palate deformity
900	Squamous metaplasia
1000	Stridor
1100	Subglottic stenosis
1200	Tracheal perforation
1300	Tracheobronchomalacia
1400	Ulceration

**VASCULAR CATHETERS  
(R073)**

Found on the '*OPERATIVE REPORT*' or on the '*DISCHARGE SUMMARY*'.

Code ALL complications of a vascular catheter that are applicable.

100	Arterial thrombosis
200	Cardiac tamponade
300	Edema
400	Loss of finger(s)
500	Loss of toe(s)
600	Pericardial effusion
700	Perforation of the heart
800	Pleural effusion
900	Phrenic nerve palsy
1000	Ruptured vessel
1100	Thrombophlebitis
1200	Vasospasm
1300	Venous thrombosis

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**NASO/ORO GASTRIC TUBES**  
**(R074)**

Found on the '*DISCHARGE SUMMARY*'.

Code ALL complications of a naso/oro gastric tube that are applicable.

100	Perforation, esophagus
200	Perforation, stomach
300	Perforation, small bowel

**COMPLICATIONS OF**  
**MEDICATIONS**  
**(R075)**

Found on the '*DISCHARGE SUMMARY*'.

Code ALL applicable complications due to a medication.

100	Cardiomyopathy, steroid induced
200	Contracture, secondary to IM injection
300	Nephrocalcinosis, diuretic induced
500	Shin slough

**COMPLICATIONS OF**  
**SURGERY**  
**(R076)**

Found on the '*OPERATIVE REPORT*' or on the '*DISCHARGE SUMMARY*'.

Code ALL applicable complications due to a surgical procedure.

100	Diaphragmatic paralysis
200	Vocal cord paralysis

**BURNS**  
**(R077)**

Found on the '*DISCHARGE SUMMARY*'.

Code ALL applicable burns.

100	Chemical
200	Electrical
300	Thermal

**PHOTOTHERAPY**  
**(R078)**

Found on the '*DISCHARGE SUMMARY*'.

100	Phototherapy
-----	--------------

## NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL

### IMMUNIZATIONS (R079)

Found on the 'DISCHARGE SUMMARY'.

Code ALL applicable immunizations given to the infant.

100	DPTP (Diphtheria, Pertussis, Tetanus, Polio)
200	DPT (Diphtheria, Pertussis, Tetanus)
300	Hepatitis B globulin
400	Hepatitis B vaccine
500	Viral Influenza
600	Hemophilus Influenza B Conjugate
700	RSV (Respiratory Syncytial Virus) Vaccine
800	Varicella (Chicken Pox) Vaccine

### LAB RESULTS (R080)

(Non-IWK hospitals only)

(Refer to reference lab sheet for ranges)

Found on the *DISCHARGE SUMMARY* or *LAB SHEETS*'.

100	Neutropenia, <1,000 pmns (mature or bands per cu.mm) <b>use following formula:</b> Multiply the total corrected WBC's by the % of pmns (polymorphoneutrophils) and bands.
-----	--

e.g. total WCB=15,000

pmns= 5%

bands= 1%

200	ABO Immunizations-Definite
300	D isoimmunization
400	Little c Isoimmunization
500	Big C Isoimmunization
600	Big E Isoimmunization
700	Kell Isoimmunization
800	Fya Isoimmunization (Duffy)
900	Kidd
1000	Wright
1100	MNS blood groups
1200	Positive DAT
1300	Misc. Isoimmunization – Little "e"
1400	Misc. Isoimmunization – Little "s"

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**LAB RESULTS CON'T**  
**(R080)**

1500	Hyperbilirubinemia <b>(Total bilirubin &gt; 15 mg% or &gt; 258 microM/L; or unconjugated or indirect bilirubin ≥ 230 microM/L)</b>
1600	Anemia <b>Hgb &lt; 14 gm% or &lt; 140 g/L or Hct &lt; 42% in the first week;</b> <b>Hgb &lt; 10 gm% or &lt; 100 g/L or Hct &lt; 30% at any age.</b> <b>Code the cause based on the first low haemoglobin, unless clearly stated otherwise.)</b>
1700	Polycythemia <b>(Central Hgb &gt; 21 gm% (210 g/L), central Hct &gt; 63% (.630 L/L), capillary Hgb &gt; 25 gm% (250 g/L), or capillary Hct &gt; 75% (.750 L/L); both Hgb and Hct must be above normal on a single sample, or at least one of Hgb or Hct is above normal on 2 or more consecutive samples.)</b>
1800	Thrombocytopenia <b>(Platelet count &lt; 100,000 on greater than two occasions only.)</b>
1900	Obstructive Jaundice <b>(Direct bilirubin, or conjugated, &gt; 2.0 mg% or &gt; 34.5 micromol/L)</b>
2000	Increased nucleated RBC and/or normoblastemia <b>&gt; 15% or greater than 18 nRBCs on 0-5 days; &gt; 1% or greater than 2 NRBCS after 5 days)</b>
2100	Reticulocytosis <b>(&gt; 7% on days 1-2; &gt; 5% on days 3-6; &gt; 3% on days 7 and thereafter)</b>
2200	Hyperthyroidism
2300	Rickets – Elevated alkaline phosphatase only <b>(&gt; 406 I.U.)</b>
2400	Hypoglycosemia <b>(&lt; 30 mgm% or &lt; 1.67 mmol/L)</b>
2500	Hyperglucosemia <b>(&gt; 125 mg% or &gt; 6.94 mmol/L)</b>
2600	Hypocalcemia <b>(7.0 mg% or less; 1.75 mmol/L or less; ionized ≤ 1.0 mmol/L)</b>

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**LAB RESULTS CON'T**  
**(R080)**

2700	Late Metabolic Acidosis <i>(After 72 hours of age; base deficit &gt; -10 mEq/L or &gt; -10 mmol/L)</i>
2800	Hypolalemia <i>(&lt; 3.0 mEq/L or &lt; 3.0 mmol/L)</i>
2900	Hyperkalemia <i>(7.0 mEq/L or more; 7.0 mmol/L or more)</i>
3000	Hyponatremia <i>(130 mEq/L or less; 130 mmol/L or less)</i>
3100	Hypernatremia <i>(&gt; 155 mEq/L or &gt; 155 mmol/L)</i>
3200	Azotemia <i>(BUN 20 mg% or more; 7.14 mmol/L or more, urea value)</i>
3300	Hypercreatininemia <i>(2.0 mg% or more; 177 micromol/L or more)</i>
3400	Oliguria <i>(&lt; 15 ml/Kgm/day on Day 2 or &lt; 20 ml/Kgm/day after 2 days)</i>
3500	Hypoproteinemia <i>(4.0 gm% or less; 40 gm/L or less)</i>
3600	Hypoalbuminemia <i>(≤ 2.4 gm% or ≤ 24 gm/L)</i>
3700	Hypomagnesemia <i>(1.3 mEq/L or less; 0.53 mmol/L or less)</i>
3800	Hypermagnesemia <i>(&gt; 2.5 mEq/L or &gt; 1.03 mmol/L)</i>
3900	Hyperphosphatemia <i>(8.0 mg% or more; 2.58 mmol/L or more)</i>
4000	Hypertyrosinemia <i>(5.0 mgm% or more)</i>
4100	Hyperammonemia <i>(&gt; 150 microgm% or &gt; 107 micromol/L)</i>
4200	Hyperuricemia <i>(&gt; 400 micromol/L)</i>
4300	Hypercalcemia <i>(≥ 3.0 mmol/L; ionized - ≥ 1.5 mmol/L)</i>
4400	Low serum alkaline/phosphatase <i>(&lt; 120 IU/L)</i>
4500	Hypophosphatemia <i>(&lt; 4.0 mg% or &lt; 1.29 mmol/L)</i>

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**INTRA-VENTRICULAR  
HEMORRHAGE  
(R081)**

Found on the '*DISCHARGE SUMMARY*'.

- |     |  |
|-----|--|
| 100 | Grade 1 (sub-ependymal, choriod Plexus hemorrhage)                         |
| 200 | Grade 2 (Hemorrhage into ventricle without dilation of ventricle)          |
| 300 | Grade III (Hemorrhage into ventricle with dilation of ventricle)           |
| 400 | Grade IV (Hemorrhage into brain: thalamic hemorrhage, cortical hemorrhage) |

**TRAUMA  
(R082)**

Found on the '*DISCHARGE SUMMARY*'.

Code **ALL** applicable traumas:

- |      |  |
|------|--|
| 100  | Fracture Clavicle                          |
| 200  | Fracture Femur                             |
| 300  | Fracture Humerus                           |
| 400  | Fracture Other                             |
| 500  | Fracture Rib(s)                            |
| 600  | Fracture Skull                             |
| 700  | Cephalohematoma Left                       |
| 800  | Cephalohematoma Right                      |
| 900  | Cephalohematoma Bilateral                  |
| 1000 | Cephalohematoma Other, including Occipital |
| 1100 | Cephalohematoma Unknown                    |
| 1200 | Shoulder Dystocia                          |

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**NON-SPECIFIC  
NEUROLOGICAL FINDINGS  
(R083)**

Found on the '*DISCHARGE SUMMARY*'.

Code **ALL** applicable Findings:

100	Abnormal Cerebral Irritation/Hypertonicity
200	Hyperreflexia (Hereditary Startle Disease)
300	Abnormal Cerebral Depression/Hypotonicity
400	Abnormal Cerebral Depression due to Maternal Analgesia
500	Cerebral Edema
600	Cortical Atrophy
700	Encephalomalacia
800	Gilles Telencephalic Leucoencephalopathy
900	Infarction
1000	Porencephalic cyst(s)
1100	Periventricular Leukomalacia

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**OTHER SPECIFIC  
NEUROLOGICAL FINDINGS  
(R084)**

Found on the 'DISCHARGE SUMMARY'.

Code **ALL** applicable Findings:

100	Facial Palsy Left
200	Facial Palsy Right
300	Facial Palsy Bilateral
400	Brachial Plexus (Erb's & Klumpke's) Palsy, Left
500	Brachial Plexus (Erb's & Klumpke's) Palsy, Right
600	Brachial Plexus (Erb's & Klumpke's) Palsy, Bilateral
700	Brachial Plexus (Erb's & Klumpke's) Palsy, Radial Nerve (Wrist Drop)
800	Phrenic Nerve, Left
900	Phrenic Nerve, Right
1000	Phrenic Nerve, Bilateral
1100	Hemiparesis Transient (NOT present at time of discharge from hospital)
1200	Hemiparesis Transient (Present at time of discharge from hospital)
1300	Retinal hemorrhage involving the macula
1400	Chorioretinitis
1500	Congenital Subdural Effusion
1600	Periventricular Calcification
1700	Ondines's Curses
1800	Opsoclonus
1900	Cranial Nerve Palsy 3 <sup>rd</sup> or Oculomotor Nerve
2000	Cranial Nerve Palsy 4 <sup>th</sup> or Trochlear Nerve
2100	Cranial Nerve Palsy 5 <sup>th</sup> or Trigeminal Nerve
2200	Cranial Nerve Palsy 6 <sup>th</sup> or Abducens Nerve
2300	Cranial Nerve Palsy 10 <sup>th</sup> or Vagus Nerve

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**APNEA**  
**(R085)**

Found on the '*DISCHARGE SUMMARY*' or '*NURSES NOTES*'.

100            Apneic Spells

**RESUSCITATION AT**  
**DELIVERY**  
**(R086)**

Found on the '*BIRTH RECORD*' or '*DISCHARGE SUMMARY*'.

Code **ALL** applicable codes:

100            Oxygen  
200            Assisted Ventilation  
300            Chest Compressions  
400            Medications

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**INDEX OF MATERNAL DISEASES AND PROCEDURES**

**-A-**

	<b>CODE #</b>
Abruptio placenta	
In previous pregnancy .....	R025
Abscess	
Epidural .....	R013
Absence, kidney .....	R020
Abuse	
Alcohol .....	R005
Ativan .....	R005
Chemical, unspecified .....	R005
Cocaine/Crack .....	R005
Codeine .....	R005
Demerol .....	R005
Dilaudid .....	R005
Hash .....	R005
Heroin .....	R005
Marijuana .....	R005
Methadone .....	R005
Morphine .....	R005
Oxycontin .....	R005
Prescription medications .....	R005
Solvents .....	R005
Valium .....	R005
Acquired immune deficiency syndrome (A.I.D.S.) .....	R002
Agenesis, renal .....	R020
Albumin transfusion .....	R026
Alcohol abuse .....	R005
Alphaprodine (Nisentil) analgesia .....	R008
Amniocentesis	
For genetics .....	R006
For isoimmunization .....	R006
For lung maturity .....	R006
Amnioinfusion .....	R006
Amnioreduction .....	R006
Amo-secobarbital (Tuinal) hypnotic .....	R008
Anaesthesia during labour and delivery .....	R010
Anaesthesia during labour only .....	R011
Anaesthesia during delivery only .....	R012

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**-A cont-**

**Analgesia**

Alphaprodine (Nisentil) .....	R008
Amo-Secobarb (Tuinal) .....	R008
Chlorpromazine (Largactil) .....	R008
Diazepam (Valium) .....	R008
Hypromorphone HCl (Dilaudid) .....	R008
Meperidine (Demerol) .....	R008
Morphine (Opium/Pantopon) .....	R008
Nalbuphine (Nubain) .....	R008
Pentazocine (Talwin) .....	R008
Pentobarital Hypnotic (Nembutal) .....	R008
Promazine (Sparine) .....	R008
Promethazine (Phenergan) .....	R008
Secobarbital (Seconal) .....	R008
Sublimaze (Fentanyl) .....	R008

**Anemia**

Antepartum .....	R022
In a previous pregnancy .....	R025
Idiopathic hypoplastic .....	R022
Hemolytic .....	R022
Postpartum .....	R022
Sickle Cell .....	R022

**Anesthesia**

Entonox .....	R010, R011 and/or R012
Epidural, continuous catheter .....	R010, R011 and/or R012
Epidural, continuous infusion (CIEA) .....	R010, R011 and/or R012
Epidural, single .....	R010, R011 and/or R012
General .....	R010, R011 and/or R012
Other .....	R010, R011 and/or R012
Pudendal .....	R010, R011 and/or R012
Spinal/epidural double needle .....	R010, R011 and/or R012
Spinal .....	R010, R011 and/or R012

Ankylosing spondylitis .....

R024

Anorexia Nervosa .....

R016

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**-A cont-**

Antibodies (Maternal conditions)

Antigen negative.....	R001
Anti-Cardiolipin .....	R001
Anti-DNA .....	R001
Antinuclear (ANA).....	R001
Anti-SSA (Ro).....	R001
Lupus.....	R001
Anti-Big C .....	R001
Anti-Big E .....	R001
Anti-Big S .....	R001
Anti-D .....	R001
Anti-Dha .....	R001
Anti-Fya .....	R001
Anti-Kell .....	R001
Anti-Kidd .....	R001
Anti-La .....	R001
Anti-Little c.....	R001
Anti-Little e.....	R001
Anti-Little s.....	R001
Anti-Lutheran.....	R001
Anti-Wright.....	R001
Anti-coagulation drug therapy during pregnancy.....	R004
Anti-depressive drug use during pregnancy .....	R004
Anti-epileptic drug use during pregnancy .....	R004
Anti-hypertensive drug use during pregnancy.....	R004
Anxiety disorders.....	R016
Arrest	
Cardiac, during pregnancy .....	R018
Arrhythmias, cardiac.....	R018
Arthritis, rheumatoid .....	R024
ASA therapy for autoimmune diseases .....	R003
Aspiration pneumonitis, complicating anaesthesia.....	R013
Asthma .....	R023
Atelectasis, pulmonary .....	R023
Atosiban therapy for tocolysis .....	R003
Autoimmune thyroiditis .....	R019

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**-B-**

Back pain, post anaesthetic .....	R013
Bell's Palsy .....	R017
Block	
High epidural/subdural.....	R013
Prolonged epidural .....	R013
Blood dyscrasia .....	R022
Blood patch, to seal dural tear.....	R013
Blood transfusions, number of.....	R026
Blood transfusions, reason for.....	R027
Bowel carcinoma .....	R021
Breast carcinoma .....	R021
Breech presentation in a previous pregnancy .....	R025
Bricanyl (Terbutaline) therapy for tocolysis .....	R003
Bulimia nervosa.....	R016

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**-C-**

Calculus, renal .....	R020
Carcinoma .....	R021
Cardiac	
Arrest.....	R018
Arrest, complicating anaesthesia.....	R013
Cardiomyopathy .....	R018
Carrier, serum hepatitis.....	R002
Cerebral palsy .....	R017
Cervical	
Carcinoma .....	R021
Encerclage (removal of) .....	R006
Chlorpromazine (Largactil) tranquillizer.....	R008
Cholelithiasis .....	R015
Cholinesterase deficiency .....	R024
Chorionic villi sampling.....	R006
Chronic hypertensive disease .....	R014
Coagulation disorder, acquired .....	R022
Colitis, ulcerative .....	R015
Complications of Anaesthesia .....	R013
Congenital heart disease.....	R018
Cordocentesis .....	R006
Coronary artery disease .....	R018
Crohn's disease .....	R015
Cryoprecipitate transfusion.....	R026
Cystic fibrosis .....	R023
Cytomeglaovirus .....	R002

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**-D-**

Deficiency	
Cholinesterase.....	R022
Factor 8 .....	R022
Factor 12 .....	R022
G6PD.....	R022
Demerol analgesia .....	R008
Depression	
Manic.....	R016
Current .....	R016
Previous pregnancy.....	R025
Dermatitis herpetiformis .....	R014
Diabetes	
Gestational, in a previous pregnancy .....	R025
Maternal .....	R014
Diazepam (Valium) tranquilizer .....	R008
Dilaudid therapy .....	R008
Disease	
Cardiac.....	R018
Congenital heart.....	R018
Coronary artery.....	R018
Crohn's .....	R015
Gastrointestinal.....	R015
Hypertensive, chronic.....	R014
Polycystic kidney .....	R020
Pulmonary .....	R023
Renal .....	R020
Rheumatic heart.....	R018
Scheurmann's.....	R024
Thromboembolic.....	R022
Von Recklinghausen's .....	R024
Von Willebrand's.....	R022
Disorder	
Adrenal gland .....	R019
Anxiety.....	R016
Eating .....	R016
Hypothalamus.....	R019
Obsessive compulsive.....	R016
Ovary.....	R019
Panic .....	R016
Pituitary .....	R019

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**-D cont-**

Drainage	
Fetal head to effect delivery .....	R006
Drop, foot	
Due to anaesthesia.....	R013
Drug abuse .....	R005
Dural tap, accidental.....	R013
Dyscrasia, blood.....	R022
Dysfibrinogenemia.....	R022
Dystrophy, muscular.....	R017

**-E-**

Eating disorders .....	R016
Eclampsia in previous pregnancy.....	R025
Ectopic pregnancy in a previous pregnancy.....	R025
Edema, Pulmonary.....	R023
Embolism, pulmonary.....	R023
Encerclage, cervical .....	R006
Endocarditis .....	R018
Endocrine diseases .....	R019
Entonox anaesthesia for labour/delivery .....	R012
Epidural	
Abscess, complicating epidural block.....	R013
Block, high.....	R013
Block, prolonged.....	R013
Entonox .....	R010, R011 and/or R012
Epidural, continuous catheter .....	R010, R011 and/or R012
Epidural, continuous infusion (CIEA).....	R010, R011 and/or R012
Epidural, single.....	R010, R011 and/or R012
General.....	R010, R011 and/or R012
Hematoma, complicating epidural block.....	R013
Other .....	R010, R011 and/or R012
Patient controlled (PCEA).....	R010, R011 and/or R012
Pudendal .....	R010, R011 and/or R012
Spinal/epidural double needle .....	R010, R011 and/or R012
Spinal .....	R010, R011 and/or R012
Epilepsy .....	R017
Exchange, plasma.....	R026
External version .....	R006

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**-F-**

Factor V Leiden Deficiency .....	R001
Factor 8 deficiency .....	R022
Factor 12 deficiency .....	R022
Failed intubation for general anaesthetic.....	R013
Familial hypofibrinogenemia.....	R024
Fetal blood transfusions .....	R006
Fetal drainage .....	R006
Fetal Reduction .....	R006
Feto/placental laser .....	R006
Foot drop	
Complicating epidural or subdural block.....	R013
Forceps rotation .....	R008

**-G-**

G6PD deficiency .....	R022
Gamma globulin transfusion.....	R026
Gastritis, reflux .....	R015
Gastro-intestinal disease.....	R015
Gestational diabetes in a previous pregnancy.....	R025
Glomerulonephritis, chronic.....	R020
Group B streptococcal.....	R002

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**-H-**

Harrington Rod, presence of .....	R017
Hash abuse .....	R005
Hashimoto's Thyroiditis .....	R019
Headache, post-dural puncture .....	R013
Heart disease .....	R018
HELLP syndrome .....	R014
Hemolytic anemia .....	R022
Hepatitis .....	R022
Herpes simplex infection .....	R002
Heroin Abuse .....	R005
High blood pressure in previous pregnancy .....	R025
History	
Abruptio placenta .....	R025
Anemia .....	R025
Breech presentation .....	R025
Diabetes, gestational .....	R025
Eclampsia .....	R025
Ectopic pregnancy .....	R025
Embolus, pulmonary .....	R025
Hydatidiform mole .....	R025
Hypertensive disease .....	R025
Infertility .....	R025
Malignancy .....	R025
Malignant hyperthermia (family/personal) .....	R025
Sensitized pregnancy .....	R025
Thromboembolic disease .....	R025
Hydronephrosis .....	R020
Hypertension, pulmonary .....	R023
Hypertensive disease	
Chronic .....	R014
In previous pregnancy .....	R025
Pregnancy-induced .....	R014
Hyperparathyroidism .....	R019
Hyperthyroidism .....	R019
Hypnotic	
Amo-secobarbital (Tuinal) .....	R008
Pentobarbital (Nembutal) .....	R008
Secobarbital (Seconal) .....	R008

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**-H cont-**

Hypnotism for labour/delivery .....	R010, R011 and/or R012
Hypofibrinogenemia .....	R022
Hypoplastic anemia, idiopathic .....	R022
Hypotension, post anaesthetic .....	R013

**-I-**

Idiopathic thrombocytopenic purpura .....	R022
Illness, psychiatric .....	R016
Impetigo herpetiformis .....	R014
Indocid (Indomethacin) therapy for tocolysis .....	R003
Indomethacin therapy (polyhydramnios) .....	R003
Induction, intracervical catheter .....	R009
Infarction, myocardial .....	R018
Infection	
AIDS .....	R002
Group B streptococcus .....	R002
Herpes simplex virus .....	R002
Syphilis .....	R002
Urinary tract .....	R019
Infertility, previous history .....	R025
Injection	
Epi-catheter .....	R013
Intravenous, toxic reaction to .....	R013
Insertion	
Intracervical catheter .....	R009
Intracervical prostaglandin .....	R009
Laminaria tents .....	R009
Vaginal prostaglandin .....	R009
Intracerebral hemorrhage .....	R017
Irritable bowel syndrome .....	R015
Isoxsuprine (Vasodilan) therapy for tocolysis .....	R003
IV Syntocin (Only) .....	R009

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**-L-**

Lesion, spinal cord .....	R013
Lithium, maternal use of .....	R004

**-M-**

Magnesium sulfate therapy	
Hypertension or seizures .....	R003
Tocolysis .....	R003
Malignancy/Neoplasms	
Current pregnancy .....	R021
Previous pregnancy .....	R025
Manic-depression .....	R016
Maternal antibody conditions .....	R001
Maternal blood transfusions .....	R026
Maternal carrier status .....	R002
Maternal drug and chemical abuse .....	R005
Maternal drug therapies .....	R003 and R004
Maternal/Fetal diagnostic procedures .....	R006
Maternal infection .....	R002
Meperidine (Demerol) analgesia .....	R008
Mathadone abuse .....	R005
Mitral valve prolapse .....	R018
Molar pregnancy in a previous pregnancy .....	R025
Morphine analgesia .....	R008
Morphine Abuse .....	R005
Multiple sclerosis .....	R017
Muscular dystrophy .....	R017
Myasthenia gravis .....	R017
Myocardial infarction .....	R018
Myocarditis .....	R018

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**-N-**

Nalbuphine analgesia .....	R008
Narcotic	
Abuse, chronic, during pregnancy .....	R005
Use, chronic, during pregnancy .....	R004
Nembutal hypnotic .....	R008
Neoplasms, including malignancies .....	R021
Nephropathy .....	R020
Nephrotic syndrome .....	R020
Nervosa, anorexia .....	R016
Neurofibromatosis .....	R024
Neurologic illness .....	R017
Nisentil analgesia .....	R008
Nubain (Nalbuphine) analgesia .....	R008

**-O-**

Obsessive-compulsive disorders .....	R016
Obstetrical disease, other, NEC .....	R014
Other Non-Obstetrical Diseases .....	R024
Oral herpes .....	R002
Ovarian carcinoma .....	R021
Oxytocin induction .....	R009

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**-P-**

Pain, back, anaesthetic complication .....	R013
Palsy	
Bell's .....	R017
Cerebral .....	R017
Pancreatitis, acute and chronic .....	R015
Pantopan analgesia .....	R008
Paraesthesia, post-anaesthetic .....	R013
Paralysis, respiratory, due to anaesthesia .....	R013
Patch, blood .....	R013
Pentazocine analgesia .....	R008
Pentobarbital (Nembutal) hypnotic .....	R008
Phenergan tranquillizer .....	R008
Phenylketonuria .....	R024
Pitocin induction .....	R009
Plasma exchange .....	R026
Plasma transfusion .....	R026
Plasmapheresis .....	R026
Platelet transfusion .....	R026
Pneumonia, antepartum .....	R023
Pneumonitis, aspiration, complicating anaesthesia .....	R013
Polycystic kidney disease .....	R020
Porphyria .....	R024
Post-dural puncture headache .....	R013
Pregnancy-induced hypertension .....	R014
Prescription medication abuse during pregnancy .....	R005
Presence, Harrington Rod .....	R017
Pre-eclampsia previous pregnancy .....	R025
Previous	
Abruptio placentae .....	R025
Anemia .....	R025
Breech .....	R025
Ectopic pregnancy .....	R025
Gestational diabetes .....	R025
Malignancy .....	R025
Molar pregnancy .....	R025
Postpartum depression .....	R025
Thromboembolic disease .....	R025
Sensitized pregnancy .....	R025
Problems, lower urinary tract .....	R020

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**-P cont-**

Proctitis, ulcerative .....	R015
Prolapsed mitral valve .....	R018
Prolonged epidural block.....	R013
Promazine (Sparine) analgesia .....	R008
Promethazine (Phenergan) analgesia .....	R008
Prostaglandin (administration)	
Intracervical .....	R009
Oral.....	R009
Vaginal .....	R009
Prosthesis, valve (heart).....	R018
Pruritic urticarial papules and plaques of pregnancy .....	R014
Pseudotumor cerebri .....	R017
Psychiatric illness .....	R016
Pudendal anaesthesia for labour/delivery .....	R010, R011 and/or R012
Pulmonary	
Disease .....	R023
Edema, antepartum/intrapartum .....	R023
Edema, postpartum .....	R023
Embolus in a previous pregnancy.....	R025
Hypertension .....	R018
Pyelonephritis	
Acute .....	R020
Chronic .....	R020

**-R-**

Reflux, gastritis.....	R015
Removal cervical suture .....	R006
Renal	
Agenesis.....	R020
Calculus.....	R020
Disease (not U.T.I.) .....	R020
Failure .....	R020
Transplant .....	R020
Rheumatic heart disease.....	R018
Rheumatoid arthritis .....	R024

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**-S-**

Sarcoidosis .....	R024
Scheurmann's disease .....	R024
Schizophrenia .....	R016
Scleroderma .....	R024
Sclerosis	
Muscular .....	R017
Tuberous .....	R017
Scoliosis .....	R024
Secobarbital (Seconal) hypnotic.....	R008
Seconal analgesia .....	R008
Sensitized pregnancy previously .....	R025
Separation of symphysis pubis.....	R014
Seizures .....	R017
Serum hepatitis carrier .....	R002
Sickle cell anemia .....	R022
Sjogren's Syndrome .....	R024
Sparine tranquillizer.....	R008
Spherocytosis, hereditary .....	R005
Spinal anaesthesia	
Labour and delivery .....	R010, R011 and/or R012
Total (respiratory paralysis) .....	R013
Spinal cord lesion, complicating epidural or subdural block .....	R013
Spinal/epidural double needle	
Labour/delivery .....	R010, R011 and/or R012
Spondylitis, ankylosing .....	R024
Street drug abuse during pregnancy .....	R005
Streptococcal infection, group B.....	R002
Subarachnoid hemorrhage .....	R017
Subdural block, high.....	R013
Sublimaze analgesia .....	R008
Suture, cervical, removal of .....	R006
Syndrome	
Irritable bowel .....	R015
Nephritic .....	R020
Sjorgren's .....	R024
Thoracic outlet .....	R017
Wolff Parkinson's White Syndrome .....	R018
Syntocin induction .....	R009
Syphilis .....	R002
Systemic lupus .....	R024

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**-T-**

Talwin analgesia .....	R008
Tap	
Dural, accidental.....	R013
Fetal peritoneal.....	R006
Terbutaline therapy for tocolysis .....	R003
Thalassemia .....	R022
Therapy	
Anti-coagulation.....	R004
Anti-depressives .....	R004
Anti-epileptics .....	R004
Anti-hypertensives .....	R004
ASA for autoimmune diseases .....	R003
Thoracentesis, fetal .....	R006
Thoracic outlet syndrome .....	R017
Thrombocytopenia.....	R022
Thrombocytopenic purpura	
Idiopathic .....	R022
Thrombotic.....	R022
Thromboembolic disease in present pregnancy .....	R018
Thrombophlebitis in a previous pregnancy .....	R025
Thyroiditis Hashimoto.....	R019
Toxic intravenous injection .....	R013
Toxoplasmosis, prenatal .....	R002
Transfusions	
Albumin .....	R026
Blood, number of .....	R026
Cryoprecipitate .....	R026
Fetal, total number of.....	R006
Fresh frozen plasma.....	R026
Gamma globulin .....	R026
Plasma exchange/plasmapheresis .....	R026
Platelets.....	R026
Transfusion, reason for .....	R027
Transplant, renal .....	R020
Tuberous sclerosis .....	R017

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**-U-**

Ulcerative	
Colitis.....	R015
Proctitis.....	R015
Ulcers .....	R015
Unspecified chemical abuse during pregnancy .....	R005
Urinary tract infection .....	R020
Use, narcotic, chronic.....	R004

**-V-**

Vaginal carcinoma.....	R021
Valium tranquillizer.....	R008
Valve prosthesis .....	R018
Ventolin therapy for tocolysis .....	R003
Version, external .....	R006
Von Reckinghausen's disease .....	R024
Von Willebrand's disease .....	R022

**-W-**

Wolff Parkinson's White Syndrome .....	R018
--	------

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**INDEX OF NEONATAL DISEASES AND PROCEDURES**

**-A-**

	<b>CODE #</b>
Abducens nerve palsy, 6 <sup>th</sup> nerve .....	R085
Abnormal cerebral depression	
Not post-asphyctic .....	R083
Post-asphyctic .....	R062
Abnormal cerebral irritation:	
Not post-asphyctic .....	R083
Post-asphyctic .....	R062
Abnormalities, chromosomal .....	Pg. 86
ABO Isoimmunization .....	R080
Acyclovir .....	R066
Adenosine .....	R066
Adrenalin .....	R066
Alkalosis .....	R063
Alprazolam .....	R067
Alprostadel .....	R066
Amnionsodosum .....	R051
Amoxicillin .....	R066
Anemia .....	R080
Anomaly/Metabolic Syndromes and Conditions	
Aarskog syndrome.....	R054
Aase syndrome.....	R054
Acardia .....	R054
Accutane embryopathy .....	R054
Achondrogenesis type Ia .....	R054
Achondrogenesis type Ib .....	R054
Achondrogenesis type II .....	R054
Achondrogenesis-dysplasia congenital type II.....	R054
Achondroplasia .....	R054
Acoustic neurofibromatosis .....	R054
Acrocallosal syndrome .....	R054
Acrocephalosyndactyly syndrome .....	R054
Acrodysostosis .....	R054
Acrofacial dysostosis syndrome .....	R054
Acromegaly.....	R054
Acromesomelic dwarfism (dysplasia) .....	R054
Acro-osteolysis syndrome (Artho-dento-osteo dysplasia).....	R054
Adactyly .....	R054
Adams-Oliver syndrome .....	R054

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**-A cont-**

**Anomaly/Metabolic Syndromes and Conditions Continued**

Adenoma sebaceum.....	R054
Adrenal hyperplasia.....	R054
Adrenal hypoplasia.....	R054
Adrenoleukodystrophy.....	R054
Aec syndrome (Ankyloblepharon-ectodermal dysplasia-clefting syndrome)...	R054
Agenesis of corpus callosum.....	R054
Aglossia-adactyly syndrome.....	R054
Aicardia syndrome.....	R054
Akinesia sequence.....	R054
Alagille syndrome.....	R054
Albright hereditary osteodystrophy.....	R054
Alopecia.....	R054
Aminopterin embryopathy.....	R054
Amnion rupture sequence.....	R054
Ampicillin.....	R063
Amyoplasia congenital disruptive sequence.....	R054
Anal atresia.....	R054
Anencephaly.....	R054
Aneurysm of the vein of Galen.....	R054
Angelman syndrome (Happy Puppet Syndrome).....	R054
Aniridia.....	R054
Aniridia-Wilm's tumor association.....	R054
Anodontia.....	R054
Anorectal malformation.....	R054
Antley-Bixler syndrome.....	R054
Apert syndrome.....	R054
Atachnodactyly.....	R054
Arachnoid cyst.....	R054
Argininaemia.....	R054
Argininosuccinic aciduria.....	R054
Arteriohepatic dysplasia.....	R054
Arteriovenous malformation of the lung.....	R054
Arthrogryposis, muscular.....	R054
Arthrogryposis, neurogenic.....	R054
Arthro-ophthalmopathy (Stickler Syndrome).....	R054
Asphyxiating thoracic dystrophy.....	R054
Asplenia syndrome.....	R054
Ataxia – telangiectasia syndrome (Lovis-Bar Syndrome).....	R054
Atelosteogenesis, type I (Chondrodysplasia, giant cell).....	R054
Athyrotic hypothyroidism sequence.....	R054
Atr-x syndrome.....	R054

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**-A cont-**

Anomaly/Metabolic Syndromes and Conditions Continued

Baller Gerold Syndrome .....	R054
Bannayan Syndrome .....	R054
Bardet-Biedl Syndrome .....	R054
Beals Syndrome (Beals contractural arachnodactyly) .....	R054
Beckwith Syndrome (Beckwith-Wiederman Syndrome) .....	R054
Berardinelli lipodystrophy Syndrome .....	R054
Bicornuate Uterus .....	R054
Bifid scrotum .....	R054
Bifid uvula .....	R054
Bladder exstrophy .....	R054
Blepharophimosis .....	R054
Bloch-sulzberger Syndrome .....	R054
Bloom Syndrome .....	R054
Blue sclera .....	R054
Body stalk anomaly .....	R054
Bor Syndrome (Brachio-oto-renal syndrome) .....	R054
Börjeson-Forssman-Lehmann Syndrome .....	R054
Brachmann-de Lange syndrome (Cornelia deLange syndrome) .....	R054
Brachydactyly .....	R054
Branchial sinus .....	R054
Branchio-oculo-facial syndrome .....	R054
Breech deformation sequence .....	R054
Brushfield spots .....	R054
Buru-Baraister syndrome .....	R054
Caffey pseudo-hurler syndrome .....	R054
Campomelic dysplasia .....	R054
Camurati-Engelmann syndrome .....	R054
Capillary hemangioma .....	R054
Cardiomyopathy, congenital .....	R054
Carnitine deficiency .....	R054
Carpenter syndrome .....	R054
Cartilage-hair hypoplasia syndrome .....	R054
Catel-Manzke syndrome .....	R054
Cat-eye syndrome .....	R054
Caudal dysplasia sequence .....	R054
Caudal regression syndrome .....	R054
Cavernous hemangioma .....	R054
Cebocephaly .....	R054
Cephalopolysyndactyly syndrome (Greig Syndrome) .....	R054
Cerebellar calcification .....	R054

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**-A cont-**

Anomaly/Metabolic Syndromes and Conditions Continued

Cerebellar hypoplasia .....	R054
Cerebral calcification .....	R054
Cerebral gigantism syndrome .....	R054
Cerebro-costo-mandibular syndrome .....	R054
Cerebro-oculo facio-skeletal (cofs) syndrome .....	R054
Cerevico-oculo-acoustic syndrome .....	R054
Charcot-Marie-Tooth syndrome .....	R054
Charge syndrome .....	R054
Child Syndrome (Congenital hemidysplasia) .....	R054
Choanal atresia .....	R054
Chondrodysplasia punctata (Condraccli-Hüermann Syndrome) .....	R054
Chondrodystrophica myotonia (Schwartz-Jampel Syndrome) .....	R054
Chondroectodermal dysplasia (Ellis-van Creveld Syndrome) .....	R054
Chondromatosis .....	R054
Citrullinaemia .....	R054
Cleft face .....	R054
Cleft lip, unilateral .....	R054
Cleft lip, bilateral .....	R054
Cleft tongue .....	R054
Cleft palate .....	R054
Cleidocranial dysostosis .....	R054
Clinodactyly .....	R054
Cloacal exstrophy .....	R054
Clouston Syndrome .....	R054
Cloverleaf skull .....	R054
Clubfoot .....	R054
Cockayne Syndrome .....	R054
Coffin-Siris Syndrome .....	R054
Cohen Syndrome .....	R054
Coloboma of iris .....	R054
Colon, malrotation .....	R054
Congenital adrenal hyperplasia .....	R054
Congenital hypothyroidism .....	R054
Congenital microgastria-limb reduction complex .....	R054
Conjoined twins .....	R054
Cortical hypoplasia .....	R054
Costello Syndrome .....	R054
Coumarin embryology effects .....	R054
Craniofacial dysostosis (Crouzon Syndrome) .....	R054

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**-A cont-**

Anomaly/Metabolic Syndromes and Conditions Continued

Craniofrontonasal dysplasia .....	R054
Cranio metaphyseal dysplasia .....	R054
Craniosynostosis .....	R054
Craniosynostosis, coronal .....	R054
Craniosynostosis, frontal .....	R054
Craniosynostosis, Kleeblattschadel .....	R054
Craniosynostosis, lambdoid .....	R054
Craniosynostosis, sagittal .....	R054
Craniosynostosis, trigonocephaly .....	R054
Cri du chat Syndrome .....	R054
Cryptophthalmos anomaly (Fraser Syndrome) .....	R054
Cryptorchidism .....	R054
Cubitus valgus .....	R054
Cutis aplasia .....	R054
Cutis hyperelastica .....	R054
Cutis laxa .....	R054
Cutis marmorata .....	R054
Cyclopia .....	R054
Cystathionuria .....	R054
Cystic adenomatoid malformation of the lung .....	R054
Cytomegalic inclusion disease .....	R054
Dandy-Walker Syndrome .....	R054
Darwinian tubercle .....	R054
Dental cyst .....	R054
Deprivation Syndrome .....	R054
Dermal ridge, aberrant .....	R054
Desanctis-Cacchione Syndrome .....	R054
Diabetes insipidus .....	R054
Diabetes mellitus .....	R054
Diaphragmatic hernia .....	R054
Diaphyseal aclasis .....	R054
Diastrophic dysplasia .....	R054
Diastrophic nanism .....	R054
DiGeorge Syndrome .....	R054
Dilantin embryopathy .....	R054
Dimple, sacral .....	R054
Distal arthogryposis Syndrome .....	R054
Distichiasis-lymphedema Syndrome .....	R054
Donohue Syndrome (Leprechaunism Syndrome) .....	R054
Down Syndrome .....	R054
Dubowitz Syndrome .....	R054

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**-A cont-**

Anomaly/Metabolic Syndromes and Conditions Continued

Duodenal atresia .....	R054
Dwarfism, acromesomelic .....	R054
Dwarfism, metatrophic.....	R054
Dyggve-Melchoir-Clausen Syndrome .....	R054
Dysencephalia splanchnocystica (Meckel-Gruber Syndrome) .....	R054
Dyskeratosis congenital syndrome .....	R054
Dystrophia myotonica, Steinert (Myotonic dystrophy).....	R054
Early urethral obstruction syndrome .....	R054
Ectodermal dysplasia .....	R054
Ectrodactyly, tibial.....	R054
Ectrodactyly-ectodermal dysplasia-clefting syndrome (EEC) .....	R054
Eczema .....	R054
Ehlers-danlos syndrome.....	R054
Elbow dysplasia.....	R054
Enamel hypoplasia .....	R054
Encephalocele .....	R054
Encephalocraniocutaneous lipomatosis .....	R054
Endocrine neoplasia, multiple, type 2 .....	R054
Epidermal nevus syndrome .....	R054
Epiphyseal calcification .....	R054
Epiphyseal dysplasia, multiple.....	R054
Equinovarus deformity.....	R054
Escobar syndrome (Multiple pterygium dysplasia) .....	R054
Esophageal atresia.....	R054
Exomphalos.....	R054
External chonromatosis .....	R054
Fabry's disease .....	R054
Falx calcification .....	R054
Familial blepharophimosis syndrome .....	R054
Familial short stature .....	R054
Fanconi syndrome .....	R054
Fetal alcohol syndrome (FAS) .....	R054
Femoral hypoplasia-unusal facies syndrome.....	R054
Fetal face syndrome (Robinow Syndrome) .....	R054
Fg syndrome.....	R054
Fibrochondrogenesis .....	R054
Febrodysplasia ossificans progressiva syndrome .....	R054
First and second brachial arch syndrome.....	R054
Floating-habour syndrome.....	R054

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**-A cont-**

Anomaly/Metabolic Syndromes and Conditions Continued

Fragile x syndrome (Martin-Bell Syndrome) .....	R054
Franceschetti-Klein syndrome (Treacher-Collins Syndrome) .....	R054
Freeman-Sheldon syndrome (Whistling Face Syndrome) .....	R054
Frenula, absent.....	R054
Frontal bossing .....	R054
Frontometaphyseal dysplasia .....	R054
Frontonasal dysplasia sequence .....	R054
Fryns syndrome.....	R054
Galactosemia.....	R054
Gastroschisis .....	R054
Geleophysic dysplasia .....	R054
Gilles telencephalic leucoencephalopathy .....	R054
Glaucoma .....	R054
Glossopalatine ankylosis syndrome .....	R054
B-glucosidase deficiency.....	R054
Glycogen storage disease .....	R054
Goiter.....	R054
Goldenhar syndrome .....	R054
Goltz syndrome .....	R054
Gonadal dysgenesis .....	R054
Gorlin syndrome (Nevoid basal cell carcinoma) .....	R054
Grebe syndrome.....	R054
Hallerman-streiff syndrome .....	R054
Hamartosis .....	R054
Hemangioma .....	R054
Hemangioma, capillary .....	R054
Hemangioma, cavernous.....	R054
Hemangioma, port-wine .....	R054
Hecht syndrome .....	R054
Hemifacial microsomia .....	R054
Hemochromatosis.....	R054
Hemorrhagic telangiectasia, hereditary .....	R054
Hereditary artho-ophthalmopathy .....	R054
Hereditary osteo-onchodysplasia (Nail patella syndrome).....	R054
Hirshsprung aganglionosis .....	R054
Holoprosencephaly .....	R054
Holt-oram syndrome .....	R054
Homocystinuria syndrome .....	R054
Homozygous Leri-Weill syndrome .....	R054
Hunter syndrome.....	R054

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**-A cont-**

Anomaly/Metabolic Syndromes and Conditions Continued

Hurler syndrome .....	R054
Hurler-Scheie syndrome .....	R054
Hutchinson-Gilford syndrome (Progeria Syndrome) .....	R054
Hydantoin embryology .....	R054
Hydatidiform placenta .....	R054
Hydranencephaly .....	R054
Hydrocele .....	R054
Hydrocephalus .....	R054
Hydrops fetalis .....	R054
Hyperammonaemia .....	R054
Hypochondroplasia .....	R054
Hypodactyly, hypoglossal .....	R054
Hypodontia .....	R054
Hypogenitalism .....	R054
Hypoglossia-hypodactyly syndrome .....	R054
Hypogonadism .....	R054
Hypohidrotic ectodermal dysplasia (Rapp-Hodgkin ectoderma) .....	R054
Hypomelanosis of ito .....	R054
Hypomellia-hypotrichosis-facial hemangioma syndrome .....	R054
Hypospadias .....	R054
Hypospadias, glandular (first degree) .....	R054
Hypospadias, coronal (second degree) .....	R054
Hypospadias, shaft (third degree) .....	R054
Hypospadias, perineal (fourth degree) .....	R054
Hypotrichosis .....	R054
Icthyosiform erythroderma (Senter-Kid Syndrome) .....	R054
Immune deficiency .....	R054
Immunoglobulin deficiency .....	R054
Imperforate anus .....	R054
Iniencephaly .....	R054
Intestinal atresia .....	R054
Intestinal atresia, anal .....	R054
Intestinal atresia, colonic .....	R054
Intestinal atresia, duodenal .....	R054
Intestinal atresia, ileal .....	R054
Intestinal atresia, jejunal .....	R054
Intestinal stenosis .....	R054
Intestinal stenosis, anal .....	R054
Intestinal stenosis, colonic .....	R054
Intestinal stenosis, duodenal .....	R054

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**-A cont-**

Anomaly/Metabolic Syndromes and Conditions Continued

Intestinal stenosis, ileal.....	R054
Intestinal stenosis, jejunal.....	R054
Intestinal stenosis, rectal .....	R054
Intracardiac mass .....	R054
Intrathoracic vascular ring .....	R054
Ivenmark syndrome .....	R054
Jackson-Lawler pachyonychia congenital syndrome.....	R054
Jadossohn-Lewandowski pachyonychia congenita syndrome .....	R054
Jansen-type metaphyseal dysplasia .....	R054
Jarcho-Levin syndrome .....	R054
Johanson-Blizzard syndrome .....	R054
Jugular lymphatic obstruction sequence.....	R054
Kabuki syndrome.....	R054
Kartagener syndrome .....	R054
Keratoconus .....	R054
Killian/Teschler-Nicola syndrome (Pallister mosaic syndrome) .....	R054
Kinky hair syndrome (Menkes Syndrome).....	R054
Klein-Waardenburg syndrome .....	R054
Klinefelter syndrome.....	R054
Klippel-Feil sequence .....	R054
Klippel-Trenaunay-Weber syndrome .....	R054
Kniest dysplasia.....	R054
Kozlowski spondylometaphyseal dysplasia .....	R054
Lacrimal-auriculo-dento-digital syndrome .....	R054
Ladd syndrome.....	R054
Langer-Gideon Syndrome .....	R054
Langer-Saldino achondrogenesis .....	R054
Larsen syndrome.....	R054
Laryngeal abnormality .....	R054
Laryngeal atresia .....	R054
Laryngeal web .....	R054
Left-sidedness sequence.....	R054
Lens, dislocation.....	R054
Lenticular opacity.....	R054
Lentigines, multiple.....	R054
Lenz-Majewski hyperostosis syndrome .....	R054
Leopard syndrome.....	R054
Leri-weill dyschondrosteosis.....	R054
Leroy I-cell syndrome .....	R054
Lesch-Nylan syndrome.....	R054
Lethal multiple pterygium syndrome .....	R054

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**-A cont-**

**Anomaly/Metabolic Syndromes and Conditions Continued**

Levy-Hollister syndrome .....	R054
Limb-body wall complex .....	R054
Lipoatrophy.....	R054
Lipodosis, neurovisceral .....	R054
Lipodystrophy, generalized.....	R054
Lipomatosis, encephalocraniocutaneous.....	R054
Lippit-cleft hip syndrome (Van der Woude Syndrome) .....	R054
Lissencephaly Syndrome (Miller-Dreker Syndrome) .....	R054
Lobstein disease.....	R054
Lupus, neonatal .....	R054
Macrocephaly .....	R054
Macroglossia .....	R054
Macrogyria.....	R054
Macro-orchidism .....	R054
Macrosomia .....	R054
Macrostomia .....	R054
Madelung deformity .....	R054
Maffucci syndrome .....	R054
Malar hypoplasia .....	R054
Male pseudohermaphroditism .....	R054
Mandibular hypodontia .....	R054
Marden-Walker syndrome .....	R054
Marfan syndrome.....	R054
Maroteaux-Lamy (mucopolysaccharidosis syndrome).....	R054
Marshall syndrome .....	R054
Marshall-Smith syndrome .....	R054
Masa syndrome (X-linked hydrocephalus syndrome).....	R054
Maternal phenylketonuria, fetal effects .....	R054
Maxillary hypoplasia .....	R054
Mccune-Albright syndrome (osteitis fibrosa cystica).....	R054
Mckusick type metaphyseal dysplasia.....	R054
Meckel diverticulum .....	R054
Median cleft face syndrome.....	R054
Melanomata.....	R054
Melanomata.....	R054
Melanosis, neurocutaneous.....	R054
Melnick-Fraser syndrome .....	R054
Melnick-needles syndrome.....	R054
Meningocele .....	R054
Meningomylocele.....	R054
Metacarpal hypoplasia.....	R054
Metaphyseal dysplasia, Jansen type .....	R054

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**-A cont-**

Anomaly/Metabolic Syndromes and Conditions Continued

Metaphyseal dysplasia, Mckusick type.....	R054
Metaphyseal dysplasia, Pyle type.....	R054
Metaphyseal dysplasia, Schmid type.....	R054
Metatarsal hypoplasia.....	R054
Metatarsus adductus.....	R054
Metatropic dwarfism.....	R054
Metatropic dysplasia.....	R054
Methioninaemia.....	R054
Methotrexate embryology.....	R054
Microcephaly.....	R054
Microcolon.....	R054
Microcolon-megacystis-hypoperistalsis syndrome.....	R054
Microcornea.....	R054
Microdeletion syndrome.....	R054
Microdontia.....	R054
Microgastria.....	R054
Microglossia.....	R054
Micrognathia.....	R054
Micropenis.....	R054
Microphthalmia.....	R054
Microstomia.....	R054
Miller syndrome (postaxial acrofacial dysostosis).....	R054
Moebius syndrome.....	R054
Mohr syndrome (OFD).....	R054
Morquio syndrome.....	R054
Mucopolidosis III (pseudo Hurler).....	R054
Mucopolysaccharidosis I s (Scheie Syndrome).....	R054
Mucopolysaccharidosis III, types a, b, c, d.....	R054
Mucopolysaccharidosis VII (Sly Syndrome).....	R054
Mulibrey nanism syndrome (perheentupu Syndrome).....	R054
Multiple endocrine neoplasia, type 2b.....	R054
Multiple neuroma syndrome.....	R054
Multiple synostosis syndrome (Symphalangism Syndrome).....	R054
Murcs association.....	R054
Myasthenia gravis, newborn.....	R054
Myopathy, centronuclear.....	R054
Myopathy, myotubular.....	R054
Nanism, diastrophic.....	R054
Nasal dysplasia.....	R054
Neonatal lupus.....	R054
Neonatal teeth.....	R054

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**-A cont-**

**Anomaly/Metabolic Syndromes and Conditions Continued**

Nesidioblastosis.....	R054
Neu-laxova syndrome.....	R054
Neural tube defect .....	R054
Neurocutaneous melanosis syndrome .....	R054
Neurofibromatosis syndrome.....	R054
Neuromuscular defect .....	R054
Neurovisceral lipidosis, familial.....	R054
Noonan syndrome .....	R054
Occult spinal dysraphism.....	R054
Oculo-auriculo-vertebral defect spectrum.....	R054
Oculodentodigital syndrome .....	R054
Oculo-genito-laryngeal syndrome (Optiz Syndrome).....	R054
Odontoid hypoplasia.....	R054
Oculo-facial-digital syndrome, type I (OFD-I).....	R054
Oculo-facial-digital syndrome type III (OFD-III).....	R054
Oligohydramnios sequence .....	R054
Ollier disease (osteochondromatosis syndrome).....	R054
Omphalocele .....	R054
Optic nerve dysplasia .....	R054
Oromandibular-limb hypogenesis spectrum .....	R054
Osteochondrodysplasia .....	R054
Osteodysplasia .....	R054
Osteogenesis imperfecta, type I .....	R054
Osteogenesis imperfecta, type II .....	R054
Osteolysis .....	R054
Osteo-onychodysplasia .....	R054
Osteopetrosis .....	R054
Otocephaly .....	R054
Oto-palato-digital syndrome, type I (Taybi Syndrome) .....	R054
Oto-palato-digital syndrome, type II.....	R054
Pachydermoperiostosis syndrome.....	R054
Pachygyria.....	R054
Pachyonia congenital syndrome.....	R054
Pallister-Hall syndrome.....	R054
Parabiotic syndrome, donor (Twin-to-twin transfer).....	R054
Parabiotic syndrome, recipient (Twin-to-twin transfer).....	R054
Pectus carinatum.....	R054
Pectus excavatum .....	R054
Pena Shokeir phenotype, type I.....	R054
Pena Shokeir phenotype, type II.....	R054
Penta x syndrome.....	R054

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**-A cont-**

Anomaly/Metabolic Syndromes and Conditions Continued

Pentology of cantrell .....	R054
Perinatal lethal hypophosphotasia .....	R054
Peters'-plus syndrome .....	R054
Peutz Jeghers syndrome .....	R054
Pfeiffer syndrome .....	R054
Phenylketonuria .....	R054
Phenylketonuria, maternal effects .....	R054
Photosensitive dermatitis .....	R054
Pierre Robin syndrome .....	R054
Pitting, lip .....	R054
Pitting, preauricular .....	R054
Poikiloderma congenitale syndrome (Rothmund-Thomson) .....	R054
Poland sequence .....	R054
Polydactyly .....	R054
Polymicrogyria .....	R054
Polysplenia syndrome .....	R054
Popliteal pteryguim syndrome .....	R054
Porencephalic cyst .....	R054
Port wine stain .....	R054
Potter syndrome .....	R054
Prader-Willi syndrome .....	R054
Preauricular tags .....	R054
Preauricular pits .....	R054
Prognathism .....	R054
Porteus syndrome .....	R054
Pseudoachondroplasia .....	R054
Pseudocamptodactyly .....	R054
Pulmonary agenesis .....	R054
Pulmonary hypoplasia .....	R054
Pulmonary lymphangectasia, congenital .....	R054
Pyknodysostosis .....	R054
Pyle disease (Pyle metaphyeal dysplasia) .....	R054
Pyruvate carboxylase deficiency .....	R054
Pyruvate dehydrogenase deficiency .....	R054
Rachischisis .....	R054
Ranula .....	R054
Rectal atresia .....	R054
Rectal atresia, with fistula .....	R054
Refsum's disease .....	R054
Reifenstein's syndrome .....	R054
Restrictive dermopathy .....	R054

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**-A cont-**

**Anomaly/Metabolic Syndromes and Conditions Continued**

Retinoic acid embryopathy .....	R054
Rhizomelic chondrodysplasia punctata .....	R054
Rieger syndrome .....	R054
Right-sidedness sequence .....	R054
Rokitansky malformation syndrome.....	R054
Rubinstein-Taybi syndrome.....	R054
Russell-Silver syndrome (Silver Syndrome) .....	R054
Saddle nose.....	R054
Saethre-Chatzen syndrome.....	R054
Salino-noonan short rib-polydactyly syndrome .....	R054
Sc phocomelia .....	R054
Schinz-Giedion syndrome.....	R054
Schimid type metaphyseal dysplasia.....	R054
Schizencephaly .....	R054
Sclerosteosis .....	R054
Scrotum, shawl .....	R054
Seckel syndrome .....	R054
Septo-optic dysplasia sequence .....	R054
Short bowel syndrome.....	R054
Short rib-polydactyly syndrome, type II.....	R054
Shprintzen syndrome.....	R054
Shwachman syndrome .....	R054
Simpson-Golabi-Behmal syndrome .....	R054
Sirenomelia sequence .....	R054
Smith-Lemli-Opitz Syndrome.....	R054
Spondylocarpotarsal synostosis syndrome .....	R054
Spondylometaphyseal dysplasia .....	R054
Spondylometaphyseal dysplasia, Kozlowski .....	R054
Stenal malformation-vascular dysplasia spectrum.....	R054
Struge-Weber sequence.....	R054
Sulfite oxidase deficiency .....	R054
Sugarman syndrome .....	R054
Syndactyly .....	R054
Tar syndrome (thrombocytopenia absent radius) .....	R054
Taurodontism.....	R054
Tdo syndrome.....	R054
Testicular feminization syndrome .....	R054
Tesetis, hydrocele .....	R054
Tethered cord malformation syndrome.....	R054
Thanatophoric dysplasia.....	R054
Thyroglossal cyst.....	R054

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**-A cont-**

Anomaly/Metabolic Syndromes and Conditions Continued

Thrombocytopenia abent radius syndrome .....	R054
Thurston syndrome.....	R054
Tibial aplasia-ectrodactyly syndrome.....	R054
Townes-brock syndrome .....	R054
Tracheoesophageal fistula .....	R054
Transcobalamin II deficiency .....	R054
Trapezoidcephaly .....	R054
Tricho-rhino-phalangeal syndrome, type I .....	R054
Tridione embryopathy.....	R054
Trimethadione embryopathy.....	R054
Triphalangeal thumb.....	R054
Triploidy .....	R054
Trp I .....	R054
Turner syndrome .....	R054
Turner-like syndrome.....	R054
Umbilical hernia .....	R054
Urorectal septum malformation sequence .....	R054
Uterus, ambiguous .....	R054
Vagina, double.....	R054
Valproate embryopathy .....	R054
Varadi-Papp syndrome.....	R054
Vater association .....	R054
Vein of Galen, aneurysm .....	R054
Vertebral defect .....	R054
Volvulus, colon .....	R054
Volvulus, ileum .....	R054
Volvulus, jejunum .....	R054
Volvulus, small bowel .....	R054
Von Hippel-Lindau syndrome .....	R054
Vrolik disease .....	R054
Waardenburg syndrome, type I .....	R054
Waardenburg syndrome, type II .....	R054
Waardenburg syndrome, type III .....	R054
Wagr syndrome .....	R054
Walker-Warburg syndrome.....	R054
Warfarin embryology .....	R054
Weaver syndrome .....	R054
Weill-Marchesani syndrome .....	R054
Werner syndrome .....	R054
Whelan syndrome.....	R054
Williams syndrome .....	R054

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**-A cont-**

Anomaly/Metabolic Syndromes and Conditions Continued	
Xeroderma pigmentosa syndrome.....	R054
Yunis-Varon syndrome .....	R054
Zellweger syndrome .....	R054
Zollinger-ellison syndrome.....	R054
Ampicillin .....	R063
Apnea .....	R085
Arhinecephaly .....	R063
Aterial Catheters	
Femoral, direct.....	R070
Femoral, percutaneous (PICC).....	R070
Femoral, cut down (surgical) .....	R070
Pedal, direct.....	R070
Pedal, percutaneous (PICC).....	R070
Pedal, cut down (surgical) .....	R070
Radial, direct.....	R070
Radial, percutaneous (PICC).....	R070
Radial, cut down (surgical) .....	R070
Umbilical, direct .....	R070
Arterial thrombosis .....	R073
Astrocytoma .....	R064
Azotemia .....	R080

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**-B-**

Baller Gerold syndrome.....	R054
Bannayan syndrome (Bannayan-Riley-Ruvalcaba syndrome).....	R054
Barbituate, drug withdrawal from maternal use.....	R067
Bardet-Biedl syndrome.....	R054
Beals syndrome (Beals contractural arachnodactyly).....	R054
Beckwith syndrome (Beckwith-Wiederman Syndrome).....	R054
Benzodiazapan, drug withdrawal from maternal use.....	R063
Berardinelli lipodystrophy syndrome.....	R054
Bicornuate uterus.....	R054
Bifid scrotum.....	R054
Bifid uvula.....	R054
Big C-isoimmunization.....	R080
Big E-isoimmunization.....	R080
Birth asphyxia sequella	
Post-Asphyctic CNS Depression.....	R062
Post-Asphyctic CNS Excitation.....	R062
Post-Asphyctic Increase Intracranial Pressure.....	R062
Post-Asphyctic Brain Necrosis.....	R062
Post-Asphyctic Congestive Heart Failure.....	R062
Post-Asphyctic Acute Tubular Necrosis.....	R062
Post-Asphyctic Liver and/or Adrenal Necrosis.....	R062
Bladder exstrophy.....	R054
Blepharophimosis.....	R054
Bloch-sulzberger syndrome.....	R054
Bloom syndrome.....	R054
Blue sclera.....	R054
Body stalk anomaly.....	R054
Bor syndrome (Brachio-oto-renal syndrome).....	R054
Börjeson-Forsman-Lehmann syndrome.....	R054
Brachial Plexus (Erb & Klumpke's) Palsy right.....	R084
Brachial Plexus (Erb & Klumpke's) Palsy Bilateral.....	R084
Brachial Plexus (Erb & Klumpke's) Palsy Radial Nerve.....	R084
Brachmann-de Lange syndrome (Cornelia deLange syndrome).....	R054
Brachydactyly.....	R054
Brain edema.....	R063
Branchial sinus.....	R054
Branchio-oculo-facial syndrome.....	R054
Breech deformation sequence.....	R054
Brushfield spots.....	R054
Bronchopulmonary dysplasia, non-cystic.....	R060

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**-B cont-**

Burns	
Chemical .....	R077
Electrical .....	R077
Thermal .....	R077
Buru-Baraister syndrome .....	R054

**-C-**

Caffey pseudo-hurler syndrome .....	R054
Campomelic dysplasia .....	R054
Camurati-Engelmann syndrome.....	R054
Capillary hemangioma.....	R054
Cardiomyopathy, congenital.....	R054
Carnitine deficiency .....	R054
Carpenter syndrome.....	R054
Cartilage-hair hypoplasia syndrome.....	R054
Catel-Manzke syndrome .....	R054
Cat-eye syndrome.....	R054
Caudal dysplasia sequence .....	R054
Caudal regression syndrome .....	R054
Cavernous hemangioma .....	R054
Cebocephaly .....	R054
Cetral Venous Catheters	
Lower limb, direct .....	R069
Lower limb, percutaneous (PICC).....	R069
Lower limb, cut down (surgical) .....	R069
Lower limb, brioviac.....	R069
Umbilical vein, direct.....	R069
Upper limb, direct .....	R069
Upper limb, percutaneous (PICC).....	R069
Upper limb, cut down (surgical) .....	R069
Upper limb, Braviac .....	R069
Cephalopolysyndactyly syndrome (Greig Syndrome).....	R054
Cerebellar calcification .....	R054
Cerebellar hypoplasia.....	R054
Cerebral anomaly associated with convulsions.....	R063
Cerebral calcification .....	R054

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**-C cont-**

Cerebral gigantism syndrome .....	R054
Cerebro-costo-mandibular syndrome .....	R054
Cerebro-oculo facio-skeletal (cofs) syndrome .....	R054
Cerevico-oculo-acoustic syndrome .....	R054
Charcot-Marie-Tooth syndrome .....	R054
Charge syndrome .....	R054
Child Syndrome (Congenital hemidysplasia).....	R054
Choanal atresia .....	R054
Chondrodysplasia punctata (Condracli-Hüermann Syndrome) .....	R054
Chondrodystrophica myotonia (Schwartz-Jampel Syndrome).....	R054
Chondroectodermal dysplasia (Ellis-van Creveld Syndrome) .....	R054
Chondromatosis .....	R054
Chorioamnionitis, marked or severe.....	R051
Chorioangioma of placenta/cord .....	R051
Choroid plexus Papilloma.....	R064
Circumvallate placenta .....	R054
Citrullinaemia .....	R054
Cefazidime .....	R066
Cefazolin .....	R066
Cefotaxime .....	R066
Ceftriaxone .....	R066
Cefuroxime .....	R066
Cephalohematoma .....	R082
Cerebral edema .....	R083
Chorioretinitis .....	R084
Chromosomal abnormalities.....	pg. 86
Chronic Pulmonary Disease of Prematurity	
Bronchopulmonary dysplasia, non-cystic .....	R060
Bronchopulmonary dysplasia, cystic.....	R060
Wilson-Mikity syndrome, non-cystic.....	R060
Wilson-Mikity syndrome, cystic.....	R060
Citalopram, withdrawl from maternal use .....	R067
Cloxacillin .....	R066
Cleft face .....	R054
Cleft lip, unilateral.....	R054
Cleft lip, bilateral.....	R054
Cleft tongue.....	R054
Cleft palate .....	R054
Cleidocranial dysostosis.....	R054

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**-C cont-**

Clinodactyly .....	R054
Cloacal extrophy .....	R054
Clouston syndrome .....	R054
Cloverleaf skull .....	R054
Clubfoot.....	R054
Cockayne syndrome.....	R054
Coffin-Lowry syndrome .....	R054
Coffin-Siris syndrome .....	R054
Cohen syndrome .....	R054
Coloboma of iris .....	R054
Colon, malrotation .....	R054
Complications of Endotracheal Intubations	
Esophageal perforation .....	R072
Granuloma.....	R072
Laryngeal perforation.....	R072
Laryngeal stenosis.....	R072
Lip deformity .....	R072
Necrotizing laryngitis .....	R072
Necrotizing tracheitis .....	R072
Palate deformity.....	R072
Squamous metaplasia .....	R072
Stridor.....	R072
Subglottic stenosis.....	R072
Tracheal perforation .....	R072
Tracheobronchomalacia .....	R072
Ulceration .....	R072
Complications of naso/oro gastric tubes	
Perforation, esophagus .....	R074
Perforation, stomach .....	R074
Perforation, small bowel .....	R074
Complications of medications	
Cardiomyopathy .....	R075
Contracture secondary to IM injections .....	R075
Nephrocalcinosis, diuretic induced .....	R075
Skin slough.....	R075
Complications of surgery	
Diaphragmatic paralysis .....	R076
Vocal cord paralysis .....	R076

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**-C cont-**

Complications of vascular catheters	
Arterial thrombosis.....	R073
Cardiac tamponade .....	R073
Edema .....	R073
Loss of finger(s).....	R073
Loss of toe(s).....	R073
Pericardial effusion .....	R073
Perforation of the heart.....	R073
Pleural effusion.....	R073
Phrenic nerve palsy .....	R073
Ruptured vessel.....	R073
Thrombophlebitis .....	R073
Vasospasm.....	R073
Venous thrombosis.....	R073
Congenital adrenal hyperplasia.....	R054
Congenital hypothyroidism .....	R054
Congenital microgastria-limb reduction complex.....	R054
Congenital Subdural Effusion.....	R084
Conjoined twins .....	R054

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**-C cont-**

Convulsions/Seizures due to

Alkalosis .....	R063
Arhinencephaly .....	R063
Benign Familial .....	R063
Brain Edema .....	R063
Cerebral Anomaly, Unspecified .....	R063
Drug withdrawal .....	R063
Hemorrhage, Brain Stem .....	R063
Hemorrhage, Cerebellar .....	R063
Hemorrhage, Cerebral .....	R063
Holoprosencephaly .....	R063
Hydrocephaly .....	R063
Hydranencephaly .....	R063
Hypercapnia .....	R063
Hypocalcemia .....	R063
Hypocapnia .....	R063
Hypoglycemia .....	R063
Hypomagnesemia .....	R063
Hyponatremia .....	R063
Inborn Error of Metabolism .....	R063
Infarction .....	R063
Kernicterus .....	R063
Meningitis .....	R063
Post-asphyctic .....	R063
Pyridoxine Deficiency .....	R063
Pyridoxine Dependency .....	R063
Unknown .....	R063
Venous Thrombosis .....	R063
Cortical atrophy .....	R083
Cortical hypoplasia .....	R054
Costello syndrome .....	R054
Coumarin embryology effects .....	R054
Cranial Nerve Palsy .....	R084
Craniofacial dysostosis (Crouzon Syndrome) .....	R054
Craniofrontonasal dysplasia .....	R054
Craniometaphyseal dysplasia .....	R054
Craniopharyngioma neoplasm .....	R064
Craniosynostosis .....	R054
Craniosynostosis, coronal .....	R054

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**-C cont-**

Craniosynostosis, frontal .....	R054
Craniosynostosis, Kleeblattschadel .....	R054
Craniosynostosis, lambdoid .....	R054
Craniosynostosis, sagittal .....	R054
Craniosynostosis, trigonocephaly .....	R054
Cri du chat syndrome .....	R054
Cryptophthalmos anomaly (Fraser Syndrome) .....	R054
Cryptorchidiam .....	R054
Cubitus valgus .....	R054
Cutis aplasia .....	R054
Cutis hyperelastica .....	R054
Cutis laxa .....	R054
Cutis marmorata .....	R054
Cyclopia .....	R054
Cystathionuria .....	R054
Cystadenoma .....	R064
Cystic adenomatoid malformation of the lung .....	R054
Cystic Hygroma .....	R064
Cytomegalic inclusion disease .....	R054

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**-D-**

Dandy-walker syndrome.....	R054
Darwinian tubercle.....	R054
Dental cyst .....	R054
Depression at birth .....	pg.72
Deprivation syndrome .....	R054
Dermal ridge, aberrant .....	R054
Desanctis-Cacchione syndrome.....	R054
Diabetes insipidus .....	R054
Diabetes mellitus .....	R054
Diaphragmatic hernia .....	R054
Diaphragmatic paralysis, complication of surger .....	R076
Diaphyseal aclasis.....	R054
Diastriophic dyslasia.....	R054
Diastrophic nanism.....	R054
Diazepam, infant medication .....	R066
Diazepam, drug withdrawal from maternal use .....	R067
DiGeorge syndrome .....	R054
Digoxin, infant medication .....	R066
Dilantin embryopathy.....	R054
Dilantin, infant medication .....	R066
Dimple, sacral .....	R054
Distal arthogyrposis syndrome .....	R054
Distichiasis-lymphedema syndrome .....	R054
D Isoimmunization.....	R080
Dobutamine, infant medication .....	R066
Dopamin, infant medication .....	R066
Donohue syndrome (Leprechaunism Syndrome).....	R054
Down syndrome .....	R054
DPT Immunization.....	R079
DPTP Immunization .....	R079

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**-D cont-**

Drug withdrawal from maternal use	
Alprazolam (Xanax) .....	R067
Barbituate .....	R067
Benzodiazepam.....	R067
Citalopram (Celexa).....	R067
Cocaine .....	R067
Diazepam (Valium).....	R067
Fluoxetine (Prozac) .....	R067
Ethchlorvyol (Placidyl) .....	R067
Heroin.....	R067
Hydromorphone (Dilaudid) .....	R067
Lorazepam (Ativan) .....	R067
Meperidine (Demerol).....	R067
Methadone .....	R067
Morphine .....	R067
Oxycontin .....	R067
Oxazepam .....	R067
Paroxetine (Paxil) .....	R067
Pentazocine (Talwin).....	R067
Sertraline (Zoloft).....	R067
Unknown .....	R067
Venlafaxine (Effexor).....	R067
Dubowitz syndrome.....	R054
Ductus syndrome of prematurity	
Non-surgical closure.....	R057
Surgical treatment .....	R057
Treatment not stated .....	R057
Duffy Isoimmunization .....	R080
Duodenal atresia .....	R054
Dwarfism, acromesomelic .....	R054
Dwarfism, metatrophic.....	R054
Dyggve-Melchoir-Clausen syndrome .....	R054
Dysencephalia splanchnocystica (Meckel-Gruber Syndrome).....	R054
Dyskeratosis congenital syndrome.....	R054
Dystocia, shoulder.....	R082
Dystrophia myotonica, Steinert (Myotonic dystrophy) .....	R054

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**-E-**

Early urethral obstruction syndrome.....	R054
Ectodermal dysplasia .....	R054
Ectrodactyly, tibial .....	R054
Ectrodactyly-ectodermal dysplasia-clefting syndrome (EEC).....	R054
Eczema .....	R054
Edema, complication of vascular catheter.....	R073
Ehlers-danlos syndrome.....	R054
Elbow dysplasia .....	R054
Elective non-resuscitation .....	pg.72
Enamel hypoplasia .....	R054
Encephalocele.....	R054
Encephalomalacia .....	R083
Encephalocraniocutaneous lipomatosis .....	R054
Endocrine neoplasia, multiple, type 2.....	R054
Endothelial tissue, neoplasm.....	R064
Epednymona, neoplasm.....	R064
Epidermal nevus syndrome.....	R054
Epinephrine, infant medication .....	R066
Epiphyseal dysplasia, multiple .....	R054
Epithelial Tissue, neoplasm.....	R066
Equinovarus deformity.....	R054
Erb's palsy.....	R084
Erythromycin, infant medication .....	R066
Escobar syndrome (Multiple pterygium dysplasia).....	R054
Esophageal atresia.....	R054
Esophageal perforation, due to Endotracheal tube .....	R072
Ethchlorvyol, drug withdrawal from maternal use.....	R067
Exomphalos .....	R054
External chonromatosis.....	R054

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**-F-**

Fabry's disease .....	R054
Facial Palsy .....	R084
Falx calcification .....	R054
Familial blepharophimosis syndrome .....	R054
Familial erythrophagocytic lymphohistiocytosis, neoplasm .....	R064
Familial short stature .....	R054
Fanconi syndrome.....	R054
Fetal alcohol syndrome (FAS).....	R054
Femoral hypoplasia-unusal facies syndrome .....	R054
Fentanyl, infant medication .....	R066
Fetal face syndrome (Robinow Syndrome) .....	R054
Fg syndrome .....	R054
Fibrochondrogenesis.....	R054
Fibrodysplasia ossificans progressiva syndrome .....	R054
Fibroma, Neoplasm.....	R064
First and second brachial arch syndrome.....	R054
Flagyl, infant medications.....	R066
Floating-habour syndrome .....	R054
Fluoxetine, drug withdrawl from maternal use.....	R067
Follicular cyst, neoplasm.....	R064
Fracture	
Clavicle.....	R082
Femur.....	R082
Humerus.....	R082
Other .....	R082
Rib(s).....	R082
Skull.....	R082
Fragile x syndrome (Martin-Bell Syndrome).....	R054
Franceschetti-Klein syndrome (Treacher-Collins Syndrome).....	R054
Freeman-Sheldon syndrome (Whistling Face Syndrome).....	R054
Frenula, absent .....	R054
Frontal bossing.....	R054
Frontometaphyseal dysplasia.....	R054
Frontonasal dysplasia sequence .....	R054
Fryns syndrome .....	R054
Funisitis .....	R051
Funisitis, candidal.....	R051
Funisitis, necrotizing.....	R051
Furosemide, infant medication .....	R066
Fya isoimmunization.....	R080

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**-G-**

Galactosemia .....	R054
Gastroschisis.....	R054
Geleophysic dysplasia.....	R054
Gentamicin, infant medications .....	R066
Gilles telencephalic leucoencephalopathy.....	R054
Glaucoma.....	R054
Glioma, neoplasm .....	R064
Glossopalatine ankylosis syndrome .....	R054
B-glucuidase deficiency.....	R054
Glucagon, infant medications .....	R066
Glycogen storage disease.....	R054
Goiter .....	R054
Goldenhar syndrome.....	R054
Goltz syndrome .....	R054
Gonadal dysgenesis.....	R054
Gorlin syndrome (Nevoid basal cell carcinoma).....	R054

**-H-**

Hallerman-streiff syndrome .....	R054
Hamartosis .....	R054
Hecht syndrome .....	R054
Hemangioma.....	R054
Hemangioma, capillary.....	R054
Hemangioma, cavernous .....	R054
Hemangioma, port-wine .....	R054
Hematoma of umbilical cord.....	R051
Hemiparesis, Transient .....	R084
Hemifacial microsomia .....	R054
Hemochromatosis .....	R054
Hemorrhage, Intra-ventricular	
Grade I .....	R081
Grade II .....	R081
Grade III .....	R081
Grade IV .....	R081
Hemorrhagic telangiectasia, hereditary .....	R054
Hepatoblastoma, neoplasm.....	R064
Hereditary arthro-ophthalmopathy.....	R054

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**-H cont-**

Hereditary osteo-onchodysplasia (Nail patella syndrome) .....	R054
Hirshsprung aganglionosis .....	R054
Histiocytosis, neoplasm.....	R064
Holoprosencephaly.....	R054
Holt-oram syndrome.....	R054
Home Oxygen .....	R061
Homocystinuria syndrome.....	R054
Homozygous Leri-Weill syndrome.....	R054
Hunter syndrome.....	R054
Hurler syndrome.....	R054
Hurler-Scheie syndrome.....	R054
Hutchinson-Gilford syndrome (Progeria Syndrome).....	R054
Hydantoin embryology.....	R054
Hydatidiform placenta.....	R054
Hydranencephaly .....	R054
Hydrocele .....	R054
Hydrocephalus .....	R054
Hydrops fetalis .....	R054
Hyperammonaemia .....	R080
Hyperbilirubinemia .....	R080
Hypercalcemia .....	R080
Hypercreatininemia .....	R080
Hyperglucosemia .....	R080
Hyperkalemia .....	R080
Hypermagnesemia .....	R080
Hypernatremia.....	R080
Hyperphosphatemia .....	R080
Hyperplexixia (hereditary Startle Disease) .....	R083
Hyperthroidism .....	R080
Hypertyrosinemia .....	R080
Hyperuricemia .....	R080
Hypoalbuminemia .....	R080
Hypocalcemia.....	R080
Hypochondrogenesis.....	R054
Hypochondroplasia.....	R054
Hypodactyly, hypoglossal.....	R054
Hypodontia .....	R054
Hypogenitalism.....	R054
Hypoglossia-hypodactyly syndrome.....	R054
Hypogluosemia.....	R080
Hypogonadism .....	R054

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**-H cont-**

Hypohidrotic ectodermal dysplasia (Rapp-Hodgkin ectoderma).....	R054
Hypokalemia .....	R080
Hyponatremia .....	R080
Hypomagnesemia .....	R080
Hypomelanosis of ito .....	R054
Hypomellia-hypotrichosis-facial hemangioma syndrome.....	R054
Hypophosphatemia .....	R080
Hypoproteinemia .....	R080
Hypospadias .....	R054
Hypospadias, glandular (first degree).....	R054
Hypospadias, coronal (second degree).....	R054
Hypospadias, shaft (third degree) .....	R054
Hypospadias, perineal (fourth degree) .....	R054
Hypotrichosis.....	R054

**-I-**

Icthyosiform erythroderma (Senter-Kid Syndrome) .....	R054
Immune deficiency .....	R054
Immunization	
DPT .....	R079
DPTP .....	R079
Flu (viral influenza) .....	R079
Hemphilus Influenza B Conjugate (Act Hib) .....	R079
Hepatitis B globulin .....	R079
Hepatitis B vaccine .....	R079
RSV (Respiratory Syncytial Virus) .....	R079
Varicella (Chicken Pox) vaccine .....	R079
Immunoglobulin deficiency .....	R054
Imperforate anus .....	R054
Intra-Ventricular Hemorrhage	
Grade I .....	R081
Grade II .....	R081
Grade III .....	R081
Grade IV .....	R081
Increased nucleated RBC and/or neuroblastemia .....	R080
Infarction, Non-specific neurological findings .....	R083

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**-I cont-**

**Infant Medications**

Acyclovir .....	R066
Adenosine .....	R066
Adrenalin .....	R066
Alprostadel (Prostagladin e, Prostin) .....	R066
Amoxicillin .....	R066
Ampicillin .....	R066
Cefazidime.....	R066
Cefazolin .....	R066
Cefotaxime .....	R066
Ceftriaxone .....	R066
Cefuroxime .....	R066
Cloxacillin .....	R066
Surfactant .....	R066
Diazepam .....	R066
Digoxin .....	R066
Dilantin (Phenytoin) .....	R066
Dobutamine .....	R066
Dopamine .....	R066
Epinephrine .....	R066
Erythromycin .....	R066
Fentanyl.....	R066
Flagyl (Metromidazole).....	R066
Furosemide (Lasix).....	R066
Gentamicin .....	R066
Glucagon .....	R066
Insulin .....	R066
Morphine .....	R066
Naloxone (Narcan) .....	R066
Penicillin .....	R066
Phenobarbital .....	R066
Potassium chloride .....	R066
Propranolol .....	R066
Salbutamol (Ventolin) .....	R066
Septra.....	R066
Trimethoprim .....	R066
Vancomycin .....	R066
Iniencephaly .....	R054

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**- I cont-**

Insulin, infant medications .....	R066
Insulinoma, neoplasm .....	R064
Intestinal atresia .....	R054
Intestinal atresia, anal .....	R054
Intestinal atresia, colonic .....	R054
Intestinal atresia, duodenal .....	R054
Intestinal atresia, ileal .....	R054
Intestinal atresia, jejunal .....	R054
Intestinal stenosis .....	R054
Intestinal stenosis, anal .....	R054
Intestinal stenosis, colonic .....	R054
Intestinal stenosis, duodenal .....	R054
Intestinal stenosis, ileal .....	R054
Intestinal stenosis, jejunal .....	R054
Intestinal stenosis, rectal .....	R054
Intracardiac mass .....	R054
Intrathoracic vascular ring .....	R054
Ivenmark syndrome .....	R054

**- J-**

Jackson-Lawler pachyonychia congenital syndrome .....	R054
Jadosohn-Lewandowski pachyonychia congenital syndrome .....	R054
Jansen-type metaphyseal dysplasia .....	R054
Jarcho-Levin syndrome .....	R054
Jaundice, obstructive .....	R080
Johanson-Blizzard syndrome .....	R054
Jugular lymphatic obstruction sequence .....	R054

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**-K-**

Kabuki syndrome .....	R054
Kartagener syndrome.....	R054
Kell-isoimmunization .....	R080
Keratoconus .....	R054
Kidd-isoimmunization .....	R080
Killian/Teschler-Nicola syndrome (Pallister mosaic syndrome).....	R054
Kinky hair syndrome (Menkes Syndrome).....	R054
Klein-Waardenburg syndrome.....	R054
Klinefelter syndrome.....	R054
Klippel-Feil sequence .....	R054
Klippel-Trenaunay-Weber syndrome.....	R054
Kniest dysplasia .....	R054
Knot in cord (true) .....	R051
Kozlowski spondylometaplyseal dysplasia .....	R054

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

-L-

Lab Results

ABO Immunizations – Definite.....	R080
Anemia .....	R080
Azotemia .....	R080
Big C Isoimmunization.....	R080
Big E Isoimmunization.....	R080
D Isoimmunization .....	R080
Fya Isoimmunization (Duffy).....	R080
Hyperammonemia .....	R080
Hyperbilirubinemia.....	R080
Hypercalcemia.....	R080
Hypercreatininemia.....	R080
Hyperglucosemia.....	R080
Hyperkalemia.....	R080
Hypermagnesemia .....	R080
Hyponatremia .....	R080
Hyperphosphatemia .....	R080
Hyperthyroidism.....	R080
Hypertyrosinemia.....	R080
Hyperuricemia .....	R080
Hypoalbuminemia.....	R080
Hypocalcemia .....	R080
Hypoglucosemia .....	R080
Hypokalemia.....	R080
Hyponatremia .....	R080
Hypophosphatemia.....	R080
Hypoproteinemia .....	R080
Increased nucleated RBC and/or normoblastemia .....	R080
Kell Isoimmunization.....	R080
Kidd .....	R080
Late Metabolic Acidosis.....	R080
Little c Isoimmunization .....	R080
Low serum alkaline/phosphatase .....	R080
Misc. Isoimmunization – Little “e” .....	R080
Misc. Isoimmunization – Little “s”.....	R080
MNS blood groups.....	R080
Neutropenia.....	R080
Obstructive Jaundice .....	R080
Oliguria .....	R080
Polycythemia .....	R080
Positive DAT.....	R080
Reticulocytosis.....	R080
Rickets – Elevated alkaline phosphatase only.....	R080
Thrombocytopenia.....	R080
Wright.....	R080

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**-L cont-**

Lacrimal-auriculo-dento-digital syndrome.....	R054
Ladd syndrome .....	R054
Langer-Gideon Syndrome .....	R054
Langer-Saldino achondrogenesis.....	R054
Larsen syndrome .....	R054
Laryngeal abnormality .....	R054
Laryngeal atresia.....	R054
Laryngeal web.....	R054
Lefr-sidedness sequence .....	R054
Lens, dislocation .....	R054
Lenticular opacity .....	R054
Lentigines, multiple.....	R054
Lenz-Majewski hyperostosis syndrome.....	R054
Leopard syndrome .....	R054
Leri-weill dyschondrosteosis .....	R054
Leroy I-cell syndrome .....	R054
Lesch-Nylan syndrome.....	R054
Lethal multiple pterygium syndrome.....	R054
Leukemia, neoplasm .....	R064
Levy-Hollister syndrome.....	R054
Limb-body wall complex .....	R054
Lip deformity, complication of endotracheal tube .....	R072
Lipoatrophy .....	R054
Lipodosis, neurovisceral.....	R054
Lipodystrophy, generalized .....	R054
Lipoma, neoplasm.....	R064
Lipomatosis, encephalocraniocutaneous .....	R054
Lippit-cleft hip syndrome (Van der Woude Syndrome).....	R054
Lissencephaly Syndrome (Miller-Dreker Syndrome) .....	R054
Lobstein disease .....	R054
Lorazepam, withdrawl from maternal use.....	R064
Lupus, neonatal.....	R054
Lymphangioma.....	R064
Lymphoma .....	R064

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**-M-**

Macrocephaly .....	R054
Macroglossia .....	R054
Macrogyria .....	R054
Macro-orchidism .....	R054
Macrosomia .....	R054
Macrostomia .....	R054
Madelung deformity .....	R054
Maffucci syndrome .....	R054
Malar hypoplasia .....	R054
Male pseudohermaphroditism .....	R054
Mandibular hypodontia .....	R054
Marden-Walker syndrome .....	R054
Marfan syndrome .....	R054
Marginal insertion of cord, placental anomaly .....	R051
Maroteaux-Lamy (mucopolysaccharidosis syndrome) .....	R054
Marshall syndrome .....	R054
Marshall-Smith syndrome .....	R054
Masa syndrome (X-linked hydrocephalus syndrome) .....	R054
Mass, unknown type neoplasm .....	R064
Maternal phenylkentonuria, fetal effects .....	R054
Maxillary hypoplasia .....	R054
Mccune-Albright syndrome (osteitis fibrosa cystica) .....	R054
Mckusick type metaphyseal dysplasia .....	R054
Meckel diverticulum .....	R054
Median cleft face syndrome .....	R054
Medulloblastoma, neoplasm .....	R064
Melanoma, neoplasm .....	R064
Melanomata .....	R054
Melanosis, neurocutaneous .....	R054
Melanotic neuroectodermal tumour, neoplasm .....	R064
Melnick-Fraser syndrome .....	R054
Melnick-needles syndrome .....	R054
Membrane placentia .....	R051
Meningocele .....	R054
Meningomyelocele .....	R054
Meperidine, infant withdrawal from maternal use .....	R067
Mesoblastic nephroma, neoplasm .....	R064
Metacarpal hypoplasia .....	R054
Metaphyseal dysplasia, Jansen type .....	R054
Metaphyseal dysplasia, Mckusick type .....	R054

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**-M cont-**

Metaphyseal dysplasia, Pyle type .....	R054
Metaphyseal dysplasia, Schmid type .....	R054
Metatarsal hypoplasia .....	R054
Metatarsus adductus .....	R054
Metatropic dwarfism .....	R054
Metatropic dysplasia.....	R054
Methadone, infant withdrawal from maternal use .....	R064
Methioninaemia .....	R054
Methotrexate embryology .....	R054
Microcephaly .....	R054
Microcolon .....	R054
Microcolon-megacystis-hypperistalsis syndrome .....	R054
Microcornea .....	R054
Microdeletion syndrome .....	R054
Microdontia.....	R054
Microgastria.....	R054
Microglossia .....	R054
Micrognathia.....	R054
Micropenis.....	R054
Microphthalmia .....	R054
Microstomia.....	R054
Miller syndrome (postaxial acrofacial dystosis) .....	R054
Mode of Ventilation	
Intermittent mandatory ventilation (IMV).....	R071
Synchronized mandatory ventilation (SIMV).....	R071
Pressure support (PS).....	R071
Continuous positive airway pressure (CPAP).....	R071
High frequency Oscillatory ventilation (HFOV) .....	R071
Positive pressure ventilation (PPV) .....	R071
Moebius syndrome .....	R054
Mohr syndrome (OFD) .....	R054
Morphine, infant medication .....	R066
Morphine, infant withdrawal from maternal use.....	R067
Morquio syndrome.....	R054
Mucopolipidosis III (pseudo Hurler).....	R054
Mucopolysaccharidosis I s (Scheie Syndrome).....	R054
Mucopolysaccharidosis III, types a, b, c, d.....	R054
Mucopolysaccharidosis VII (Sly Syndrome) .....	R054
Mulibrey nanism syndrome (Perheentupu Syndrome) .....	R054
Multiple endocrine neoplasia, type 2b .....	R054
Multiple neuroma syndrome .....	R054

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**-M cont-**

Multiple synostosis syndrome (Symphalanyism Syndrome).....	R054
Murcs association.....	R054
Muscle, neoplasm .....	R064
Myasthenia gravis, newborn.....	R054
Myopathy, centronuclear .....	R054
Myopathy, myotabular .....	R054
Myxofibrosarcome, neoplasm .....	R064

**-N-**

Nanism, diastrophic.....	R054
Narcan, infant medication.....	R066
Nasal dysplasia .....	R054
Naso/oro gastric tubes, complications of	
Perforation, esophagus .....	R074
Perforation, stomach .....	R074
Perforation, small bowel .....	R074
Neonatal lupus .....	R054
Neonatal teeth.....	R054
Neoplasms	
Astrocytoma.....	R064
Choroid Plexus Papilloma .....	R064
Connective Tissue .....	R064
Craniopharyngioma .....	R064
Cystadenoma .....	R064
Cystic Hygroma .....	R064
Endothelial Tissue .....	R064
Ependymoma .....	R064
Epithelial Tissue .....	R064
Familial Erythrophagocytic Lymphohistiocytosis.....	R064
Fibroma .....	R064
Follicular Cyst.....	R064
Glioma .....	R064
Hemangioma, Cavernous .....	R064
Hemangioma, Capillary .....	R064
Hepatoblastoma .....	R064
Histiocytosis.....	R064
Insulinoma .....	R064
Leukemia.....	R064

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**-N cont-**

Naoplasms continued

Limpoma.....	R064
Lymphangioma.....	R064
Lymphoma.....	R064
Mass, Unknown Type.....	R064
Medulloblastoma.....	R064
Melanoma.....	R064
Melanotic Neuroectodermal Tumor.....	R064
Mesoblastic Nephroma.....	R064
Muscle.....	R064
Myxofibrosarcoma.....	R064
Nasal Glioma.....	R064
Nephroblastoma.....	R064
Nesidioblastosis.....	R064
Neuroblastoma.....	R064
Neuroectodermal Tumor.....	R064
Neurofibroma.....	R064
Retinoblastoma.....	R064
Rhabdomyoma, Cardiac.....	R064
Rhabdomyoma.....	R064
Sarcoma.....	R064
Teratoma, Cardiac.....	R064
Teratoma, Embryotic Rests.....	R064
Teratoma, Gonads.....	R064
Teratoma, Sacrococcygeal.....	R064
Teratoma, Site Not Specified.....	R064
Wilm's Tumor.....	R064
Nesidioblastosis.....	R054
Neu-laxova syndrome.....	R054
Neural tube defect.....	R054
Neurocutaneous melanosis syndrome.....	R054
Neurofibromatosis syndrome.....	R054

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**-N cont-**

Neurological findings, Non-specific	
Abnormal Cerebral Irritation/Hypertonicity .....	R083
Hypereclixia (Hereditary Startle Disease) .....	R083
Abnormal Cerebral Depression/Hypotonicity .....	R083
Abnormal Cerebral Depression due to Maternal Analgesia .....	R083
Cerebral Edema .....	R083
Cortical Atrophy .....	R083
Encephalomalacia .....	R083
Infarction .....	R083
Porencephalic Cyst(s) .....	R083
Periventricular Leukomalacia .....	R083
Neurological findings, other specific	
Brachial Plexus (Erb's and Klumpke's) Palsy, left .....	R084
Brachial Plexus (Erb's and Klumpke's) Palsy, right .....	R084
Brachial Plexus (Erb's and Klumpke's) Palsy, Bilateral .....	R084
Brachial Plexus (Erb's and Klumpke's) (Wrist Drop) .....	R084
Chorioretinitis .....	R084
Congenital Subdural Effusion .....	R084
Cranial Nerve Palsy 3 <sup>rd</sup> or Oculomotor Nerve .....	R084
Cranial Nerve Palsy 4 <sup>th</sup> or Trochlear Nerve .....	R084
Cranial Nerve Palsy 5 <sup>th</sup> or Trigeminal Nerve .....	R084
Cranial Nerve Palsy 6 <sup>th</sup> or Abducens Nerve .....	R084
Cranial Nerve Palsy 10 <sup>th</sup> or Vagus Nerve .....	R084
Facial Palsy Left .....	R084
Facial Palsy Right .....	R084
Facial Palsy Bilateral .....	R084
Hemiparesis Transient (Not Present at discharge) .....	R084
Hemiparesis Transient (Present at time of discharge) .....	R084
Ondines's Curses .....	R084
Opsoclonus .....	R084
Phrenic Nerve Left .....	R084
Phrenic Nerve Right .....	R084
Phrenic Nerve Bilateral .....	R084
Periventricular Calcification .....	R084
Retinal hemorrhage involving the macula .....	R084
Neuromuscular defect .....	R054
Neurovisceral lipidosis, familial .....	R054
Noonan syndrome .....	R054

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**-O-**

Obstructive jaundice .....	R080
Occult spinal dysraphism .....	R054
Oculo-auriculo-vertebral defect spectrum.....	R054
Oculodentodigital syndrome .....	R054
Oculo-genito-laryngeal syndrome (Optiz Syndrome).....	R054
Odontoid hypoplasia.....	R054
Oculo-facial-digital syndrome, type I (OFD-I) .....	R054
Oculo-facial-digital syndrome, type III (OFD-III) .....	R054
Oligohydramnios sequence .....	R054
Oliguria.....	R080
Ollier disease (osteochondromatosis syndrome) .....	R054
Omphalocele .....	R054
Ondines's curses.....	R084
Opsoclonus .....	R084
Optic nerve dysplasia .....	R054
Oromandibular-limb hypogenesis spectrum .....	R054
Osteochondrodysplasia.....	R054
Osteodysplasia.....	R054
Osteogenesis imperfecta, type I.....	R054
Osteogenesis imperfecta, type II.....	R054
Osteolysis.....	R054
Osteo-onychodysplasia .....	R054
Osteopetrosis .....	R054
Otocephaly .....	R054
Oto-palato-digital syndrome, type I (Taybi Syndrome) .....	R054
Oto-palato-digital syndrome, type II.....	R054
OxyContin, withdrawal from due to maternal use.....	R067
Oxygen, home therapy .....	R061

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**-P-**

Pachydermoperiostosis syndrome .....	R054
Pachygyria .....	R054
Pachyorchia congenita syndrome .....	R054
Pallister-Hall syndrome .....	R054
Parabiotic syndrome, donor (Twin-to-twin transfer).....	R054
Parabiotic syndrome, recipient (Twin-to-twin transfer) .....	R054
Patent ductus arteriosus	
Non-surgical closure .....	R057
Surgical closure .....	R057
Treatment not stated .....	R057
Pectus carinatum .....	R054
Pectus excavatum .....	R054
Pena Shokeir phenotype, type I .....	R054
Pena-Shokeir phenotype, type II .....	R054
Penicillin, infant medications .....	R066
Paxil (Paroxetine) withdrawal from maternal use .....	R067
Pentazocine, withdrawal from maternal use .....	R067
Penta x syndrome .....	R054
Pentology of cantrell.....	R054
Perinatal lethal hypophosphotasia .....	R054
Persistent fetal Circulation/Hypertension of the newborn	
Congenital heart disease .....	R058
Fetomaternal bleed.....	R058
Hyaline membrane disease .....	R058
Meconium aspiration .....	R058
Pulmonary hypoplasia .....	R058
Pneumonia .....	R058
Primary pulmonary hypertension .....	R058
Cause not stated .....	R058
Peters'-plus syndrome.....	R054
Peutz Jeghers syndrome.....	R054
Pfeiffer syndrome .....	R054
Phenobarbital, infant medication .....	R066
Phenylketonuria .....	R054
Phenylketonuria, maternal effects .....	R054
Photosensitive dermatitis .....	R054
Phototherapy .....	R078
Pierre Robin syndrome.....	R054
Pitting, lip.....	R054
Pitting, preauricular .....	R054

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**- P cont-**

Placental or cord anomalies	
Amnionodosum.....	R051
Chorioamnionitis, marked or severe .....	R051
Choroangioma of placenta .....	R051
Circumvallate placenta .....	R051
Funisitis .....	R051
Funisitis, necrotizing .....	R051
Funisitis, candidal .....	R051
Hematoma of umbilical cord .....	R051
Marginal insertion of cord .....	R051
Membranous placenta .....	R051
Placenta accreta.....	R051
Placenta Increta.....	R051
Placenta percreta .....	R051
Single umbilical artery .....	R051
True knot in cord.....	R051
Vasa previa.....	R051
Velamentous insertion of cord .....	R051
Poikiloderma congenitale syndrome (Rothmund-Thomson).....	R054
Poland sequence .....	R054
Polydactyly .....	R054
Polymicrogyria.....	R054
Polysplenia syndrome .....	R054
Popliteal pteryguim syndrome .....	R054
Porencephalic cyst.....	R054
Porteus syndrome .....	R054
Port wine stain.....	R054
Post-asphyctic	
Acute tubular necrosis and hemorrhagic necrosis of kidney.....	R062
Adrenal necrosis.....	R062
Brain necrosis.....	R062
CNS depression .....	R062
CNS excitation.....	R062
Congestive heart failure.....	R062
Convulsions.....	R063
Increased intracranial pressure .....	R062
Liver and/or adrenal necrosis .....	R062
Postive DAT .....	R080
Potassiu chloride, infant medication .....	R066
Potter syndrome .....	R054

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**- P cont -**

Prader-Willi syndrome .....	R054
Preauricular tags .....	R054
Preauricular pits .....	R054
Prognathism .....	R054
Propranolol, infant medication .....	R066
Pseudoachondroplasia .....	R054
Pseudocamptodactyly .....	R054
Pulmonary agenesis .....	R054
Pulmonary Disease of prematurity, chronic	
Bronchopulmonary dysplasia, non-cystic .....	R060
Bronchopulmonary dysplasia, cystic .....	R060
Wilson-Mikity syndrome, non-cystic .....	R060
Wilson-Mikity syndrome, cystic .....	R060
Pulmonary hypoplasia .....	R054
Pulmonary lymphangectasia, congenital .....	R054
Pyknodysostosis .....	R054
Pyle disease (Pyle metaphyeal dysplasia) .....	R054
Pyruvate carboxylase deficiency .....	R054
Pyruvate dehydrogenase deficiency .....	R054

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**- R -**

Rachischisis .....	R054
Ranula .....	R054
Rectal atresia .....	R054
Rectal atresia, with fistula.....	R054
Refsum's disease .....	R054
Reifenstein's syndrome .....	R054
Requirement for home oxygen .....	R061
Respiratory distress syndrome	
Benign .....	R059
Mild .....	R059
Moderate .....	R059
Severe .....	R059
Severity not stated .....	R059
Transient .....	R059
Transient Tachypnea of the newborn .....	R059
Restrictive dermopathy.....	R054
Resuscitation at delivery .....	R086
Retinal hemorrhage involving macula .....	R084
Retinoblastoma, neoplasm.....	R064
Retinoic acid embryopathy .....	R054
Retinopathy of prematurity .....	pg. 73
Rhabdomyoma, cardiac, neoplasm.....	R054
Rhabdomyoma .....	R054
Rhizomelic chondrodysplasia punctata .....	R054
Rieger syndrome .....	R054
Right-sidedness sequence .....	R054
Rokitansky malformation sequence.....	R054
RSV vaccine.....	R079
Rubinstein-Taybi syndrome.....	R054
Russell-Silver syndrome (Silver Syndrome).....	R054

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**- S -**

Saddle nose .....	R054
Saethre-Chatzen syndrome .....	R054
Salbutamol, infant medication .....	R066
Salino-noonan short rib-polydactyly syndrome.....	R054
Sarcoma, neoplasm .....	R064
Sc phocomelia.....	R054
Schinzel-Giedion syndrome .....	R054
Schimd type metaphyseal dysplasia .....	R054
Schizencephaly .....	R054
Sclerosteosis.....	R054
Scrotum, shawl.....	R054
Seckel syndrome.....	R054
Septo-optic dysplasia sequence.....	R054
Septra, infant medication.....	R066
Sertraline, withdrawl from maternal use .....	R067
Short bowel syndrome.....	R054
Short rib-polydactyly syndrome, type II .....	R054
Shoulder dystocia.....	R082
Shprintzen syndrome .....	R054
Shwachman syndrome.....	R054
Simpson-Golabi-Behmel syndrome.....	R054
Single umbilical artery .....	R051
Sirenomelia sequence.....	R054
Smith-Lemli-Opitz Syndrome .....	R054
Soft tissue wasting .....	Pg.71
Spondylometatarsal synostosis syndrome .....	R054
Spondylometaphyseal dysplasia .....	R054
Spondylometaphyseal dysplasia, Kozlowski .....	R054
Stenal malformation-vascular dysplasia spectrum .....	R054
Struge-Weber sequence .....	R054
Sulfite oxidase deficiency .....	R054
Sugarman syndrome .....	R054
Surfactant.....	R066
Syndactyly .....	R054

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**- T -**

Tar syndrome (thromocytopenia absent radius).....	R054
Taurodontism .....	R054
Tdo syndrome .....	R054
Teratoma, Cardiac.....	R064
Teratoma, Embryotic Rests.....	R064
Teratoma, Gonads .....	R064
Teratoma, Sacrococcygeal.....	R064
Teratoma, Site Not Specified .....	R064
Testicular feminization syndrome .....	R054
Tesetis, hydrocele .....	R054
Tethered cord malformation syndrome.....	R054
Thanatophoric dysplasia .....	R054
Thyroglossal cyst .....	R054
Thrombocytopenia abent radius syndrome .....	R054
Thrombophlebitis, complication of vascular catheter.....	R073
Thurston syndrome .....	R054
Tibial aplasia-ectrodactyly syndrome .....	R054
Townes-brock syndrome .....	R054
Tracheal perforation, complication of Endotracheal tube .....	R072
Tracheobronchomalacia, complication of Endotracheal tube .....	R072
Tracheoesophageal fistula .....	R054
Transcobalamin II deficiency.....	R054
Trapezoidcephaly.....	R054
Trauma	
Cephalohematoma Left .....	R082
Cephalohematoma Right .....	R082
Cephalohematoma Bilateral .....	R082
Cephalohematoma Other, Including Occipital .....	R082
Cephalohematoma Unknown .....	R082
Fracture Clavicle .....	R082
Fracture Femur .....	R082
Fracture Humerus .....	R082
Fracture Other .....	R082
Fracture Rib(s) .....	R082
Fracture Skull .....	R082
Shoulder Dystocia .....	R082
Tricho-rhino-phalangeal syndrome, type I.....	R054
Tridione embryopathy.....	R054
Trimethadione embryopathy.....	R054
Trimethoprim, infant medication .....	R066

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**- T cont -**

Triphalangeal thumb.....	R054
Triploidy.....	R054
Trp I .....	R054
True knot in cord, placenta.....	R051
Turner syndrome.....	R054
Turner-like syndrome .....	R054
Twins	
Dichorionic, dissimilar sexes or blood groups.....	pg.71
Dichorionic, similar sexes and blood groups .....	pg.71
Dichorionic, similar sexes, blood groups undetermined.....	pg.71
Monoamniotic .....	pg.71
Monochorionic, diamniotic .....	pg.71
Siamese (Conjoined).....	pg.71
Undetermined .....	pg.71

**- U -**

Umbilical hernia.....	R054
Urorectal septum malformation sequence.....	R054
Uterus, ambiguous .....	R054

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

- V -

Vaccine	
DPTP .....	R079
DPT .....	R079
Hemophilus influenza, B conjugate (HIB) .....	R079
Hepatitis B globulin .....	R079
Hepatitis B vaccine .....	R079
Respiratory synticial virus .....	R079
Varicella (Chicken Pox) vaccine .....	R079
Viral Influenza .....	R079
Vancomycin, infant medication .....	R066
Varadi-Papp syndrome .....	R054
Vasa previa, placental anomaly .....	R051
Vascular Catheters, complications of	
Arterial thrombosis .....	R073
Cardiac tamponade .....	R073
Edema .....	R073
Loss of finger(s) .....	R073
Loss of toe(s) .....	R073
Pericardial effusion .....	R073
Perforation of the heart .....	R073
Pleural effusion .....	R073
Phrenic nerve palsy .....	R073
Ruptured vessel .....	R073
Thrombophlebitis .....	R073
Vasospasm .....	R073
Venous thrombosis .....	R073
Vater association .....	R054
Vein of Galen, aneurysm .....	R054
Velamentous insertion of cord .....	R051

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**- V cont -**

Venous catheters	
Umbilical vein, direct.....	R069
Upper limb, direct .....	R069
Upper limb, percutaneous (PICC).....	R069
Upper limb, cut down (surgical) .....	R069
Upper limb, Broviac .....	R069
Lower limb, direct .....	R069
Lower limb, percutaneous (PICC).....	R069
Lower limb, cut down (surgical) .....	R069
Lower limb, Brioviac .....	R069
Other .....	R069
Vertebral defect.....	R054
Ventilation, modes of	
Intermittent mandatory ventilation (IMV).....	R071
Synchronized mandatory ventilation (SIMV).....	R071
Pressure support (PS).....	R071
Continuous positive airway pressure (CPAP).....	R071
High frequency Oscillatory ventilation (HFOV) .....	R071
Positive pressure ventilation (PPV).....	R071
Vocal cord paralysis, complication of surgery .....	R076
Volvulus, colon .....	R054
Volvulus, ileum .....	R054
Volvulus, jejunum .....	R054
Volvulus, small bowel .....	R054
Von Hippel-Lindau syndrome .....	R054
Vrolik disease.....	R054

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**- W -**

Waardenburg syndrome, type I .....	R054
Waardenburg syndrome, type II .....	R054
Waardenburg syndrome, type III .....	R054
Wagr syndrome .....	R054
Walker-Warburg syndrome .....	R054
Warfarin embryology .....	R054
Wasting soft tissue .....	pg. 71
Weaver syndrome .....	R054
Weill-Marchesani syndrome .....	R054
Werner syndrome .....	R054
Whelan syndrome .....	R054
Williams syndrome .....	R054
Wilm's tumor .....	R064
Wilson-Mikity syndrome	
Cystic .....	R060
Non-cystic .....	R060
Withdrawl due to maternal use	
Alprazolam (Xanax) .....	R067
Barbituate .....	R067
Benzodiazapam .....	R067
Citalopram (Celexa) .....	R067
Cocaine .....	R067
Diazepam (Valium) .....	R067
Fluoxetine (Prozac) .....	R067
Ethchlorvyol (Placidyl) .....	R067
Heroin .....	R067
Hydromorphone (Dilaudid) .....	R067
Lorazepam (Ativan) .....	R067
Meperidine (Demerol) .....	R067
Methadone .....	R067
Morphine .....	R067
OxyContin .....	R067
Oxazepam .....	R067
Paroxetine (Paxil) .....	R067
Pentazocine (Talwin) .....	R067
Sertraline (Zoloft) .....	R067
Unknown .....	R067
Venlafaxine (Effexor) .....	R067
Wright-isoimmunization .....	R080
Wrist Drop .....	R084

**NOVA SCOTIA ATLEE PERINATAL DATABASE CODING MANUAL**

**- X -**

Xeroderma pigmentosa syndrome .....R054

**- Y -**

Yunis-Varon syndrome.....R054

**- Z -**

Zellweger syndrome .....R054

Zollinger-ellison syndrome .....R054