



Nova Scotia Atlee
Perinatal Database
Coding Manual
16th Edition

(Version 16.0.0)

April 2012

TABLE OF CONTENTS

| | |
|--|-----|
| INDEX FOR ADMISSION INFORMATION | 2 |
| LISTINGS OF HOSPITALS | 12 |
| ADMISSION INFORMATION | 17 |
| DELIVERED ADMISSION | 27 |
| Routine Information – Delivered Admission | 27 |
| Routine Information – Labour | 58 |
| Routine Information – Infant | 78 |
| UNDELIVERED ADMISSION | 95 |
| Routine information – undelivered | 95 |
| POSTPARTUM ADMISSIONS | 105 |
| Routine Information – Postpartum Admission | 105 |
| NEONATAL ADMISSIONS | 113 |
| Routine Information – Neonatal Admissions | 113 |
| ADULT RCP CODES | 125 |
| INFANT RCP CODES | 144 |
| INDEX OF MATERNAL DISEASES AND PROCEDURES | 181 |
| INDEX OF NEONATAL DISEASES AND PROCEDURES | 197 |

INDEX FOR ADMISSION INFORMATION

Admission date /time 17
Admission process status 25
Admission type 17
A/S/D number 18

Birth date..... 18

Care provider attending..... 22
City/town 23
Contact hospital 16

Discharge date/time 16

Given name(s) 17

Health card number 18

Mailing address 23
Marital status..... 22
Municipal code for residence 19

Postal code 23
Previous surname 17
Province 24

Sex 22
Street address 23
Surname 17

Unit number 16

INDEX FOR ROUTINE INFORMATION – DELIVERED ADMISSION

| | |
|---|----|
| Abdominal circumference measurements | 44 |
| Abdominal circumference gestational age | 46 |
| Abortions | 29 |
| Admitted from | 27 |
| Analgesia during labour | 52 |
| Antibiotic therapy | 53 |
| Antibiotic date..... | 55 |
| Antibiotic time | 56 |
| Attendance at prenatal classes | 39 |
| Autopsy (maternal) | 50 |
| | |
| Biparietal diameter measurement | 44 |
| Biparietal diameter gestational age | 46 |
| | |
| Crown/rump length measurements | 43 |
| Crown/rump length gestational age | 45 |
| | |
| Date of first ultrasound | 42 |
| Date of last normal menstrual period | 28 |
| Delivery hospital | 26 |
| | |
| Education | 36 |
| Femur length measurement..... | 45 |
| Femur length gestational age | 47 |
| Fetus number..... | 42 |
| Fetal surveillance methods..... | 68 |
| | |
| Gravida | 28 |
| | |
| Head circumference measurements | 44 |
| Head circumference gestational age | 46 |
| | |
| Intent to breastfeed | 37 |
| Initial breast contact | 68 |
| | |
| Maternal height | 38 |
| Maternal screening test(s) | 48 |
| Maternal ultrasound | 42 |
| Maternal steroid therapy | 51 |
| Maternal primary cause of death | 50 |

INDEX FOR ROUTINE INFORMATION – DELIVERED ADMISSION

| | |
|---|----|
| Number of fetuses | 41 |
| Number of abortions | 29 |
| Number of previous C-sections | 31 |
| Number of previous fetal deaths | 30 |
| Number of previous low birth weight infants | 32 |
| Number of previous neonatal deaths | 30 |
| Number of previous pre-term deliveries | 31 |
| Number of previous postpartum hemorrhage | 31 |
| | |
| Para | 29 |
| Pre-conceptual folate intake | 28 |
| Prenatal record on chart at time of coding | 27 |
| Pre-pregnancy smoking | 33 |
| Pre-pregnancy weight | 38 |
| Present weight | 38 |
| Process status | 56 |
| Prophylaxis for GBS | 54 |
| | |
| Race/ethnicity | 36 |
| Route of administration for analgesia | 52 |
| | |
| Smoking at first prenatal visit | 34 |
| Smoking at time of admission..... | 40 |
| Smoking at 20 weeks | 35 |
| | |
| Spontaneous Abortions | 29 |
| | |
| Therapeutic Abortions | 30 |
| | |
| Unspecified Abortions | 30 |

INDEX FOR ROUTINE INFORMATION – LABOUR

| | |
|---|----|
| APGAR score | 74 |
| Birth order | 57 |
| Birth weight | 73 |
| Care provider attending delivery | 75 |
| Date of medical augmentation | 65 |
| Date of rupture of membranes | 57 |
| Date/time of admission to LDR | 64 |
| Date/time of 4 centimeters dilatation | 67 |
| Date of second stage | 68 |
| Time of second stage | 69 |
| Dilatation at C-section | 72 |
| Dilatation at medical augmentation | 66 |
| Dilatation on admission to LDR | 65 |
| Episiotomy | 76 |
| Indication for induction..... | 61 |
| Induction of labour-methods and agents..... | 62 |
| Induction of labour-place..... | 62 |
| Initial mother and baby contact..... | 68 |
| Labour..... | 60 |
| Meconium staining..... | 59 |
| Medical augmentation | 65 |
| Method of delivery | 71 |
| Mode of delivery | 70 |
| Oxytocin date/time | 63 |
| Position at delivery | 72 |
| Primary indication for C-section | 75 |
| Time of admission to LDR | 64 |
| Time of medical augmentation | 66 |
| Time of rupture of membranes | 58 |
| Type of rupture of membranes..... | 59 |

INDEX FOR ROUTINE INFORMATION – INFANT

| | |
|-------------------------------------|----|
| A/S/D number | 80 |
| Autopsy | 86 |
| Base excess value | 90 |
| Birth date/time | 78 |
| Care provider attending | 81 |
| Chromosomal abnormalities | 93 |
| Clinical gestation | 82 |
| Cord artery pH | 89 |
| Cord artery pH value | 89 |
| Date of admission | 78 |
| Date/time of death | 88 |
| Discharge date/time | 85 |
| Discharged to | 85 |
| Elective non-resuscitation | 92 |
| Feeding | 84 |
| Fetal malnutrition | 91 |
| Fetal surveillance | 68 |
| Given name(s) | 77 |
| Head circumference | 81 |
| Health card number | 80 |
| Infant length | 81 |
| Intitial breast contact..... | 68 |
| Outcome of infant | 86 |
| pCO ₂ value | 90 |
| Primary cause of death | 87 |
| Retinopathy of prematurity | 92 |
| SCN (Special Care Nursery)..... | 82 |
| Sex | 77 |
| Surname | 77 |
| Time of admission to hospital | 79 |
| Time of fetal death | 79 |
| Twin type | 91 |

INDEX FOR ROUTINE INFORMATION – UNDELIVERED ADMISSION

| | |
|-------------------------------|-----|
| Abortions (number of) | 95 |
| Admitted from | 94 |
| Antibiotic therapy | 100 |
| Antibiotic therapy date | 100 |
| Antibiotic therapy time | 101 |
| Autopsy | 99 |
| | |
| Date /time of discharge | 98 |
| Discharge to | 98 |
| | |
| Gravida..... | 94 |
| | |
| Para | 95 |
| Primary cause of death..... | 99 |
| Process status | 102 |
| | |
| Screening test | 97 |
| | |
| Spontaneous abortions | 96 |
| | |
| Therapeutic abortions..... | 96 |
| | |
| Unspecified abortions | 96 |

INDEX FOR ROUTINE INFORMATION – POSTPARTUM ADMISSION

| | |
|------------------------------------|-----|
| Abortions (number of) | 106 |
| Admitted from | 104 |
| Antibiotic therapy | 108 |
| Antibiotic therapy date/time | 109 |
| Autopsy | 108 |
| Cause of death | 108 |
| Date/time of discharge | 107 |
| Discharge to | 107 |
| Gravida..... | 105 |
| Para | 105 |
| Process status | 110 |
| Spontaneous abortions | 106 |
| Therapeutic abortions..... | 106 |
| Unspecified abortions | 106 |

INDEX FOR ROUTINE INFORMATION – NEONATAL ADMISSION

| | |
|----------------------------------|-----|
| Admitted from | 113 |
| Autopsy | 116 |
| Birth hospital | 113 |
| Birth order | 112 |
| Breastfeeding | 114 |
| Chromosomal abnormalities | 122 |
| Death date | 117 |
| Death time | 118 |
| Date/time of discharge | 115 |
| Discharge to | 115 |
| Elective non-resuscitation | 119 |
| Fetal malnutrition..... | 118 |
| Maternal steroid therapy | 120 |
| Outcome | 114 |
| Primary cause of death | 116 |
| Retinopathy of prematurity | 121 |
| SCN (Special Care Nursery) | 113 |
| Twin type | 118 |

ADULT RCP CODES

| | |
|---|-----|
| Anesthesia during delivery only | 131 |
| Anesthesia during labour and delivery..... | 130 |
| Anesthesia during labour only | 130 |
| Blood dyscrasias affecting pregnancy | 138 |
| Complications of anesthesia | 132 |
| Endocrine disease affecting pregnancy | 136 |
| Gastro-intestinal diseases | 134 |
| Heart disease affecting pregnancy | 136 |
| Immunizations | 142 |
| Maternal antibody conditions during pregnancy..... | 124 |
| Maternal carrier status and/or chronic infection during pregnancy | 125 |
| Maternal drug and chemical abuse during pregnancy | 128 |
| Maternal drug therapies for specific conditions of pregnancy, delivery and postpartum | 126 |
| Maternal drug therapy during pregnancy/postpartum period..... | 127 |
| Maternal/fetal diagnostic and therapeutic procedures | 129 |
| Maternal transfusions, blood and other products | 141 |
| Maternal transfusions, reasons for | 141 |
| Neoplasms affecting pregnancy | 138 |
| Neurological illness affecting pregnancy..... | 135 |
| Other obstetrical conditions affecting pregnancy | 133 |
| Other non-obstetrical disease, not elsewhere classifiable | 139 |
| Previous pregnancy maternal diseases..... | 140 |
| Procedures for postpartum hemorrhage | 142 |
| Psychiatric illnesses affecting pregnancy | 134 |
| Pulmonary diseases affecting pregnancy | 139 |
| Renal disease affecting pregnancy | 147 |

INFANT RCP CODES

| | |
|---|-----|
| Anomaly/metabolic syndromes and conditions | 144 |
| Apnea | 177 |
| Arterial catheters | 167 |
| Birth asphyxia sequellae | 160 |
| Central venous catheters | 165 |
| Chronic pulmonary disease of prematurity | 165 |
| Convulsions/seizures | 161 |
| Depression at birth | 158 |
| Drug withdrawal | 164 |
| Endotracheal intubation (complications of) | 169 |
| H1N1 diagnosis..... | 178 |
| Immunizations..... | 171 |
| Intra-ventricular hemorrhage | 175 |
| Lab results..... | 172 |
| Medications..... | 163 |
| Medications (complications of) | 170 |
| Mode of ventilation..... | 168 |
| Naso/Oro-gastric tube (complications of)..... | 170 |
| Neoplasms | 162 |
| Non-specific neurological findings | 176 |
| Other specific neurological findings | 177 |
| Patent ductus arteriosus..... | 159 |
| Peripheral IV | 178 |
| Persistent fetal circulation/Persistent pulmonary hypertension of the newborn | 160 |
| Phototherapy | 171 |
| Placental or cord anomalies | 143 |
| Prevnar immunization | 171 |
| Requirement for home oxygen | 160 |
| Respiratory distress syndrome | 159 |
| Resuscitation at delivery | 178 |
| Surgery (complications of) | 170 |
| Trauma | 175 |
| Vascular catheters (complications of) | 169 |

LISTINGS OF HOSPITALS

Hospitals appearing in bold, provide maternity services.

| | Hospital # |
|---|-------------------|
| Aberdeen Regional Hospital | |
| New Glasgow | 11 |
| All Saints Hospital | |
| Springhill | 12 |
| Annapolis Community Health Centre | |
| Annapolis Royal | 13 |
| Antepartum Mable | |
| Home | 91 |
| Bayview Memorial Health Centre | |
| Advocate Harbour | 58 |
| Buchanan Memorial Health Centre | |
| Neil's Harbour | 15 |
| Cape Breton Health Care Complex: | |
| Glace Bay site | 87 |
| Northside (North Sydney Site) | 87 |
| Sydney Site | 87 |
| CFB Cornwallis | |
| Cornwallis | 79 |
| CFB Stadacona | |
| Halifax | 78 |
| Chaleur Regional Hospital | |
| New Brunswick | -10 |
| Colchester Regional Hospital | |
| Truro | 18 |
| Cumberland Health Care Centre | |
| Amherst | 30 |
| Dartmouth General Hospital | |
| Dartmouth | 65 |
| Digby General Hospital | |
| Digby | 20 |

LISTING OF HOSPITALS (con't)

| Hospitals appearing in bold, provide maternity services. | HOSPITAL # |
|--|-------------------|
| East Coast Forensic Dartmouth | 71 |
| Eastern Memorial Hospital Canso | 22 |
| Eastern Shore Memorial Hospital Sheet Harbour | 23 |
| Fishermen's Memorial Hospital Lunenburg | 24 |
| George Dumont Hospital New Brunswick | -11 |
| Glace Bay Health Care Corporation (See Cape Breton Healthcare Complex) | 87 |
| Guysborough Memorial Hospital Guysborough | 27 |
| Hants Community Hospital Windsor..... | 37 |
| South Shore Regional Hospital (formally Health Services Association of the South Shore) Bridgewater..... | 14 |
| Home of the Guardian Angel Halifax | 88 |
| (Use for "discharge to" only if mom and baby both go to the home) | |
| Intended delivery at home (NOT attended by a health care professional) Home..... | -7 |
| Intended Delivery at home (attended by a health care professional) Home..... | -8 |
| Inverness Consolidated Memorial Hospital Inverness | 34 |
| IWK Health Centre Halifax | 86 |

LISTING OF HOSPITALS (con't)

| Hospitals appearing in bold, provide maternity services. | HOSPITAL # |
|---|-------------------|
| Lillian Fraser Memorial Hospital Tatamagouche | 32 |
| Moncton Hospital (The) New Brunswick..... | -12 |
| Musquodoboit Valley Memorial Hospital Middle Musquodoboit..... | 33 |
| New Waterford Consolidated Hospital New Waterford | 63 |
| North Cumberland Memorial Hospital Pugwash | 35 |
| Northside General Hospital (See Cape Breton Health Care Complex..... | 87 |
| Nova Scotia Hospital Dartmouth | 77 |
| Point Pleasant Lodge Halifax | 64 |
| Prince County Hospital Prince Edward Island | -13 |
| Queen Elizabeth Hospital Prince Edward Island | -14 |
| Queen Elizabeth II Health Sciences Centre Halifax | 85 |
| Queens General Hospital Liverpool..... | 38 |
| Roseway Hospital Shelburne | 39 |
| Sackville Memorial Hospital New Brunswick..... | -15 |

LISTING OF HOSPITALS (con't)

| Hospitals appearing in bold, provide maternity services. | HOSPITAL # |
|---|-------------------|
| Sacred Heart Hospital Cheticamp | 47 |
| Self Discharge Home | -6 |
| Soldiers Memorial Hospital Middleton | 48 |
| South Cumberland Community Care Centre Parrsboro | 49 |
| St. Anne's Hospital Arichat | 40 |
| St. Martha's Regional Hospital Antigonish..... | 43 |
| St. Mary's Memorial Hospital Sherbrooke | 45 |
| Strait Richmond Hospital Cleveland | 68 |
| Sutherland-Harris Memorial Hospital Pictou | 50 |
| Twin Oaks Memorial Hospital Musquodoboit Harbour | 52 |
| Valley Regional Hospital Kentville..... | 67 |
| Victoria County Memorial Hospital Baddeck | 53 |
| Western Kings Memorial Health Centre Berwick | 55 |
| Western Regional Health Centre Yarmouth | 56 |

| Out of Province Hospitals | HOSPITAL# |
|--|------------------|
| Hospitals in Alberta | |
| Alberta | -16 |
| Hospitals in Bermuda | |
| Bermuda | -31 |
| Hospitals in British Columbia | |
| British Columbia..... | -17 |
| Hospitals in Manitoba | |
| Manitoba | -18 |
| Hospitals in Newfoundland & Labrador | |
| Newfoundland & Labrador | -19 |
| Hospitals in New Brunswick (other than those listed) | |
| New Brunswick..... | -20 |
| Hospitals in Northwest Territories | |
| Northwest Territories | -21 |
| Hospitals in Nunavut | |
| Nunavut | -28 |
| Hospitals not in list | |
| Non-specific | -32 |
| Hospitals in Ontario | |
| Ontario | -22 |
| Hospitals in PEI (other than those listed) | |
| Prince Edward Island | -23 |
| Hospitals in Quebec | |
| Quebec | -24 |
| Hospitals in Saskatchewan | |
| Saskatchewan | -25 |
| Hospitals in United States | |
| United States | -26 |
| Hospitals in Yukon | |
| Yukon | -27 |

ADMISSION INFORMATION

UNIT NUMBER

Patient's hospital unit number.

Found on the health record folder or the '*HOSPITAL ADMISSION FORM*'.

CONTACT HOSPITAL

Hospital in which the chart is being coded. *When the hospital number is associated with a coder user name, this field will be auto-filled.*

Found on the '*HOSPITAL ADMISSION FORM*'.

Code using one of the standard 2 digit provincial codes for hospitals found on pages 11-15.

DISCHARGE DATE

Patient's discharge date from hospital.

Found on the '*NURSES NOTES*'.

Use the following format: 'YYYYMMDD'.

DISCHARGE TIME

Patient's discharge time from hospital.

Found on the '*NURSES NOTES*'.

'HH' is in range 0-23, 'MM' is in range 0-59

If discharge time is not documented leave discharge time blank and code '9' in the field immediately following.

ADMISSION DATE

Patient's admission date to hospital.

Found on the '*HOSPITAL ADMISSION FORM*'.

Use the following format: 'YYYYMMDD'.

ADMISSION TIME

Patient's admission time to hospital.

Found on the '*HOSPITAL ADMISSION FORM*'.

Use the following format: 'HHMM'.

'HH' is in range 0-23, 'MM' is in range 0-59.

GIVEN NAME(S)

Patient's given name(s).

Found on the '*HOSPITAL ADMISSION FORM*'.

SURNAME

Patient's surname.

Found on the '*HOSPITAL ADMISSION FORM*'.

ADMISSION TYPE

Type of admission

Found on '*ADMISSION SEPARATION SHEET*'.

| | |
|---|-----------------------|
| 1 | Delivered Admission |
| 2 | Undelivered Admission |
| 3 | Postpartum Admission |
| 5 | Neonatal Admission |

PREVIOUS SURNAME

Patient's maiden name or other previous surname.

Found on the '*HOSPITAL ADMISSION FORM*'.

Leave blank for neonatal admissions.

This field can be left blank if not documented.

A/S/D NUMBER

Hospital number referring to the patient’s present admission.

Found on the patient’s ‘*HOSPITAL ADMISSION FORM*’.

Use the following format: ‘CCNNNNNNN/YY’ where ‘CC’ is the admit type, ‘NNNNNNN’ is an ascension number related to the number of admissions of the year and ‘YY’ denotes the fiscal year (April 1 to March 31), changing on April 1st of each year. The / has to be entered before the ‘YY’ denoting the fiscal year.

Zeroes before the ascension number must be entered if number does not have 7 digits, e.g. AS0000123/05.

Code ‘999999999999’ for other provincial account numbers, or when unknown.

HEALTH CARD NUMBER

Found on the ‘*HOSPITAL ADMISSION FORM*’.

Record the patient’s **Nova Scotia** Health Card Number or Nova Scotia Hospital generated ‘8000’ number for;

- Nova Scotia residents admitted without a Nova Scotia Health Card Number
- Patients from outside Nova Scotia

If a Nova Scotia Health Card Number or hospital generated ‘8000’ number is not available, code;

| | |
|---|---|
| 0 | Nova Scotia patient health card #, card not available |
| 0 | Armed Forces |
| 0 | RCMP |
| 0 | First Nations |
| 0 | Self-paying |
| 1 | Patient from outside Nova Scotia |

BIRTH DATE

Patient’s date of birth.

Found on the ‘*HOSPITAL ADMISSION FORM*’.

Use the following format: ‘YYYYMMDD’.

MUNICIPAL CODE

Patient's municipal code.

Found on the '*HOSPITAL ADMISSION FORM*'.

Code using one of the following:

| ANNAPOLIS COUNTY | |
|------------------|------------------------|
| 12 | Annapolis Municipality |
| 13 | Annapolis Royal |
| 19 | Bridgetown |
| 49 | Middleton |

| ANTIGONISH COUNTY | |
|-------------------|-------------------------|
| 14 | Antigonish Municipality |
| 15 | Town of Antigonish |

| CAPE BRETON COUNTY | |
|--------------------|--------------------------|
| 22 | Cape Breton Municipality |
| 31 | Dominion |
| 32 | Glace Bay |
| 45 | Louisbourg |
| 52 | New Waterford |
| 53 | North Sydney |
| 67 | Sydney |
| 68 | Sydney Mines |

| COLCHESTER COUNTY | |
|-------------------|-------------------------|
| 26 | Colchester Municipality |
| 65 | Stewiacke |
| 70 | Truro |

| CUMBERLAND COUNTY | |
|-------------------|-------------------------|
| 11 | Amherst |
| 27 | Cumberland Municipality |
| 54 | Oxford |
| 55 | Parrsboro |
| 63 | Springhill |

| DIGBY COUNTY | |
|--------------|--------------------|
| 24 | Clare Municipality |
| 29 | Digby Municipality |
| 30 | Town of Digby |

**MUNICIPAL CODE FOR
RESIDENCE(con't)**

| GUYSBOROUGH COUNTY | |
|--------------------|--------------------------|
| 21 | Canso |
| 33 | Guysborough Municipality |
| 50 | Mulgrave |
| 66 | St. Mary's Municipality |

| HALIFAX COUNTY | |
|----------------|--|
| 77 | Bedford |
| 28 | Dartmouth |
| 34 | Halifax |
| 35 | Halifax Municipality (<u>not</u> Bedford, Dartmouth or Halifax) |

| HANTS COUNTY | |
|--------------|-------------------------|
| 38 | Hantsport |
| 36 | East Hants Municipality |
| 37 | West Hants Municipality |
| 73 | Windsor |

| INVERNESS COUNTY | |
|------------------|------------------------|
| 39 | Inverness Municipality |
| 58 | Port Hawkesbury |

| KINGS COUNTY | |
|--------------|--------------------|
| 18 | Berwick |
| 41 | Kentville |
| 42 | Kings Municipality |
| 74 | Wolfville |

| LUNENBURG COUNTY | |
|------------------|------------------------|
| 20 | Bridgewater |
| 23 | Chester Municipality |
| 46 | Lunenburg Municipality |
| 47 | Lunenburg Town |
| 48 | Mahone Bay |

| PICTOU COUNTY | |
|---------------|---------------------|
| 51 | New Glasgow |
| 56 | Pictou Municipality |
| 57 | Pictou Town |
| 64 | Stellarton |
| 69 | Trenton |
| 72 | Westville |

**MUNICIPAL CODE FOR
RESIDENCE (con't)**

| QUEENS COUNTY | |
|---------------|---------------------|
| 43 | Liverpool |
| 59 | Queens Municipality |

| RICHMOND COUNTY | |
|-----------------|-----------------------|
| 60 | Richmond Municipality |

| SHELBURNE COUNTY | |
|------------------|-------------------------|
| 17 | Barrington Municipality |
| 25 | Clark's Harbour |
| 44 | Lockeport |
| 61 | Shelburne Municipality |
| 62 | Shelburne Town |

| VICTORIA COUNTY | |
|-----------------|-----------------------|
| 71 | Victoria Municipality |

| YARMOUTH COUNTY | |
|-----------------|-----------------------|
| 16 | Argyle Municipality |
| 75 | Yarmouth Municipality |
| 76 | Yarmouth Town |

| OUT OF PROVINCE RESIDENTS | |
|---------------------------|---------------------------|
| 81 | Alberta |
| 82 | British Columbia |
| 83 | Manitoba |
| 84 | New Brunswick |
| 85 | Newfoundland and Labrador |
| 86 | Ontario |
| 87 | Prince Edward Island |
| 88 | Quebec |
| 89 | Saskatchewan |
| 90 | Yukon |
| 91 | Northwest Territories |
| 92 | Nunavut |
| 95 | Bermuda |
| 97 | USA |
| 98 | Other countries |
| 99 | Unknown |

MARTIAL STATUS

Patient’s marital status

Found on *the ‘HOSPITAL ADMISSION FORM’ or ‘PRENATAL RECORD’.*

Code using one of the following:

| | |
|---|------------|
| 1 | Single |
| 2 | Married |
| 3 | Widowed |
| 4 | Divorced |
| 5 | Separated |
| 6 | Common-law |
| 7 | Unknown |

Marital status will automatically blank out for neonatal admissions.

ATTENDING CARE PROVIDER

Care provider most responsible for the patient’s care *while in hospital.*

Found on the *‘HOSPITAL ADMISSION FORM’.*

Code using the Provincial Medical Board Number or Provider Number for Midwives.

Code **‘88888’** if physician is not registered in Nova Scotia.
Code **‘99999’** for unknown.

SEX

For adult patients the sex will automatically fill as **‘F’** for female.

For neonatal admissions select the legal phenotypical sex the infant regardless of Karyotype.

| | |
|----------|-----------|
| F | Female |
| M | Male |
| A | Ambiguous |
| 9 | Unknown |

STREET ADDRESS

Patient's street address.

Found on the '*HOSPITAL ADMISSION FORM*'.

Example: 4 King Street

MAILING ADDRESS

Patient's mailing address.

This field can be left blank if mailing address is not documented or same as street address.

Found on the '*HOSPITAL ADMISSION FORM*'.

Example: PO Box 40 or RR#2

CITY /TOWN

Patient's city, town or village of residence.

Found on the '*HOSPITAL ADMISSION FORM*'.

POSTAL CODE

Patient's postal code.

Found on the '*HOSPITAL ADMISSION FORM*'.

Use the following format: 'A1A1A1' where "A" is an alphabetic character and "1" is a number.

Code '**888888**' when the postal code is known and outside of country, e.g. USA, Britian, St. Pierre-Miquelon.

Code '**999999**' for unknown.

**PROVINCE
OF RESIDENCE**

Patient's province of residence.

Found on the '*HOSPITAL ADMISSION FORM*'.

Code using one of the following:

| | |
|----|---------------------------|
| AB | Alberta |
| BC | British Columbia |
| MB | Manitoba |
| NS | Nova Scotia |
| NB | New Brunswick |
| NL | Newfoundland and Labrador |
| NT | Northwest Territories |
| NU | Nunavut |
| ON | Ontario |
| PE | Prince Edward Island |
| QC | Quebec |
| SK | Saskatchewan |
| YT | Yukon |
| US | USA |
| XX | Not for Canada or USA |

ADMISSION PROCESS STATUS

Indicates the coding status of the admission information.

Code using one of the following:

2 Coding of chart in process. The case is set to 2 automatically when it is accessed by the coder for the first time.

3 Coding of admission information completed.

Once the case is saved (status 4 or 5) the data can be viewed, but not changed. Status 4 indicates that the data is ready to be transferred; status 5 indicates that data has been transferred.

Once data has been frozen (status 4 or 5), requests for any necessary changes or corrections must be forwarded to the Clinical Data Coordinator at RCP.

DELIVERED ADMISSION

Routine Information – Delivered Admission

Any admission of a pregnant women resulting in the delivery of;

1. a live born fetus
OR
2. a fetus that has reached 20 or more weeks gestation
OR
3. a fetus weighting 500 or more grams
OR
4. a fetus that was one of a set of multiples where at least one met any of the previous three criteria.

DELIVERY HOSPITAL

Hospital in which the delivery of the infant took place.

Found on the '*HOSPITAL ADMISSION FORM*' or '*MATERNAL ADMISSION ASSESSMENT FORM*'.

Code using one of the standard 2 digit provincial codes for hospitals found on pages 11-15.

If a birth occurs in a hospital without an obstetrical service, and the mother and baby are transferred to a facility with an obstetrical service, the hospital receiving the transfer is to collect this case as a delivered case.

In these situations, **the 'Delivery Hospital' should be coded with the hospital number of the facility where the birth actually occurred.**

Code the following for the unusual situations:

| | |
|----|---|
| -1 | Unplanned out of hospital, e.g. delivery en route to hospital, unplanned birth at home. |
| -2 | Planned birth at home |
| -5 | Midwife attended home delivery |

ADMITTED FROM

Mother's location immediately prior to admission.

Found on the '*HOSPITAL ADMISSION FORM*'.

If the patient is transferred from another hospital, record the standard 2 digit provincial code numbers for that facility found on page 11-15.

If patient comes from home, code '0'

Code the following for the unusual situations:

| | |
|----|--|
| -7 | Intended delivery at home without help of a health care provider (not midwife) |
| -8 | Intended delivery at home with help of a health care provider (not midwife) |

If a patient comes from the Emergency Room of another facility without having been admitted to the facility Code '0' admitted from home.

**PRENATAL RECORD ON
CHART AT TIME OF CODING**

The prenatal record was filed on the chart at the time of coding.

Code using one of the following

Y Yes Prenatal record on chart at time of coding
N No Prenatal record not on chart at time of coding

DATE OF LAST NORMAL MENSTRUAL PERIOD

Date of patient’s last normal menstrual period.

Found on the ‘*PRENATAL RECORD*’ or the ‘*MATERNAL ADMISSION ASSESSMENT*’ or the ‘*PHYSICIANS ASSESSMENT*’.

Use the following format: ‘YYYYMMDD’

If the date of the last normal menstrual period is unknown or missing, leave ‘LMP date’ blank and code ‘9’ in the field immediately following.

If unsure is ticked in the box on the prenatal record but a date is documented as well, enter the date given in the field provided.

PRE-CONCEPTUAL FOLATE INTAKE

Maternal pre-conceptual folate intake.

Found on the ‘*PRENATAL RECORD*’.

If noted on prenatal record as “started after found out was pregnant” enter ‘N’.

Code using one of the following:

| | |
|---|---------|
| Y | Yes |
| N | No |
| 9 | Unknown |

GRAVIDA

The number of pregnancies, **including the present pregnancy.**

Found on the ‘*PRENATAL RECORD*’ or the ‘*MATERNAL ADMISSION ASSESSMENT*’ or the ‘*PHYSICIANS ASSESSMENT*’.

Code ‘99’ for unknown.

PARA

The number of pregnancies, **excluding the present pregnancy**, which resulted in one or more infants weighting 500 grams or more at birth or 20 weeks or greater gestational age (regardless of whether such infants lived, were stillborn or died after birth).

Found on the '*PRENATAL RECORD*' or the '*MATERNAL ADMISSION ASSESSMENT*' or the '*PHYSICIANS ASSESSMENT*'.

Code '**99**' for unknown.

ABORTIONS

The number of pregnancies, **excluding the present pregnancy**, which resulted in all fetuses weighting less than 500 grams or when weight not known, less than 20 weeks gestation, regardless of whether the fetus was born alive.

Found on the '*PRENATAL RECORD*' or the '*MATERNAL ADMISSION ASSESSMENT*' or the '*PHYSICIANS ASSESSMENT*'.

Code '**99**' for unknown.

SPONTANEOUS ABORTIONS

Number of spontaneous abortions.

Found on the '*PRENATAL RECORD*'.

Enter the number occurring within the documented category.

Code '**99**' for unknown if it is not documented to indicate the number of the category.

THERAPEUTIC ABORTIONS

Number of therapeutic abortions

Found on the *PRENATAL RECORD*'.

Enter the number occurring within the documented category.

Code '99' for unknown if it is not documented to indicate the number of the category.

UNSPECIFIED ABORTIONS

Number of abortions not specified as spontaneous or therapeutic

Found on the *'PRENATAL RECORD'*.

Code '99' for unknown if it is not documented to indicate the number of each category.

NUMBER OF PREVIOUS FETAL DEATHS WEIGHING 500 GRAMS OR MORE

Number of previous fetal deaths specifically recorded as weighing 500 grams or more, and/or equal to or greater than 20 weeks gestation or when documented as a fetal death or stillbirth by the physician.

Found on the *'PRENATAL RECORD'* or the *'MATERNAL ADMISSION ASSESSMENT'* or the *'PHYSICIANS ASSESSMENT FORM'*.

Code '9' for unknown.

NUMBER OF PREVIOUS NEONATAL DEATHS WEIGHING MORE

Number of previous neonatal deaths specifically recorded as weighing 500 grams or more, and /or equal to or greater than 20 weeks gestation or when documented neonatal death by the physician.

Found on the *'PRENATAL RECORD'* or the *'MATERNAL ADMISSION ASSESSMENT'* or the *'PHYSICIANS ASSESSMENT'*.

Code '9' for unknown.

NUMBER OF PREVIOUS C-SECTIONS

Number of previous C-sections.

Found on the '*PRENATAL RECORD*' or the '*MATERNAL ADMISSION ASSESSMENT*' or the '*PHYSICIANS ASSESSMENT*'.

Code '**0**' if no previous C-sections.

Code '**9**' for unknown.

POSTPARTUM HEMMORRHAGE IN A PREVIOUS PREGNANCY

Postpartum hemorrhage in a previous pregnancy.

Found on the '*PRENATAL RECORD*' or the '*MATERNAL ADMISSION ASSESSMENT*' or the '*PHYSICIANS ASSESSMENT*'.

Code using one of the following:

| | |
|---|---------|
| Y | Yes |
| N | No |
| 9 | Unknown |

PREVIOUS PRE-TERM DELIVERY

Number of pre-term deliveries in previous pregnancies.

Found on the '*PRENATAL RECORD*'.

Code the number of deliveries excluding the present pregnancy where the delivery took place after 20 weeks of gestation and less than 36 completed weeks of gestation.

This includes liveborn and stillborn deliveries.

Code '**9**' for unknown

**NUMBER OF PREVIOUS
PRE-TERM DELIVERIES
IN EACH CATEGORY**

Enter the number of pre-term deliveries occurring within the appropriate gestational age category.

Found on the '*PRENATAL RECORD*'.

#Previous PTD < 28 6/7 weeks (28 completed weeks)

#Previous PTD 29 0/7 to 32 6/7 weeks

#Previous PTD 33 0/7 to 36 6/7 weeks

#Previous PTD weeks unspecified

**NUMBER OF PREVIOUS LOW
BIRTH WEIGHT INFANTS**

Number of previous infants with birth weight less than or equal to **2499 grams** (5 lbs. 8 oz.).

Found on the '*PRENATAL RECORD*' or '*PHYSICIANS ASSESSMENT FORM*'.

Code '**9**' for unknown.

**NUMBER OF PREVIOUS
OVERWEIGHT INFANTS**

Number of previous infants with birth weight greater than **4080 grams** (9 lbs.).

Found on the '*PRENATAL RECORD*' or '*PHYSICIANS ASSESSMENT FORM*'.

Code '**9**' for unknown.

PRE-PREGNANCY SMOKING

Number of cigarettes smoked per day before the mother became pregnant.

Found on the 'PRENATAL RECORD'.

Code the number of cigarettes smoked per day pre-pregnancy, with the following **exceptions**:

| | |
|----|--|
| 0 | Patient did not smoke pre-pregnancy |
| 75 | Patient smoked ≥ 75 cigarettes per day pre-pregnancy |
| 88 | Patient known to be a smoker pre-pregnancy, but number of cigarettes smoked per day is unknown |
| 99 | Not indicated whether or not the patient smoked pre-pregnancy |

NOTE: 1/2 PACK = 13 CIGS, 1 PACK = 25 CIGS

If the number is recorded in a range, code the highest number, e.g. 10 to 15 would be coded as 15.

If the number is contradicted on different forms, use the highest number recorded.

**SMOKING AT FIRST
PRENATAL VISIT**

Number of cigarettes smoked per day at the time of the first prenatal visit.

Found on the '*PRENATAL RECORD*'.

Code the number of cigarettes smoked per day at the first prenatal visit, with the following **exceptions**:

| | |
|----|--|
| 0 | Patient did not smoke at the time of the first prenatal visit |
| 75 | Patient smoked ≥ 75 cigarettes per day at the time of the first prenatal visit |
| 88 | Patient known to be a smoker at first prenatal visit, but number of cigarettes smoked per day is unknown |
| 99 | Not indicated whether or not the patient smoked at time of first prenatal visit |

NOTE: 1/2 PACK = 13 CIGS, 1 PACK = 25 CIGS

If the number is recorded in a range, code the highest number, e.g. 10 to 15 would be coded as 15.

If the number is contradicted on different forms, use the highest number recorded.

SMOKING AT 20 WEEKS

Number of cigarettes smoked per day at the time of prenatal visit from 18-22 weeks.

Found on the '*PRENATAL RECORD*'.

Code the number of cigarettes smoked per day at the time of prenatal visit from 18-22 weeks, with the following **exceptions**:

| | |
|----|--|
| 0 | Patient did not smoke at the time of prenatal visit from 18-22 weeks. |
| 75 | Patient smoked ≥ 75 cigarettes per day at the time of the prenatal visit from 18-22 weeks. |
| 88 | Patient known to be a smoker but number of cigarettes smoked per day at the time of prenatal visit from 18-22 weeks is unknown |
| 99 | Not indicated at the time of prenatal visit from 18-22 weeks whether or not the patient smoked. |

NOTE: ½ PACK = 13 CIGS, 1 PACK = 25 CIGS

If the number is recorded in a range, code the highest number, e.g. 10 to 15 would be coded as 15.

If the number is contradicted on different forms, use the highest number recorded.

HIGHEST LEVEL OF EDUCATION

Highest level of education completed.

Found on the 'PRENATAL RECORD'.

| | |
|---|---|
| 1 | Less than Secondary Education (some High School) |
| 2 | Secondary Education (completion of High School) |
| 3 | Technical/some Post Secondary Education (Community College or working on a Bachelor's Degree) |
| 4 | Post Secondary Education (completion of Bachelor's Degree e.g. Arts, Commerce or Science) |
| 5 | Graduate Level (completion of Masters Degree e.g. Masters in Nursing or Education) |
| 6 | Post Graduate Level (completion of Doctorate e.g. Doctor of Philosophy) |
| 7 | Professional Degree (e.g. Physician, Lawyer or Dentist) |

Code '99' for unknown.

MATERNAL RACE/ETHNICITY

Maternal Race/Ethnicity

Found on the 'PRENATAL RECORD'.

Choose ALL applicable categories documented on the 'Prenatal Record'.

| | |
|-----|------------------|
| ACA | Acadian |
| AFC | African Canadian |
| ASN | Asian |
| CAU | Caucasian |
| FNA | First Nations |
| HIS | Hispanic |
| JSH | Jewish |
| MED | Mediterranean |
| MDE | Middle Eastern |
| QUE | Quebecois |
| OTH | Other |

Code '999' for unknown.

INTENT TO BREASTFEED

Maternal intention to breastfeed.

Found on the '*PRENATAL RECORD*' or the '*MATERNAL ADMISSION ASSESSMENT FORM*'.

Code using one of the following:

| | |
|---|--------|
| Y | Yes |
| N | No |
| U | Unsure |

Code '9' for unknown

PRE-PREGNANCY WEIGHT

Maternal pre-pregnancy weight.

Found on the 'PRENATAL RECORD' or the 'MATERNAL ADMISSION ASSESSMENT FORM'.

This field has been designed to allow either pounds (lbs.) or kilograms (kg) to be coded. If the weight is recorded in kilograms, it should be entered in kilograms, and 'K' should be coded in the field immediately following, e.g. 60K.

If the weight is recorded in pounds (lbs.), it should be entered in pounds, and 'P' should be coded in the field immediately following, e.g. 121 P.

If the weight is not documented as a whole number, round to the nearest whole number

e.g. 60.2 kg = 60 kg
60.7 kg = 61 kg.

If weight is recorded in a range, code the highest weight

e.g. 130 to 135 lbs. = 135 lbs.

If pre-pregnancy weight is unknown, subtract weight gain from pre-delivery weight if noted on the Maternal Nurses Assessment.

Code '999' for unknown.

MATERNAL HEIGHT

Maternal height.

Found on the 'PRENATAL RECORD'.

Refers to mother's height in feet and inches or centimeters.

For measurements in feet and inches round up to the next whole number for inches. Example: 5'3.5" record as 5'4".

For measurements in centimeters round up to the next whole number. Example: 150.6cm record as 151 cm.

Code '999' in centimeters field for an unknown value.

ATTENDANCE AT PRENATAL CLASSES OR RECEIVED ANY PRENATAL EDUCATION

Maternal attendance at any prenatal classes or education such as videos, seminars or other educational tools.

Found on the '*MATERNAL ADMISSION ASSESSMENT FORM*' or the '*PRENATAL RECORD*'.

Code for current pregnancy only.

Code using one of the following:

| | |
|---|-----|
| Y | Yes |
| N | No |

Code '9' for unknown.

**SMOKING AT TIME OF
ADMISSION**

Number of cigarettes smoked per day at time of the delivery.

Found on the 'MATERNAL ADMISSION ASSESSMENT FORM', the 'MATERNAL NURSING REASSESSMENT FORM' or the 'PHYSICIANS ASSESSMENT FORM'.

If none of these forms are present or the information is missing, but the most recent prenatal visit documented is within 7 days of the delivery admission and the smoking data were recorded at that visit, enter that number.

If there is no information about maternal smoking within 7 days of the delivery admission, code '99' for unknown.

Code the number of cigarettes smoked per day at the time of delivery, with the following **exceptions**:

| | |
|----|---|
| 0 | Patient did not smoke at the time of delivery |
| 75 | Patient smoked ≥ 75 cigarettes per day at the time of delivery |
| 88 | Patient known to be a smoker at the time of delivery but number of cigarettes smoked per day is unknown |
| 99 | Not indicated whether or not the patient smoked at the time of delivery |

NOTE: 1/2 PACK = 13 CIGS, 1 PACK = 25 CIGS

If the number is recorded in a range, code the highest number, e.g. 10 to 15 would be coded as 15.

If the number is contradicted on different forms, use the highest number recorded.

PRESENT WEIGHT

Patient’s weight just before delivery.

Found on the ‘*MATERNAL ADMISSION ASSESSMENT FORM*’, OR patient’s last weight on the ‘*PRENATAL RECORD*’ (if it was within a week of delivery).

This field has been designed to allow either pounds (lbs.) or kilograms (kg) to be coded. If the weight is recorded in kilograms, it should be entered in kilograms, and ‘K’ should be coded in the field immediately following, e.g. 60 K.

If the weight is recorded in pounds (lbs), it should be entered in pounds, and ‘P’ should be coded in the field immediately following, e.g. 121 P.

If the weight is not documented as a whole number, round to the nearest whole number

e.g. 60.2 kg = 60 kg
e.g. 60.7 kg = 61 kg.

If weight is recorded in a range, code the highest weight

e.g. 130- 135 lbs = 135 lbs.

If the present weight is unknown, add pre-pregnancy and weight gain.

Code ‘999’ for unknown value

NUMBER OF FETUSES

Code the number of fetuses which the mother carried to delivery during the present pregnancy.

Found on the ‘*BIRTH RECORD*’ or the ‘*PRENATAL RECORD*’ or the ‘*PHYSICIANS ASSESSMENT FORM*’ or The ‘*MATERNAL ADMISSION ASSESSMENT FORM*’.

Use one of the following codes:

| | |
|---|-------------|
| 1 | Singleton |
| 2 | Twins |
| 3 | Triplets |
| 4 | Quadruplets |
| 5 | Quintuplets |

MATERNAL ULTRASOUND

Maternal Ultrasound.

Found on an '*ULTRASOUND REPORT*' within the chart.

Indicate '**Y**' if an ultrasound report is on the chart. When '**Y**' is entered, the ultrasound screen will pop up. Enter appropriate values.

If there is no ultrasound report on the chart but it is documented that the patient had an ultrasound, record '**Y**' indicating that the patient had an ultrasound and click the box stating ultrasound done but no values recorded.

If there is no ultrasound report on the chart and it is not documented that an ultrasound has been done record '**N**'.

FETUS NUMBER

This column holds a value to differentiate between ultrasound studies for multiple births.

For singleton pregnancies, the number will always be 1.

In multiple pregnancies, fetus #1 for first reported baby, fetus #2 for second, etc.

If there is no indication of an ultrasound being done, leave field blank.

DATE OF FIRST ULTRASOUND

Date of earliest ultrasound during this pregnancy where measurements or gestational age of the fetus are recorded.

Found on the '*ULTRASOUND REPORT*'.

Use the following date format: '**YYYYMMDD**'.

If there is no indication of an ultrasound being done, leave field blank.

**NO APPLICABLE DATA
RECORDED**

No applicable data recorded.

If it is indicated on the chart that an Obstetrical Ultrasound was done but none of the applicable values recorded click the NAD box to indicate this fact.

**CHOOSE APPLICABLE
CATEGORY**

Choose a category dependent on the manner in which the data on the earliest ultrasound is reported.

Choose applicable category:

Measurements
Gestational Age

If the earliest ultrasound is reported in both category types, choose one and enter the data in that category completely.

**CROWN RUMP LENGTH
MEASUREMENT**

Crown/rump length recorded as a measurement during the first ultrasound done in this pregnancy.

Found on the '*ULTRASOUND REPORT*'.

Use the following format: 'XX.X' (in centimeters).

Decimal points must be entered.

If the crown/rump length is recorded, capture this measurement only.

If the crown/rump length is not recorded on the first ultrasound (with measurements) for this pregnancy, leave this field blank, and record values for the following four variables; **biparietal diameter, head circumference, abdominal circumference, and femur length.**

If the **crown rump** length is recorded you do not have to fill in the other values.

**BIPARIETAL DIAMETER
MEASUREMENT**

Biparietal diameter recorded as a measurement during the first ultrasound done in this pregnancy.

Found on the '*ULTRASOUND REPORT*'.

Use the following format: 'XX.X' (in centimeters).

Decimal points must be entered.

If the **crow**n rump length measurement has been recorded, leave the field blank.

**HEAD CIRCUMFERENCE
MEASUREMENT**

Head circumference recorded as a measurement during the first first ultrasound done in this pregnancy.

Found on the '*ULTRASOUND REPORT*'.

Use the following format: 'XX.X' (in centimeters).

Decimal points must be entered.

If the **crow**n rump length measurement has been recorded, leave the field blank.

**ABDOMINAL
CIRCUMFERENCE
MEASUREMENT**

Abdominal circumference recorded as a measurement during the first ultrasound done in this pregnancy.

Found on the '*ULTRASOUND REPORT*'.

Use the following format: 'XX.X' (in centimeters).

Decimal points must be entered.

If the **crow**n rump length measurement has been recorded, leave the field blank.

**FEMUR LENGTH
MEASUREMENT**

Femur length recorded as a measurement during the first ultrasound done in this pregnancy.

Found on the '*ULTRASOUND REPORT*'.

Use the following format: 'XX.X' (in centimeters).

Decimal points must be entered.

If the **crown rump** length measurement has been recorded, leave the field blank.

**CROWN RUMP LENGTH
GESTATIONAL AGE**

Crown Rump Length recorded as gestational age (in weeks and days) during the first ultrasound done in this pregnancy.

Found on the '*ULTRASOUND REPORT*'.

Use the following format: weeks and days.

If the crown rump length gestational age is recorded, capture this gestational age only.

If the crown rump length gestational age is not recorded on the first ultrasound (in weeks and days) for this pregnancy, leave this field blank and record values for the following four variables: **biparietal diameter** gestational age, **head circumference** gestational age, **abdominal circumference** gestational age, and **femur length** gestational age.

If the **crown rump** length gestational age is recorded do not fill in the other values.

BIPARIETAL DIAMETER
GESTATIONAL AGE

Biparietal diameter recorded as gestational age (in weeks and days) during the first ultrasound done in this pregnancy.

Found on the 'ULTRASOUND REPORT'.

Use the following format: weeks and days.

If the **crown rump** length gestational age has been recorded, leave this field blank.

HEAD CIRCUMFERENCE
GESTATIONAL AGE

Head circumference recorded as gestational age (in weeks and days) during the first ultrasound done in this pregnancy.

Found on the 'ULTRASOUND REPORT'.

Use the following format: weeks and days.

If the **crown rump** length gestational age has been recorded, leave this field blank.

ABDOMINAL
CIRCUMFERENCE
GESTATIONAL AGE

Abdominal circumference recorded as gestational age (in weeks and days) during the first ultrasound done in this pregnancy.

Found on the 'ULTRASOUND REPORT'.

Use the following format: weeks and days.

If the **crown rump** length gestational age has been recorded, leave this field blank.

FEMUR LENGTH
GESTATIONAL AGE

Femur length recorded as gestational age (in weeks and days) during the first ultrasound done in this pregnancy.

Found on the 'ULTRASOUND REPORT'.

Use the following format: weeks and days.

If the **crow**n **rump** length gestational age has been recorded, leave this field blank.

MATERNAL SCREENING TEST

Found on 'LAB REPORTS', 'DIAGNOSTIC IMAGING REPORTS' or documented on the 'PRENATAL RECORD'.

Review reports for evidence that specified screening tests were done. If lab/diagnostic imaging reports are not available, review the prenatal record for evidence that the screening was done or not done.

If there is no documentation indicate Unknown.

Group B Strep Screening (usually done at 35-37 weeks)

| | |
|---|--------------|
| Y | Yes, done |
| N | No, not done |
| U | Unknown |

Nuchal Translucency

| | |
|---|--------------|
| Y | Yes, done |
| N | No, not done |
| U | Unknown |

*Nuchal Translucency is an ultrasound review done between 10 and 14 weeks gestation only and reported as nuchal translucency. **Do not capture as Yes if noted as nuchal fold or nuchal thickness.**

HIV Testing

| | |
|---|--------------|
| Y | Yes, done |
| D | Declined |
| U | Unknown |
| N | No, not done |

Maternal Serum

| | |
|---|--------------|
| Y | Yes, done |
| D | Declined |
| U | Unknown |
| N | No, not done |

DISCHARGE DATE

Mother's discharge date from hospital.

Found on the '*NURSES NOTES*'.

Use the following format: 'YYYYMMDD'.

DISCHARGE TIME

Mother's discharge time from hospital.

Found on the '*NURSES NOTES*'.

Use the following format: 'HHMM'.

'HH' is in range 0-23, 'MM' is in range 0-59.

If discharge time is not documented leave blank and code '9' in the field immediately following.

MOTHER DISCHARGED TO

The immediate destination of patient on discharge.

Found in the '*NURSES NOTES*' or the '*HOSPITAL ADMISSION FORM*' or the '*PHYSICIANS ORDER SHEET*'.

Code using one of the standard 2 digit provincial codes for hospitals found on pages 11-15 or use one of the following codes:

- 9 Maternal death
- 0 Home

MATERNAL PRIMARY CAUSE OF DEATH

Found on '*DEATH CERTIFICATE*' or stated by the physician.

This field will autofill if mother lived.

Use **one** of the following options:

| | |
|------|-----------------------|
| 7777 | Lived |
| OTHR | Other |
| PEMB | Pulmonary Embolus |
| PPHM | Postpartum Hemorrhage |
| STRK | Stroke |

AUTOPSY

Completion of maternal autopsy.

Found on the '*DEATH CERTIFICATE*' or the '*AUTOPSY REPORT*'.

This field will autofill if the mother lived.

Code using one of the following:

| | |
|-----|---------------------------|
| LVD | Lived (not applicable) |
| YES | Died and autopsy done |
| NO | Died but autopsy not done |

**MATERNAL STEROID
THERAPY**

Maternal Steroid Therapy.

Found on the '*MEDICATION SHEET*' or on the '*PRENATAL RECORD*'.

Code the earliest dose of the first course of treatment. For stillbirths, estimate duration of therapy to time of delivery.

In the case of multiples code for birth order 1 only.

Code one of the following:

Dexamethasone

| | |
|---|--|
| 1 | < 24 hours before delivery |
| 2 | 24 to 48 hours before delivery |
| 3 | >48 hours but less than or equal to 7 days before delivery |
| 4 | >7 days before delivery |
| 5 | Unknown when administered |

Betamethasone (Celestone)

| | |
|----|--|
| 6 | < 24 hours before delivery |
| 7 | 24 to 48 hours before delivery |
| 8 | >48 hours but less than or equal to 7 days before delivery |
| 9 | >7 days before delivery |
| 10 | Unknown when administered |

Unknown Steroid

| | |
|----|--|
| 11 | < 24 hours before delivery |
| 12 | 24 to 48 hours before delivery |
| 13 | >48 hours but less than or equal to 7 days before delivery |
| 14 | >7 days before delivery |
| 15 | Unknown when administered |

**ANALGESIA ADMINISTERED
DURING LABOUR**
(excluding stillbirths)

Analgesia Administered during labour.

Found on the 'BIRTH RECORD', 'MEDICATION SHEETS' or the 'PARTOGRAM'.

Choose only **one** drug and the route administered.

Choose the drug administered **closest** to the time of delivery.

Drug

| | |
|----|--|
| 1 | Demerol (Meperidine) |
| 2 | Dilaudid (Hydromorphone HCl) |
| 3 | Fentanyl (Sublimaze) |
| 4 | Largactil (Chlorpromazine Tranquillizer) |
| 5 | Morphine (includes Opium; Pantopon) |
| 6 | Nembutal (Pentobarbital Hypnotic) |
| 7 | Nubain (Nalbuphine) |
| 8 | Phenergan (Promethazine Tranquillizer) |
| 9 | Seconal (Secobarbital) |
| 10 | Sparine (Promazine Tranquillizer) |
| 11 | Talwin (Pentazocine) |
| 12 | Tuinal (Amo-Secobarb Hypnotic) |
| 13 | Valium (Diazepam Tranquillizer) |
| 14 | Other Specified Analgesia during labour |

ROUTE OF ADMINISTRATION

Route of Administration.

Choose only **one** route of administration for the drug given closest to the time of delivery.

| | |
|----|---|
| 1 | Unknown route, <1 hr. prior to delivery |
| 2 | Unknown route, 1<2 hr. prior to delivery |
| 3 | Unknown route, 2-4 hr. prior to delivery |
| 4 | Unknown route, > 4 hr., prior to delivery |
| 5 | I.M., <1 hr. prior to delivery |
| 6 | I.M., 1<2 hr. prior to delivery |
| 7 | I.M., 2-4hr. prior to delivery |
| 8 | I.M., >4 hr. prior to delivery |
| 9 | I.V., <1 hr. prior to delivery |
| 10 | I.V., 1<2 hr. prior to delivery |
| 11 | I.V., 2-4 hr. prior to delivery |
| 12 | I.V., >4 hr. prior to delivery |

**ANTIBIOTIC THERAPY
ADMINISTERED DURING
ANTEPARTUM PERIOD**

Antibiotic therapy administered during the antepartum period.

Found on the '*BIRTH RECORD*', '*MEDICATION SHEETS*' or the '*PARTOGRAM*'.

If documented, enter 'Y' for Yes. If no antibiotics were administered, leave blank.

Code 'Y' if antibiotic is given during the admission, even if it is for a non-pregnancy related condition.

If antibiotic therapy was started before admission, code the time and date started if within 10 days of admission. If the mother was on antibiotics prior to admission and the date is not documented, record unknown.

**ANTIBIOTIC THERAPY
ADMINISTERED DURING
INTRAPARTUM PERIOD
(NOT FOR GBS)**

Antibiotic therapy administered during the intrapartum period (not for GBS), **including administration during C-Section.**

Found on the '*BIRTH RECORD*', '*MEDICATION SHEETS*' or the '*PARTOGRAM*'.

If documented, enter 'Y' for YES. If no antibiotics were administered, leave blank.

Code Y if antibiotic is given during the admission, even if it is for a non-pregnancy related condition.

**ANTIBIOTIC THERAPY
ADMINISTERED DURING
POSTPARTUM PERIOD**

Antibiotic therapy administered during postpartum period.

Found on the '*BIRTH RECORD*', '*MEDICATION SHEETS*' or the '*PARTOGRAM*'.

Code 'Y' if antibiotic is given during the admission, even if it is for a non-pregnancy related condition.

**PROPHYLAXIS FOR GBS
ADMINISTERED DURING
INTRAPARTUM PERIOD**

Prophylaxis for GBS administered during intrapartum period.

Found on the '*BIRTH RECORD*', '*MEDICATION SHEETS*' or the '*PARTOGRAM*'.

If documented as "prophylaxis for GBS" code 'Y' for Yes.

If there is **NO** note to indicate administration is for GBS prophylaxis but antibiotics given during the intrapartum period, code as administered during intrapartum period.

ANTIBIOTIC DATE

Date antibiotic therapy first given.

Found on '*MEDICATION SHEETS*'.

Use the following format: 'YYYYMMDD'.

Record the date of the first antibiotic therapy given to the mother during the hospital stay.

If date of first antibiotic therapy is not documented, leave date field blank and enter '9' in the field immediately following.

If the mother was on antibiotics at admission, enter the date of the start of the antibiotic before admission, if documented. If the mother was on antibiotics prior to admission and the date not documented, record unknown.

ANTIBIOTIC TIME

Time antibiotic therapy first given.

Found on '*MEDICATION SHEETS*'.

Use the following format: 'HHMM'.

'HH' is in the range 0-23; 'MM' is in range 0-59.

Record the time of the first antibiotic therapy given to the mother during the hospital stay.

If time of first antibiotic therapy is not documented, leave time field blank and enter '9' in the field immediately following.

If the mother was on antibiotics at admission, enter the time of the start of the antibiotic before admission, if documented. If the mother was on antibiotics prior to admission and the time not documented, record unknown.

PROCESS STATUS

Indicates the coding status of delivered routine information.

Select one of the following:

- 2 Coding of chart in process. *The case is set to 2 automatically when it is accessed by the coder for the first time.*
- 3 Coding of delivered information completed. Once data has been 'frozen' (status 4 or 5), any necessary changes or corrections must be forwarded to the Clinical Data Coordinator at RCP.

Routine Information – Labour

BIRTH ORDER

Found on the '*BIRTH RECORD*' or the '*OPERATIVE REPORT*'.

Use one of the following codes:

| | |
|---|---------------------------------------|
| 1 | Singleton, or first born of multiples |
| 2 | Second born of multiples |
| 3 | Third born of multiples |
| 4 | Fourth born of multiples |
| 5 | Fifth born of multiples |

-etc-

DATE OF RUPTURE OF MEMBRANES

Date of rupture of membranes (ROM).

Found on the '*BIRTH RECORD*'

Use the following format: 'YYYYMMDD'.

If there is more than one rupture of membranes, code the earliest date recorded.

If the patient has an elective C-section and there is no history of prior rupture of membranes, use the date of birth as the date of rupture of membranes, since membranes would have been ruptured on the day of delivery.

If the date of rupture of membranes is unknown, leave 'Rupt Date' blank and code '9' in the field immediately following.

**TIME OF RUPTURE OF
MEMBRANES**

Time of rupture of membranes (ROM).

Found on the '*BIRTH RECORD*'.

Use the following format: 'HHMM' where 'HH' is in the range of 0-23 and 'MM' is in the range of 0-59.

If there is more than one rupture of membranes, record the earliest time.

If the patient has a C-section and there is no history of prior rupture of membranes, use the time of birth as the time of rupture of membranes, since membranes would have to be ruptured to deliver.

When membranes are known to have ruptured within 5 minutes of delivery and the exact time not specified, then the time of birth should be coded as the time of rupture of membranes.

If more than 5 minutes and exact time not specified, then leave 'Rupture Time' blank and code '9' in the field immediately following.

In situations of long rupture and when the date is known, but the time is not specified, code the appropriate date, leave 'Rupture Time' blank and code '9' in the field immediately following.

If the time of rupture of membranes is unknown, leave 'Rupt Time' blank and code '9' in the field immediately following.

TYPE OF RUPTURE OF MEMBRANES

Type of rupture of membranes (ROM).

Found on the 'BIRTH RECORD'.

Code using one of the following:

| | |
|---|-------------|
| S | Spontaneous |
| A | Artificial |
| C | Suspected |
| 9 | Unknown |

If there is more than one rupture of membranes, code the type based on the first rupture of membranes.

If the patient has a C-section and there is no history of prior rupture of membranes, code the type of rupture as 'artificial'.

Code 'Suspected' if documented as suspected on the 'Birth Record' with no other documentation of an actual time or date of a spontaneous or artificial rupture of membranes.

MECONIUM STAINING

Meconium staining of the amniotic fluid.

Found on the '*BIRTH RECORD*' or the '*NURSES NOTES*'.

Do **not** code 'Y' if documentation states 'as noted at time of birth or delivery'.

Code using one of the following:

Y Yes
N No

Code '9' for unknown.

LABOUR

Initiation of labour.

Found on the '*BIRTH RECORD*' or '*PARTOGRAM*'.

Code using one of the following:

| | |
|---|--|
| S | Spontaneous onset of labour (include augmentation of spontaneous labour) |
| I | Artificial induction of labour (does not include augmentation of labour) |
| N | No labour prior to delivery (e.g. elective repeat C-section) |
| A | Attempted induction. This is to be used if an attempt at inducing labour has been made but no labour happens. (Failed induction) |

If the cervical dilatation is ≥ 3 cm when the oxytocin and/or prostin is initiated, code labour as spontaneous (**S**) and this will be an augmentation.

If the cervical dialation is <3 cm or there are no regular contractions when the oxytocin and/or prostaglandin is initiated, code labour as induced (**I**).

**INDICATION FOR
INDUCTION OF
LABOUR**

Reason for induction of labour.

Found on the '*BIRTH RECORD*', the '*PHYSICIANS ASSESSMENT FORM*' or the '*MATERNAL ASSESSMENT*'.

Code using one of the following:

| | |
|----|---|
| 0 | Not induced |
| 1 | Elective |
| 2 | Fetal growth restriction |
| 3 | Diabetes |
| 4 | Post dates |
| 5 | Premature rupture of membranes without chorioamnionitis |
| 6 | Premature rupture of membranes with clinical chorioamnionitis |
| 7 | Isoimmunization |
| 8 | History of precipitate labour |
| 9 | (Possible) fetal distress; low planning score |
| 10 | Intrauterine death |
| 11 | Geographic |
| 12 | Hypertension |
| 13 | Other |
| 14 | Oligohydramnois (decreased amniotic fluid) |
| 15 | Fetal anomaly |
| 16 | Polyhydramnois |
| 17 | Multiple pregnancy |
| 18 | PUPP |
| 19 | Cholestatic jaundice |
| 20 | Thrombocytopenia |
| 21 | Previous fetal death/poor obstetrical history |
| 22 | Seizure |
| 23 | Macrosomia |
| 24 | No indication given |
| 25 | Advanced maternal age |
| 26 | Maternal request |
| 27 | Vaginal bleeding |
| 28 | Positive Group B Strep with rupture of membranes |

**INDUCTION OR ATTEMPT
AT INDUCTION OF
LABOUR PLACE**

Induction or attempt at induction of labour place.

Found on the '*BIRTH RECORD*', the '*PHYSICIANS ASSESSMENT FORM*', or the '*MATERNAL ADMISSION FORM*'.

| | |
|---|-------------------------------|
| 1 | Inpatient |
| 2 | Outpatient |
| 3 | Both inpatient and outpatient |

Code '9' for unknown.

**INDUCTION OR ATTEMPT
AT INDUCTION OF LABOUR
(METHODS/AGENTS)**

Induction or attempt at induction of labour methods/agents

Found on the '*BIRTH RECORD*', the '*PHYSICIANS ASSESSMENT FORM*', or the '*MATERNAL ADMISSION FORM*'.

If labour was induced, enter 'Y' for each documented method/agent used in an attempt to induce labour.

Artificial rupture of membranes, if clearly stated to induced labour

Y = Yes

Cervical catheter

Y = Yes

Oxytocin

Y = Yes

If oxytocin is given, when you enter 'Y', the date and time fields immediately following will open to be entered.

OXYTOCIN DATE

Date Oxytocin therapy first given.

Found on '*PARTOGRAM*'.

Use the following format: 'YYYYMMDD'.

If date of Oxytocin therapy is not documented, leave date field blank and enter '9' in the field immediately following.

If Oxytocin is administered more than one time during a delivered admission, record the date of the administration that started labour and resulted in the delivery of an infant(s).

OXYTOCIN TIME

Time Oxytocin therapy first given.

Found on '*PARTOGRAM*'.

Use the following format: 'HHMM'.

'HH' is the range of 0-23, 'MM' is in the range of 0-59.

If time of Oxytocin therapy is not documented, leave time field blank and enter '9' in the field immediately following.

If Oxytocin is administered more than once during a delivered admission, record the time of the administration that started labour and resulted in the delivery of an infant(s).

**INDUCTION OR ATTEMPT AT
INDUCTION OF LABOUR
METHODS/AGENTS
(con't)**

Induction or attempt at induction of labour methods/agents.

Prostaglandin Oral

Y = Yes

Prostaglandin Vaginal or Cervical

Y = Yes

Other Specified Agents

Y = Yes

If method/agent of induction is **not known or documented**, code '9' in the artificial rupture of membranes field to indicate Unknown.

**DATE OF ADMISSION TO
LABOUR /DELIVERY**

Date of admission to the labour and delivery room and delivered before discharged from the unit.

Found on the '*PARTOGRAM*' or the '*PROGRESS NOTES*' or '*MATERNAL ADMISSION ASSESSMENT FORM*'.

Use the following format: 'YYYYMMDD'.

If date of admission to LDR is unknown, leave 'LDR Date' blank and code '9' in the field immediately following.

**TIME OF ADMISSION TO
LABOUR/DELIVERY ROOM**

Time of admission to the labour and delivery room and delivered before discharged from the unit.

Found on the '*PARTOGRAM*' or the '*PROGRESS NOTES*' or '*MATERNAL ADMISSION ASSESSMENT FORM*'.

Use the following format: 'HHMM'. 'HH' is in range 0-23, 'MM' is in range 0-59.

If time of admission to LDR is unknown, leave 'LDR Time' blank and code '9' in the field immediately following.

**DILATATION AT TIME OF
ADMISSION TO
LABOUR/DELIVERY ROOM**

Cervical dilatation at admission to the labour and delivery room and delivered before discharge from the unit.

Found on the '*PARTOGRAM*'.

Code using the following format: 'XX' where 'XX' represents the dilatation in centimeters

Code the first dilatation recorded within 2 hours of admission to the LDR. Round the dilatation down to the nearest centimeter, e.g. 3.5 would be coded as 3.

Code '99' for unknown.

MEDICAL AUGMENTATION

Use of Oxytocin to improve contractions after labour has started spontaneously.

Found on the '*PARTOGRAM*' or '*BIRTH RECORD*'.

Code using one of the following:

| | |
|---|----------------|
| Y | Yes |
| N | No |
| 9 | Unknown |
| 7 | Not applicable |

**DATE OF MEDICAL
AUGMENTATION**

Date of initiation of Oxytocin administration for medical augmentation.

Found on the '*PARTOGRAM*'.

Use the following format: 'YYYYMMDD'.

If date of medical augmentation is unknown, leave 'Augmentation Date' blank and code '9' in the field immediately following.

**TIME OF MEDICAL
AUGMENTATION**

Time of initiation of Oxytocin administration for medical augmentation.

Found on the '*PARTOGRAM*'.

Use the following format: 'HHMM', 'HH' is the range 0-23. 'MM' is in range 0-59.

If time of medical augmentation is unknown, leave 'Augmentation Time' blank, and code '9' in the field immediately following.

**CERVICAL DILATION AT
TIME OF MEDICAL
AUGMENTATION**

Cervical dilatation at time of medical augmentation.

Found on the '*PARTOGRAM*'.

Code using the following format: 'XX' where 'XX' represents the dilatation in centimeters.

Round the dilatation down to the nearest centimeter, e.g. 3.5 would be coded as 3.

If the dilatation is not documented at time of augmentation, code the last dilatation recorded during the two hours prior to the initiation of the Oxytocin.

Code '99' for unknown.

**DATE WHEN CERVICAL
DILATATION AT 4
CENTIMETERS**

Date when cervical dilatation at 4 cm.

Found on the 'PARTOGRAM' or the 'PROGRESS NOTES'.

Use the following format: 'YYYYMMDD'

Code when first indicated by physician or nurse.

If the patient goes into labour, but has a C-section AND dilatation at C-section is < 4 cm, leave '4 cm date' blank and code '7' in the field immediately following.

If date of cervical dilatation at 4cm is unknown, leave '4 cms date' blank and code '9' in the field immediately following.

**TIME WHEN CERVICAL
DILATATION AT 4
CENTIMETERS**

Time when cervical dilatation at 4 cm.

Found on the 'PARTOGRAM' or the 'PROGRESS NOTES'.

Use the following format: 'HHMM'. 'HH' is in the range 0-23, 'MM' is in range 0-59.

Code when first indicated by physician or nurse.

If not recorded on the Partogram, but dilatation before and after 4 cm is recorded, estimate the time when dilatation would have been 4 cm.

If the patient goes into labour, but has a C-section AND dilatation at C-section is < 4 cm, leave '4 cm time' blank and code '7' in the field immediately following.

If time of cervical dilatation at 4 cm is unknown, leave '4 cm time' blank and code '9' in the field immediately following.

**INITIAL MOTHER AND
BABY CONTACT**

Initial mother and baby contact.

Found on the '*PARTOGRAM OR NURSES NOTES*'.

Code using one of the following:

| | |
|---|---|
| Y | Yes, the boxes skin to skin contact initiated or baby to breast have been checked |
| N | No, if no skin to skin contact or baby to breast is not indicated |
| 7 | If fetal death, enter 7 for not applicable |
| 9 | Unknown, if none of the applicable boxes are checked |

**FETAL SURVEILLANCE
METHODS**

Fetal surveillance methods.

Found on the '*PARTOGRAM*'

Enter Y if a fetal surveillance method has been used for clinical care. When 'Y' is entered, a surveillance methods screen will pop up.

Enter all documented methods used during monitoring of the labour

| | |
|---|---------------------------|
| 1 | Intermittent auscultation |
| 2 | External monitoring |
| 3 | Internal monitoring |

**DATE OF ONSET OF
SECOND STAGE OF
LABOUR**

Defined as full cervical dilatation (10cms.).

Found on the '*BIRTH RECORD*'.

Use the following format: 'YYMMDD'.

If the patient goes into labour, but does not get to second stage prior to having a C-section, leave 'Stage 2 Date' blank, and code '7' in the field immediately following.

If date of stage 2 is unknown, leave 'Stage 2 Date' blank and code '9' in the field immediately following.

**TIME OF ONSET OF
SECOND STAGE OF
LABOUR**

Defined as full cervical dilatation (10cms).

Found on the '*BIRTH RECORD*'.

Use the following format: 'HHMM'

'HH' is in the range 0-23, 'MM' is in range 0-59.

If the patient goes into labour, but does not get to second stage prior to having a C-section, leave 'Stage 2 Time' blank, and code '**7**' in the field immediately following.

If time of stage 2 is unknown, leave 'Stage 2 Time' blank and code '**9**' in the field immediately following.

MODE OF DELIVERY

Mode of delivery.

Found on the '*OPERATIVE REPORT*' or the '*BIRTH RECORD*'.

Code using **one** of the following:

| | |
|-----|---|
| ABD | Abdominal |
| CSC | C-section combined transverse and vertical incision–inverted T and J incision. (This refers to the uterine incision, not skin incision) |
| CSH | C-section / hysterectomy |
| CST | C-section, transverse incision |
| CSV | C-section, classical incision (vertical incision in the body of uterus) |
| CSU | C-section, type unknown |
| LVS | C-section , low vertical incision |
| VAG | Vaginal |

METHOD OF DELIVERY

Method of delivery.

Found on the '*OPERATIVE REPORT*' or the '*BIRTH RECORD*'

Code using **one** of the following:

| | |
|-----|--|
| ABR | Assisted breech |
| ACH | Forceps to after-coming head (Breech – vaginal delivery only) |
| BRE | Breech extraction (Vaginal delivery only) |
| CSF | C-section with forceps |
| CSV | C-section with vacuum |
| CSC | C-section with vacuum and forceps |
| FAF | Failed forceps or failed trial of forceps followed by C-section |
| FCF | Failed forceps followed by C-section with forceps |
| FVC | Attempted forceps and vacuum followed by C-section using forceps and/or vacuum |
| FVV | Attempted forceps followed by vacuum vaginal delivery |
| HIF | High forceps |
| LMF | Low-mid forceps |
| LOF | Low or outlet forceps |
| MIF | Mid-forceps |
| PVE | Podalic version and extraction (Do Not use for C-section) |
| SPT | Spontaneous vaginal |
| VAC | Vacuum followed by C-section |
| VAF | Vacuum followed by forceps |
| VEX | Vacuum extraction, malstrum extraction |
| VFC | Vacuum followed by forceps and than by C-section |
| VCV | Attempted vacuum followed by C-section using forceps and/or vacuum |
| 999 | Unknown method of delivery |

**CERVICAL DILATATION
DURING LAST EXAM PRIOR
TO C-SECTION**

Cervical dilatation during last exam prior to C-section.

Found on the '*PARTOGRAM*' or the '*PROGRESS NOTES*'.

Code using the following format: 'XX' where 'XX' represents the dilatation in centimeters.

Round the dilatation down to the nearest cm, e.g. 3.5 would be coded as 3.

Code '99' for unknown.

**PRESENTATION AT
DELIVERY**

Presentation of infant at delivery.

Found on the '*OPERATIVE REPORT*', '*BIRTH RECORD*' or '*PHYSICIANS ASSESSMENT*'.

Enter VTX (includes LOA, ROA, OT, ROT, LOT, OA, Transverse) UNLESS NOTED AS ONE of the following:

| | |
|-----|---|
| BCH | Breech, other or specified |
| BOW | Brow |
| CPD | Compound presentation |
| FAC | Face |
| FRB | Frank breech |
| FTB | Footling breech |
| POP | Persistent occiput posterior (ROP,LOP,OP) |
| SHL | Shoulder presentation |
| 999 | Unknown |

EPISIOTOMY

Episiotomy.

Found on the '*BIRTH RECORD*' or the '*OPERATIVE REPORT*'.

Code using **one** of the following:

| | |
|---|---------------|
| 0 | Not done |
| 4 | Medio-lateral |
| 6 | Midline |
| 9 | Unknown |

BIRTH WEIGHT

Infant's birth weight. First weight noted after birth.

Found on the '*BIRTH RECORD*' or the '*NEWBORN WEIGHT GRAPH*' in grams.

If an infant was born dead or died after birth and was not weighed, code '**9999**'.

For Siamese twins, split weight between babies.

If a baby has a tumor or growth at time of birth and the tumor or growth is removed shortly after, record actual weight at birth, including tumor or growth.

DO NOT take from Pathology Report.

Code '9999' for unknown.

APGAR SCORE AT 1 MINUTE

APGAR score at 1 minute.

Found on the '*BIRTH RECORD*'.

Code between 0 and 10 for APGAR score.

Code '**99**' for unknown.

'**77**' for fetal death will autofill.

APGAR SCORE AT 5 MINUTES

APGAR score at 5 minutes.

Found on the '*BIRTH RECORD*'.

Code between 0 and 10 for APGAR score.

Code '**99**' for unknown.

'**77**' for fetal death will autofill.

APGAR SCORE AT 10 MINUTES

APGAR score at 10 minutes.

Found on the '*BIRTH RECORD*'.

Code between 0 and 10 for APGAR score.

Code '**99**' for unknown.

'**77**' for fetal death will autofill.

CARE PROVIDER ATTENDING DELIVERY

The care provider attending the delivery.

Found on the '*BIRTH RECORD*' or the '*OPERATIVE RECORD*'.

Code using the Provincial Medical Board Number or Provider Number for Midwives.

Code '**88888**' – if physician is not registered in Nova Scotia

Code '**99999**' – if unknown.

PRIMARY INDICATION FOR C-SECTION

Primary indication for C-section.

Found on the '*OPERATIVE RECORD*' or the '*BIRTH RECORD*' or the '*PROGRESS NOTES*' or the '*CONSULTATION NOTE*'.

Code using one of the following:

| | |
|-----|---|
| AMA | Advanced maternal age |
| APL | Abruptio placenta |
| BCH | Breech |
| DBT | Diabetes |
| CXD | Diseases of the cervix |
| DYS | Dystocia (Cephalopelvic disproportion, (C.P.D), Failure-to-progress, Maternal exhaustion, Cervical stenosis POP, OP) |
| FID | Failed induction |
| FDS | Fetal distress |
| FGT | Fetal growth restriction (retardation) |
| HIV | Human Immunodeficiency Virus |
| HSV | Maternal herpes simplex infection |
| HTD | Hypertensive disorders |
| ISO | Iosimmunization |
| MAC | Macrosomia suspected |
| MAT | Maternal choice (excludes due to previous c-section) or if any medical indication is needed) |
| MLP | Malpresentation (e.g. shoulder, brow, face; excludes breech and transverse lie) |
| MTP | Multiple pregnancy |
| OOC | Other obstetrical conditions |
| OFC | Other fetal conditions |
| PCS | Previous C-section |
| PLC | Prolapsed cord |
| PLP | Placenta previa |
| PTD | Previous traumatic delivery (e.g. 3 rd or 4 th degree tear) |

**PRIMARY INDICATION FOR
C-SECTION (con't)**

| | |
|-----|---|
| PMC | Postmortem C-section |
| PRM | Prolonged rupture of membranes |
| SFA | Fetal anomaly (suspected or diagnosis) |
| SUR | Suspected/imminent uterine rupture |
| TLI | Transverse Lie (include unstable lie and oblique lie) |
| UTS | Uterine surgery, previous |
| VAG | Vaginal delivery (i.e. not applicable) |
| 999 | Unknown |

Routine Information – Infant

INFANT’S UNIT NUMBER

Infant’s hospital unit number.

Found on the health record folder or the ‘*HOSPITAL ADMISSION FORM*’

In a fetal death this field will auto fill ‘7777777777’

GIVEN NAME(S)

Infant’s given name (s).

Found on the ‘*HOSPITAL ADMISSION FORM*’.

SURNAME

Infant’s surname.

Found on the ‘*HOSPITAL ADMISSION FORM*’

SEX

The legal phenotype of the infant regardless of karyotype.

Found on the ‘*BIRTH RECORD*’.

Code using one of the following:

| | |
|---|-----------|
| F | Female |
| M | Male |
| A | Ambiguous |

DATE OF INFANT'S BIRTH

Date of infant's birth.

Found on the '*BIRTH RECORD*'.

Use the following format: 'YYYYMMDD'.

If the date of infant's birth is unknown, leave 'Birth Date' Blank, and code '9' in the field immediately following.

TIME OF INFANT'S BIRTH

Time of infant's birth.

Found on the '*BIRTH RECORD*'.

Use the following format: 'HHMM'.

'HH' is in the range 0-23; 'MM' is in range 0-59.

If the time of infant's birth is unknown, leave 'Birth Time' Blank, and code '9' in the field immediately following.

**DATE OF INFANT'S
ADMISSION TO HOSPITAL**

Date of infant's admission to hospital.

Found on the '*HOSPITAL ADMISSION FORM*'.

Date of infant's admission to hospital will be the same as the birth date and part of demographic download.

If baby was born at home, enroute or in a hospital without obstetrical services, the admit date will be after the birthdate. If delivery hospital indicates one of the noted delivery places, data entry will apply applicable edits.

Use the following format: 'YYYYMMDD'.

**BABY NOT ADMITTED TO
HOSPITAL**

If infant was not admitted to hospital but mother was, contact RCP Clinical Data Coordinator.

**TIME OF INFANT'S
ADMISSION TO
HOSPITAL**

Time of infant's admission to hospital.

Found on the '*HOSPITAL ADMISSION SHEET*'.

Time of infant's admission to hospital will be the same as the birth time and part of demographic download.

If baby was born at home, enroute or in a hospital without obstetrical services, the admit time will be after the birth time. If delivery hospital indicates one of the noted delivery places, data entry will apply applicable edits.

Use the following format 'HHMM'. 'HH' is in the range of 0-23, 'MM' is in the range of 0-59.

TIME OF FETAL DEATH

Time fetal death occurred.

Found on the '*BIRTH RECORD*' or the '*AUTOPSY REPORT*'.

Code using one of the following:

| | |
|----|-----------------------------------|
| AA | After admission and before labour |
| BA | Before admission |
| IP | Intrapartum |
| NA | Not applicable |
| UK | Unknown |

INFANT A/S/D NUMBER

Hospital number referring to the infant’s present admission.

Found on the infant’s ‘*HOSPITAL ADMISSION FORM*’.

Use the following format: ‘CCNNNNNNNN/YY’ where ‘CC’ is the admit type, ‘NNNNNNNN’ is an ascension number related to the number of admissions of the year and ‘YY’ denotes the fiscal year (April 1 to March 31), changing on April 1st of each year. The ‘/’ has to be entered before the ‘YY’ denoting the fiscal year.

Zeroes before the ascension number must be entered if number does not have 7 digits, e.g. AS0000123/05.

Code ‘999999999’ for unknown value

In a fetal death this field will auto fill to ‘777777777777’.

INFANT’S HEALTH CARD NUMBER

Infant’s health card number.

Found on the ‘*HOSPITAL ADMISSION FORM*’.

Record the patient’s **Nova Scotia** Health Card Number or the hospital generated ‘8000’ number for;

Nova Scotia residents admitted without a Nova Scotia Health Card Number.

Patients from outside Nova Scotia.

If a Nova Scotia Health Card Number or hospital generated ‘8000’ number is not available, code:

| | |
|---|---|
| 0 | Nova Scotia patient, health cards not available |
| 0 | Armed Forces |
| 0 | RCMP |
| 0 | First Nations |
| 0 | Self-paying |
| 1 | Patient from outside Nova Scotia |
| 7 | Will auto fill for fetal deaths |

**INFANT'S ATTENDING CARE
PROVIDER (PMB#)**

Care provider most responsible for care of the infant while in hospital.

Found on the '*HOSPITAL ADMISSION FORM*'.

Code using the Provincial Medical Board Number or Provider Number for Midwives.

Code '**8888**' if physician is not registered in Nova Scotia.
Code '**9999**' for unknown.

In a fetal death these fields will auto fill to '**7777**'.

INFANT LENGTH

Infant length in centimeters (cm).

Found on '*PHYSICIANS NEWBORN ASSESSMENT FORM*' or '*NEWBORN NURSING ASSESSMENT FORM*'.

Enter length in centimeters, rounding to the closest whole number. e.g.: 51.7 record as 52 cms.

Enter '**99**' for unknown value.

HEAD CIRCUMFERENCE

Infant head circumference in centimeters (cm).

Found on '*PHYSICIANS NEWBORN EXAMINATION FORM*' or '*NEWBORN NURSING ASSESSMENT FORM*'.

Enter head circumference in centimeters, rounding to the closest whole number. e.g.: 39.7 cms record as 40 cms.

Enter '**99**' for an unknown value.

CLINICAL ESTIMATE OF GESTATIONAL AGE

The closest approximation in weeks to the gestational age obtained by the physical examination of the infant.

Found on the '*PHYSICIAN NEWBORN EXAMINATION FORM*' or the '*NEWBORN BIRTH ASSESSMENT FORM*' or clearing stated by the physician.

Code stated number of completed weeks. The following is a guide.

Documented as ... Use:

| | |
|----------------|---------------------|
| 38 + weeks | 38 |
| 38-40 weeks | 39 |
| 38-39 weeks | 38 |
| >39 weeks | 39 |
| Term | 40 |
| Not documented | 99 (unknown) |

SCN ADMISSION

Infant admitted to the Special Care Nursery; or infants requiring special care in normal nursery when premature nursery not available.

Found in the '*PROGRESS NOTES*'.

Code using one of the following:

| | |
|---|-----|
| Y | Yes |
| N | No |

If 'Y' is entered, complete the SCN screen by entering the admit and discharge date

If 'Y' is entered, complete the SCN screen by entering the admit and discharge date to and from the Special Care Nursery.

If there is more than one admission and discharge to the Special Care Nursery during the same hospital admission, enter the date of the second hospital stay in the next row. Continue until all SCN admissions are recorded.

OUTCOME OF INFANT

Outcome of infant at time of discharge.

Found on the '*INFANT'S PROGRESS NOTES*'.

Code using one of the following:

| | |
|-----|---|
| LVD | Infant lived to be discharge from hospital |
| NND | Live born infant who died before being discharge home from hospital |
| FTD | Fetal death before birth |

**FEEDING DURING
HOSPITAL STAY**

Record one of the following to indicate the method of feeding during the hospital stay.

Found in the 'NURSES NOTES' or the 'PHYSICIAN NEWBORN ADMISSION FORM' or the 'DISCHARGE FORM'.

Code using one of the following:

| | |
|---|---|
| E | Breast milk was exclusively given, breast milk, or expressed breast milk (EBM) during the hospital stay. Cannot have been given any food or liquid other than breast milk. Exception: May be given undiluted drops of syrup consisting of vitamins, mineral supplements, or medicines. Breast milk may be given by the mother, health care provider or family member/supporter. If the baby was given breast milk and water or glucose water record as breast milk and formula. |
| N | Baby was not given any breast milk or expressed breast milk during hospital stay. |
| S | Baby was given breast milk and other supplements, e.g. formula, water, glucose water during hospital stay. |
| 9 | There is no documentation as to how the baby was fed during the hospital stay. |

INFANT’S DISCHARGE DATE

Discharge date of infant’s admission to the hospital of birth.

Found in the ‘*NURSES NOTES*’.

Use the following format: ‘YYYYMMDD’.

INFANT’S DISCHARGE TIME

Discharge time of infant’s admission to the hospital of birth.

Found in the ‘*NURSES NOTES*’.

Use the following format: ‘HHMM’. ‘HH’ is in the range 0-23, ‘MM’ is in range 0-59.

If the time of infant’s discharge is unknown, leave Infant’s discharge time’ blank and code ‘9’ in the field immediately following.

DISCHARGE TO

Immediate destination of infant on discharge from hospital.

Found in the ‘*PHYSICIANS’ PROGRESS NOTES*’ or the ‘*NURSES NOTES*’ or the ‘*PHYSICIANS ORDER SHEET*’.

Code using one of the standard 2-digit provincial coded for hospitals found on pages 11-15 or use one of the following codes:

| | |
|----|--------------|
| 0 | Home |
| -9 | Infant Death |

AUTOPSY

Completion of infant autopsy.

Found on the '*NEWBORN CODING SHEET*' or the '*DEATH CERTIFICATE*' or the '*AUTOPSY REPORT*'.

Code using one of the following:

| | |
|-----|---------------------------|
| LVD | Lived (not applicable) |
| Yes | Died and autopsy done |
| No | Died but autopsy not done |

INFANT'S PRIMARY CAUSE OF DEATH

Infant's primary cause of death.

Found on the '*AUTOPSY REPORT*' or slated by the physician.

Use **one** of the following codes:

| | |
|------|--|
| 7777 | Infant lived |
| ABRP | Abruptio placenta |
| ANEC | Acute necrotizing enterocolitis |
| OAIR | Airway failure |
| AMNO | Amniocentesis |
| ANAL | Analgesia or anaesthesia |
| ASPN | Aspiration |
| CPDP | Chronic pulmonary disease |
| COTR | Complications of treatment |
| ANOM | Congenital anomaly |
| CRLK | Cord loops and/or knots |
| CDOT | Cord, miscellaneous |
| CORP | Cord prolapse |
| DBRN | Degenerative brain disease |
| DUCT | Ductus syndrome of prematurity |
| EXTX | Exchange transfusion |
| FETH | Fetal hemorrhage |
| FMAL | Fetal malnutrition |
| HMDD | Hyaline membrane disease |
| HYDR | Idiopathic hydrops |
| IBOM | Inborn errors of metabolism |
| INFT | Infection |
| IVTF | Intravascular transfusion |
| ISOM | Isoimmunization |
| KERN | Kernicterus |
| MALP | Malpresentation |
| DIAB | Maternal diabetes |
| SHOC | Maternal shock |
| MUSF | Multi-system failure |
| MINF | Myocardial infarction |
| NEOP | Neoplasia |
| TTTX | Twin-to-twin transfusion (Parabiotic syndrome) |
| PPFC | Persistent fetal circulation |
| PLPV | Placenta previa |

INFANT'S PRIMARY CAUSE OF DEATH (con't)

Infant's primary cause of death.

| | |
|------|---|
| AIRL | Pneumothorax pneumomediastinum and/or pneumopericardium |
| PIVH | Primary intraventricular hemorrhage |
| PPHN | Primary pulmonary hypertension |
| PULH | Primary pulmonary hemorrhage |
| RUPU | Ruptured uterus |
| SIDS | Sudden infant death syndrome |
| THAB | Therapeutic abortions |
| TOXM | Toxemia |
| TRAS | Tracheal stenosis |
| TRAU | Trauma (obstetrical) |
| UNEX | Unexplained |
| UXPA | Unexplained peripartum asphyxia |
| VOLV | Acquired volvulus |

DATE OF DEATH

Date of infant's death.

Found in the 'NURSES NOTES' or the 'DISCHARGE NOTE'.

Use the following format: 'YYYYMMDD'.

If death date is unknown, leave blank and code '9' in the field immediately following.

TIME OF DEATH

Time of infant's death.

Found in the 'NURSES NOTES' or the 'DISCHARGE NOTE'.

Use the following format: 'HHMM' is in the range 0-23; 'MM' is in range 0-59.

If death time is unknown, leave blank and code '9' in the field immediately following.

CORD ARTERY pH

Cord artery pH completed.

Found on the '*LAB REPORTS*' or the '*PROGRESS NOTES*'.

Code using one of the following:

| | |
|---|---------|
| Y | Yes |
| N | No |
| 9 | Unknown |

CORD ARTERY pH VALUE

Cord artery pH value.

Found on the '*LAB REPORTS*'.

Use the following format: X.XX'

Decimal point must be entered if the value is not a whole number
e.g. 7.14.

If the value is a whole number, enter that number e.g. 7

Allowed range is 6.4 to 7.8.

If it is outside this range and valid contact the RCP Clinical Data Coordinator.

Code '99' for unknown.

'77' will auto fill for not applicable or fetal death.

pCO₂ VALUE

pCO₂ value.

Found on the '*LAB REPORTS*'.

Decimal points must be entered if the value is not a whole number e.g. 56.9.

If the value is a whole number, enter that number e.g. 56.

Allowed range is 0 to 130.

If it is outside this range and valid contact the RCP Clinical Data Coordinator.

Code '999' for unknown.

'777' will auto fill for not applicable or fetal death.

BASE EXCESS VALUE

Base excess value.

Found on the '*LAB REPORTS*'.

Use the following format: 'YXX' where Y is a negative sign (-) and 'XX' is the value or 'XX' where the value is positive.

Allowed range is 10 to -30

If it is outside the range and valid contact the RCP Clinical Data Coordinator.

Code '999' for unknown.

'777' will auto fill for not applicable or fetal death.

**FETAL MALNUTRITION/
SOFT TISSUE WASTING**

Fetal malnutrition or soft tissue wasting.

Found in the '*DISCHARGE SUMMARY*' or '*NEONATOLOGIST LISTING*'.

Choose one of the following:

| | |
|---|------------------|
| 1 | Moderate wasting |
| 2 | Severe wasting |

TWIN TYPE

Twin type.

Found in the '*DISCHARGE SUMMARY*' or '*NEONATOLOGIST LISTING*'.

Choose from the following list:

| | |
|---|---|
| 1 | Monoamniotic (one amniotic sac) |
| 2 | Monochorionic, diamniotic |
| 3 | Dichorionic, dissimilar sexes or blood groups |
| 4 | Dichorionic, similar sexes and blood groups |
| 5 | Dichorionic, similar sexes, blood groups undetermined |
| 6 | Undetermined |
| 7 | Siamese (conjoined) twins |

ELECTIVE NON-RESUSCITATION

Elective non-resuscitation.

Found in the '*DISCHARGE SUMMARY*' or '*NEONATOLOGIST LISTING*'.

Choose from the following list:

| | |
|---|--|
| 1 | Do not resuscitate order on chart |
| 2 | Withdrawal of ventilator care with Do Not Resuscitate order on chart |
| 3 | Non-resuscitation in labour and delivery room |

RETINOPATHY OF PREMATURITY

Retinopathy of Prematurity.

Found on the '*DISCHARGE SUMMARY*'.

Code one of the following:

| | | |
|---|---------|-----------------------------------|
| 1 | Stage 1 | Peripheral vascular straightening |
| 2 | Stage 2 | Peripheral shunt well seen |
| 3 | Stage 3 | Vessels growing into vitreous |
| 4 | Stage 4 | Retinal detachment |

FINNEGAN SCORE

Finnegan score.

Found on the '*DISCHARGE SUMMARY*'.

Code one of the following:

| | |
|---|--|
| 1 | Neonatal abstinence syndrome diagnosis, treated with narcotics |
| 2 | Neonatal abstinence syndrome diagnosis, not treated with narcotics |
| 3 | No Neonatal abstinence syndrome diagnosis |

**CHROMOSOMAL
ABNORMALITIES**

Chromosomal abnormalities.

Found in the '*GENETICS REPORT*' or '*NEONATOLOGIST LISTING*'.

Code one chromosomal abnormality from the listing:

| | |
|----|--------------------|
| 1 | Aneuploidy |
| 2 | Chimerism |
| 3 | Mosaicism |
| 4 | Triploidy |
| 5 | Deletion |
| 6 | Duplication |
| 7 | Microdeletion |
| 8 | Monosomy |
| 9 | Ring |
| 10 | Tandem repeat |
| 11 | Trisomy |
| 12 | Uniparental disomy |
| 13 | Translocation |

Please note that chromosome numbers are from 1 to 23 and X and Y.

If Aneuploidy, Chimerism or Triploidy are selected you DO NOT have to code the chromosome affected chromosome . You DO NOT have to code the affected arm (p or q) or the site on the arm.

If Mosaicism, Deletion, Duplication, Microdeletion, Monosomy, Ring, Tandem Repeat, Trisomy or Uniparental Disomy are selected code also the affected chromosome. You DO NOT have to code the affected arm (p or q) or the site on the arm if not documented.

If Translocation is selected two chromosomes should be coded. You DO NOT have to code the affected arm (p or q) or the site on the arm if not documented.

UNDELIVERED ADMISSION

Routine information – undelivered

Any admission of a woman to a facility during pregnancy in which delivery does not take place.

ADMITTED FROM

Patient's location immediately prior to admission.

Found on the 'HOSPITAL ADMISSION FORM'.

If patient is transferred from another hospital, record the standard 2-digit provincial code number for that facility found on page 11-15.

If patient comes from Emergency room of another facility without having been admitted to the facility, code '0', admitted from home.

GRAVIDA

The number of pregnancies, including the present pregnancy.

Found on the '*PRENATAL RECORD*', or the '*MATERNAL ADMISSION ASSESSMENT FORM*' or the '*PHYSICIANS ASSESSMENT FORM*'.

Code '99' for unknown.

PARA

The number of pregnancies, excluding the present pregnancy, which resulted in one or more infants weighting 500 grams or more at birth or 20 weeks gestational age regardless of whether such infants were still stillborn, died after birth or lived.

Found on the '*PRENATAL RECORD*', or the '*MATERNAL ADMISSION ASSESSMENT FORM*' or the '*PHYSICIANS ASSESSMENT FORM*'.

Code '**99**' for unknown.

ABORTIONS

The number of pregnancies, excluding the present pregnancy, which resulted in all fetuses weighting less than 500 grams or, when weight not known, less than 20 weeks gestation, regardless of whether the fetus was born alive.

Found on '*PRENATAL RECORD*' or the '*MATERNAL ADMISSION ASSESSMENT FORM*'.

Code '**99**' for unknown.

SPONTANEOUS ABORTIONS

Number of spontaneous abortions.

Enter the number occurring within the documented category.

Found on the '*PRENATAL RECORD*'.

Code '**99**' for unknown if it is not documented to indicate the number of the category.

THERAPEUTIC ABORTIONS

Number of therapeutic abortions.

Enter the number occurring within the documented category.

Found on the '*PRENATAL RECORD*'.

Code '**99**' for unknown if it is not documented to indicate the number of the category.

UNSPECIFIED ABORTIONS

Number of abortions unspecified as spontaneous or therapeutic.

Found on the '*PRENATAL RECORD*'.

Code '**99**' for unknown if it is not documented to indicate the number of each category.

SCREENING TESTS

Screening test.

Found on ‘*LAB REPORTS*’, ‘*DIAGNOSTIC IMAGING REPORTS*’ or documented on the ‘*PRENATAL RECORD*’.

Look for Lab/Diagnostic Imaging Reports showing that specified screening tests were done. If Lab/Diagnostic Imaging Reports are not available, review the Prenatal Record for evidence that the screening was done or not done. **If there is no documentation indicate Unknown.**

Group B Strep Screening

| | |
|---|---------------|
| Y | Yes - done |
| N | No - not done |
| U | Unknown |

Nuchal Translucency Screening
Nuchal Translucency Screening

| | |
|-------|---------------|
| Y | Yes - done |
| N | No - not done |
| ❖ N U | Unknown |

u
 ❖ Nuchal Translucency is an ultrasound review done between 10 and 14 weeks gestation only and reported as nuchal translucency. Do not capture as Yes if noted as nuchal fold or nuchal thickness

HIV Testing

| | |
|-----------------------|------------|
| Y | Yes – done |
| D | Declined |
| U | Unknown |
| Maternal Serum | done |

Maternal Serum

| | |
|---|------------|
| Y | Yes – done |
| C | D Declined |
| a | U Unknown |
| p | N Not done |

C
 Capture as Yes, if only one of the two tests/screens have been completed.

DISCHARGE DATE

Patient's discharge date from hospital.

Found on the '*NURSES NOTES*'.

Use the following format: 'YYYYMMDD'.

If discharge date is not documented enter '9' in the field immediately following.

DISCHARGE TIME

Patient's discharge time from hospital.

Found on the '*NURSES NOTES*'.

Use the following format: 'HHMM'. 'HH' is in range 0-23, 'MM' is in range 0-59

If discharge time is not documented enter '9' in the field immediately following.

DISCHARGE TO

The immediate destination of patient on discharge.

Found in the '*NURSES NOTES*' or the '*HOSPITAL ADMISSION FORM*' or the '*PHYSICIANS ORDER SHEET*'.

Code using one of the standard 2-digit provincial codes for hospitals found on pages 11-15 or use one of the following codes:

If patient is discharged home, code 0.

Code '-9' for Death.

**MATERNAL PRIMARY
CAUSE OF DEATH**

Maternal primary cause of death.

Found on '*DEATH CERTIFICATE*' or stated by the physician.

This field will auto fill if mother lived.

Use **one** of the following options:

| | |
|------|------------------------|
| 7777 | Lived |
| OTHR | Other |
| PEMB | Pulmonary embolus |
| PPHM | Postpartum hemmorrhage |
| STRK | Stroke |

AUTOPSY

Completion of maternal autopsy.

Found on the '*DEATH CERTIFICATE*' or the '*AUTOPSY REPORT*'.

This field will auto fill if mother lived.

Code using one of the following:

| | |
|-----|---------------------------|
| LVD | Lived (not applicable) |
| Yes | Died and autopsy done |
| No | Died but autopsy not done |

ANTIBIOTIC THERAPY

Antibiotic therapy.

Antibiotics administered during admission.

Found on the '*MEDICATION SHEETS*'.

Enter **Y** if antibiotics administered. If no antibiotics administered, leave **blank**.

Code Y if antibiotic is given during the admission and even if it is for a non-pregnancy related condition.

ANTIBIOTIC DATE

Date antibiotic therapy first given.

Found on '*MEDICATION SHEETS*'.

Use the following format: 'YYYYMMDD'.

Record the date of the first antibiotic therapy given to the mother during the hospital stay.

If date of first antibiotic therapy is not documented, leave date field blank and enter '9' in the field immediately following.

If the mother was on antibiotics at admission, enter the date of the start of the antibiotics before admission, if documented. If the mother was on antibiotic prior to admission and date is not documented, enter '9' in the field immediately following.

ANTIBIOTIC TIME

Time antibiotic therapy first given.

Found on '*MEDICATION SHEETS*'.

Use the following format: 'HHMM'.

'HH' is in range 0-23; 'MM' is in range 0-59.

Record the time of the first antibiotic therapy given to the mother during the hospital stay.

If time of first antibiotic therapy is not documented, leave time field blank and enter '9' in the field immediately following.

If the mother was on antibiotics at admission, enter the time of the start of the antibiotic before admission, if documented. If the mother was on antibiotics prior to admission and the time is not documented, enter '9' in the field immediately following.

PATIENT'S PROCESS STATUS

Indicates the coding status of undelivered routine information.

Code using one of the following:

- 2 Coding of chart in process. The case is set to 2 automatically when it is accessed by the coder for the first time.
- 3 Coding of undelivered information completed.

Once the case is 'frozen' (status 4 or 5) the data can be viewed, but not changed. Status 4 indicates that the data is ready to be transferred; status 5 indicates that data has been transferred.

Once data has been frozen (status 4 or 5), requests for any necessary changes or corrections must be sent to the Clinical Data Coordinator at RCP.

LEFT BLANK INTENTIONALLY

POSTPARTUM ADMISSIONS

Routine Information – Postpartum Admission

Any admission of women up to 6 weeks postpartum.

Also include any admission beyond 6 weeks from delivery if the reason for the admission is stated as related to or caused by the pregnancy and or delivery.

Note:

If a mother is admitted after an emergency birth which occurred in a hospital not providing maternity services or delivery at home, whether planned or unplanned and the mother and baby were transferred to another facility, the hospital receiving the transfer is requested to code the case as a '*DELIVERED ADMISSION*' and not a postpartum admission.

ADMITTED FROM

Patient's location immediately prior to admission.

Found on the '*HOSPITAL ADMISSION FORM*'.

If patient is transferred from another hospital, record the standard 2-digit provincial code number for that facility found on pages 11-15.

If patient comes from home, code '0'.

If a patient comes from the Emergency Room of another facility without having been admitted to the facility, code '0', admitted from home.

GRAVIDA

The number of pregnancies, including the present pregnancy.

Found on the '*PHYSICANS' ASSESSMENT FORM*' or '*PRENATAL RECORD*'.

Code '**99**' for unknown.

PARA

The number of pregnancies, **including the present pregnancy**, which resulted in one or more infants weighting 500 grams or more at birth or 20 weeks gestation or greater gestational age regardless of whether such infants were stillborn, died after birth or lived.

Found on the '*PHYSICANS' ASSESSMENT FORM*' or '*PRENATAL RECORD*'.

Code '**99**' for unknown.

ABORTIONS

The number of pregnancies, excluding the present pregnancy, which resulted in all fetuses weighting less than 500 grams or, when weight not known, less than 20 weeks gestation, regardless of whether the fetus was born alive

Found on the '*PHYSICANS' ASSESSMENT FORM*' or '*PRENATAL RECORD*'

Code '**99**' for unknown.

**SPONTANEOUS
ABORTIONS**

Number of spontaneous abortions.

Enter the number occurring within the documented category.

Found on the '*PRENATAL RECORD*'.

Code '**99**' for unknown if it is not documented to indicate the number of spontaneous abortions.

**THERAPEUTIC
ABORTIONS**

Number of therapeutic abortions.

Enter the number occurring within the documented category.

Found on the '*PRENATAL RECORD*'.

Code '**99**' for unknown if it is not documented to indicate the number of therapeutic abortions.

**UNSPECIFIED
ABORTIONS**

Number of abortions not specified as spontaneous or therapeutic

Found on the '*PRENATAL RECORD*'.

Code '**99**' for unknown if it is not documented to indicate the number of unspecified abortions.

DISCHARGE DATE

Patient's discharge date from hospital.

Found on the '*NURSES NOTES*'.

Use the following format: 'YYYYMMDD'.

DISCHARGE TIME

Patient's discharge time from hospital.

Found on the '*NURSES NOTES*'.

Use the following format: 'HHMM'

'HH' is in range 0-23; 'MM' is in range 0-59.

If discharge time is not documented enter '9' in the field immediately following.

DISCHARGE TO

The immediate destination of patient on discharge.

Found in the '*NURSES NOTES*' or the '*HOSPITAL ADMISSION FORM*' or the '*PHYSICIANS ORDER SHEET*'.

Code using one of the standard 2-digit provincial codes for hospitals found on page 11-15 or use one of the following codes:

If patient is discharge home, code 0.

-9 *Maternal Death.*

**MATERNAL PRIMARY
CAUSE OF DEATH**

Maternal primary cause of death.

Found on ‘*DEATH CERTIFICATE*’ or stated by the physician.

This field will autofill if mother lived.

Use **one** of the following options:

| | |
|------|-----------------------|
| 7777 | Lived |
| OTHR | Other |
| PEMB | Pulmonary embolus |
| PPHM | Postpartum hemorrhage |
| STRK | Stroke |

AUTOPSY

Completion of maternal autopsy.

Found on the ‘*DEATH CERTIFICATE*’ or the ‘*AUTOPSY REPORT*’.

This field will autofill if mother lived.

Code using one of the following:

| | |
|-----|---------------------------|
| LVD | Lived (not applicable) |
| Yes | Died and autopsy done |
| No | Died but autopsy not done |

ANTIBIOTIC THERAPY

Antibiotics administered during admission.

Found on the ‘*MEDICATIONS SHEETS*’.

Enter ‘Y’ if antibiotics administered. If no antibiotics administered, leave **blank**.

Code ‘Y’ if an antibiotic is given during the admission, even if it is got a non-pregnancy related condition.

ANTIBIOTIC DATE

Date antibiotic therapy first given.

Found on '*MEDICATION SHEETS*'.

Use the following format: 'YYYYMMDD'.

Record the date of the first antibiotic therapy given to the mother during the hospital stay.

If date of first antibiotic therapy is not documented, leave date field blank and enter '9' in the field immediately following.

If the mother was on antibiotics at admission, enter the date of the start of the antibiotic before admission, if documented. If the mother was on antibiotics prior to admission and the date not documented, record unknown

ANTIBIOTIC TIME

Time antibiotic therapy first given.

Found on '*MEDICATION SHEETS*'.

Use the following format: 'HHMM'.

'HH' is in the range 0-23; 'MM' is in range 0-59.

Record the time of the first antibiotic therapy given to the mother during the hospital stay.

If time of first antibiotic therapy is not documented, leave time field blank and enter '9' in the field immediately following.

If the mother was on antibiotics at admission, enter the time of the start of the antibiotic before admission, if documented. If the mother was on antibiotics prior to admission and the time not documented, record unknown.

PROCESS STATUS

Indicates the coding status of undelivered routine information.

Code using one of the following:

- 2 Coding of chart in process. The case is set to 2 automatically when it is accessed by the coder for the first time.
- 3 Coding of undelivered information completed.

Once the case is 'frozen' (status 4 or 5) the data can be viewed, but not changed. Status 4 indicates that the data is ready to be transferred; status 5 indicates that data has been transferred.

Once data has been frozen (status 4 or 5), requests for any necessary changes or corrections must be sent to the Clinical Data Coordinator at RCP

LEFT PAGE BLANK INTENTIONALLY

NEONATAL ADMISSIONS

Routine Information – Neonatal Admissions

- 1) Any infant with a birth weight of 500 grams or more, or a gestational age at birth of 20 or more completed weeks admitted or readmitted to hospital up to 27 days, 23 hours 59 minutes after birth.
- 2) Any infant transferred between hospitals that had not been discharged home from hospital.
- 3) Any admission to the Special Care Nursery.

BIRTH ORDER

Infant's order of birth.

Found on the '*BIRTH RECORD*' or the '*OPERATIVE REPORT*'.

Use one of the following codes:

| | |
|---|--|
| 1 | Singleton, or first born of multiples. |
| 2 | Second born of multiples. |
| 3 | Third born of multiples |
| 4 | Fourth born of multiples |
| 5 | Fifth born of multiples. |

-etc-

ADMITTED FROM

Infant's location immediately prior to admission.

Found on the '*HOSPITAL ADMISSION FORM*'.

If patient is transferred from another hospital, record the standard 2-digit provincial code number for that facility found on pages 11-15.

If a patient comes from Emergency Room of another facility without having been admitted to the facility, code '**0**', admitted from home.

If patient comes from home, code '**0**'

BIRTH HOSPITAL

Infant's hospital of birth.

Found on the '*HOSPITAL ADMISSION FORM*' or the '*NURSES NOTES*'.

Code using one of the standard 2-digit provincial codes for hospitals found on page 11-15.

If birth hospital is not documented, enter '99' for unknown.

SCN

Infant admitted to the Special Care Nursery or Premature Nursery; or infants requiring special care in normal nursery where premature nursery not available.

Found in the '*PROGRESS NOTES*'.

Code using one of the following:

Y Yes
N No

If 'Y' is entered, the screen SCN dates will pop up. Enter the admit and discharge dates to and from the Special Care Nursery.

If there is more than one admission and discharge to the Special Care Nursery during the same admission, enter the dates of the second admission in the next row. Continue until all admissions to Special Care Nursery are recorded.

OUTCOME

Outcome of infant at time of discharge

Found on the 'INFANT'S PROGRESS NOTES'.

Code using one of the following:

| | |
|-----|--|
| LVD | Infant lived to be discharged from hospital |
| NND | Live born infant who died before being discharged home from hospital |

BREASTFEEDING

Breastfeeding.

Record one of the following to indicate the method of feeding during the hospital stay.

Found in the 'NURSES NOTES' or the 'PHYSICIANS NEWBORN ADMISSION FORM' or the 'DISCHARGE FORM'.

Code using one of the following:

| | |
|---|--|
| E | Breast milk was exclusively given, breast milk, or expressed breast milk (EBM) during the hospital <i>Cannot have been given any food or liquid other than breast milk. Exception: May be given undiluted drops of syrups consisting of vitamins, mineral supplements, or medicines. Breast milk may be given by the mother, health care provider or family member/supporter.</i> <i>If the baby was given breast milk and water or glucose water record as breast milk and formula.</i> |
| N | Baby was not given any breast milk or expressed breast milk during hospital stay. |
| S | Baby was given breast milk and other supplements, e.g. formula, water, glucose water during hospital stay. |
| 9 | There is no documentation as to how the baby was fed during the hospital stay. |

DISCHARGE DATE

Patient's discharge date from hospital.

Found on the '*NURSES NOTES*'.

Use the following format: 'YYYYMMDD'.

DISCHARGE TIME

Patient's discharge time from hospital.

Found on the '*NURSES NOTES*'.

Use the following format: 'HHMM'.

'HH' is in the range 0-23; 'MM' is in the range 0-59.

If discharge time is not documented enter '9' in the field immediately following.

DISCHARGE TO

The immediate destination of patient on discharge.

Found on the '*NURSES NOTE*' or the '*HOSPITAL ADMISSION FORM*' or the '*PHYSICIAN ORDER SHEET*'.

Code using one of the standard 2-digit provincial codes for hospitals found on pages 11-15 or use one of the following codes:

If patient is discharge home, code '0'.

-9 Death

AUTOPSY

Completion of infant autopsy.

Found on the 'NEWBORN CODING SHEET' or the 'AUTOPSY REPORT'.

The fields will auto fill if infant lived.

Code using one of the following:

| | |
|-----|------------------------------|
| LVD | Lived (e.g., not applicable) |
| Yes | Died and autopsy done |
| No | Died but autopsy not done |

PRIMARY CAUSE OF DEATH

Primary cause of death.

Found on the 'AUTOPSY REPORT' or stated by physician.
The fields will auto fill if infant lived

Use **one** of the following codes:

| | |
|------|---------------------------------|
| 7777 | Infant lived |
| ABRP | Abruptio placenta |
| ANEC | Acute necrotizing enterocolitis |
| OAIR | Airway failure |
| AMNO | Amniocentesis |
| ANAL | Analgesia or anaesthesia |
| ASPN | Aspiration |
| CPDP | Chronic pulmonary disease |
| COTR | Complications of treatment |
| ANOM | Congenital anomaly |
| CRLK | Cord loops and/or knots |
| CDOT | Cord, miscellaneous |
| CORP | Cord prolapsed |
| DBRN | Degenerative brain disease |
| DUCT | Ductus syndrome of prematurity |
| EXTX | Exchange transfusion |
| FETH | Fetal hemorrhage |
| FMAL | Fetal malnutrition |
| HMDD | Hyaline membrane disease |
| HYDR | Idiopathic hydrops |
| IBOM | Inborn errors of metabolism |
| INFT | Infection |

PRIMARY CAUSE OF DEATH (Con't)

| | |
|------|---|
| IVTF | Intravascular transfusion |
| ISOM | Isoimmunization |
| KERN | Kernicterus |
| MALP | Malpresentation |
| DIAB | Maternal diabetes |
| SHOC | Maternal shock |
| MUSF | Multi-system failure |
| MINF | Myocardial infarction |
| NEOP | Neoplasia |
| TTTX | Twin-to-twin transfusion (Parabiotic syndrome) |
| PPFC | Persistent fetal circulation |
| PLPV | Placenta previa |
| AIRL | Pneumothorax pneumomediastinum and/or pneumopericardium |
| PIVH | Primary intraventricular hemorrhage |
| PPHN | Primary pulmonary hypertension |
| PULH | Primary pulmonary hemorrhage |
| RUPU | Ruptured uterus |
| SIDS | Sudden Infant death syndrome |
| THAB | Therapeutic abortions |
| TOXM | Toxemia |
| TRAS | Tracheal stenosis |
| TRAU | Trauma (obstetrical) |
| UNEX | Unexplained |
| UXPA | Unexplained peripartum asphyxia |
| VOLV | Acquired volvulus |

DATE OF DEATH

Date of infant's death.

Found in the 'NURSES NOTES' or the 'NEWBORN CODING SHEET'.

Use the following format: 'YYYYMMDD'.

If date of death is unknown, enter '9' in the field immediately following.

TIME OF DEATH

Time of infant's death.

Found in the 'NURSES NOTES' or the 'NEWBORN CODING SHEET'.

Use the following format: 'HHMM'
'HH' is in the range 0-23;'MM' is in range 0-59.

If time of death is unknown, enter '9' in the field immediately following.

**FETAL MALNUTRITION/
SOFT TISSUE WASTING**

Fetal malnutrition or soft tissue wasting.

Found in 'DISCHARGE SUMMARY' or 'NEONATOLOGIST'S LISTING'.

Choose **one** of the following:

| | |
|---|------------------|
| 1 | Moderate wasting |
| 2 | Severe wasting |

TWIN TYPE

Twin type.

Found in 'DISCHARGE SUMMARY' or 'NEONATOLOGIST'S LISTING'.

Choose **one** from the following list:

| | |
|---|---|
| 1 | Monoamniotic (one amniotic sac) |
| 2 | Monochorionic, diamniotic |
| 3 | Dichorionic , dissimilar sexes or blood groups |
| 4 | Dichorionic, similar sexes and blood groups |
| 5 | Dichorionic, similar sexes, blood groups undetermined |
| 6 | Undetermined |
| 7 | Siamese (conjoined) twins |

ELECTIVE
NON-RESUSCITATION

Elective non-resuscitation.

Found in '*DISCHARGE SUMMARY*' or '*NEONATOLOGIST'S LISTING*'.

Choose **one** from the following list:

| | |
|---|--|
| 1 | Do not resuscitate order on chart |
| 2 | Withdrawal of ventilator care with do not resuscitate order on chart |
| 3 | Non-resuscitation in labour and delivery room |

MATERNAL STEROID THERAPY

Found on the '*MEDICATION SHEET*' or on the '*PRENATAL RECORD*'.

Code the earliest dose of the first course of treatment.

Code **one** of the following:

Dexamethasone

| | |
|---|--|
| 1 | < 24 hours before delivery |
| 2 | 24 to 48 hours before delivery |
| 3 | >48 hours but less than or equal to 7 days before delivery |
| 4 | >7 days before delivery |
| 5 | Unknown when administered |

Betamethasone (Celestone)

| | |
|----|--|
| 6 | < 24 hours before delivery |
| 7 | 24 to 48 hours before delivery |
| 8 | >48 hours but less than or equal to 7 days before delivery |
| 9 | >7 days before delivery |
| 10 | Unknown when administered |

Unknown Steroid

| | |
|----|--|
| 11 | < 24 hours before delivery |
| 12 | 24 to 48 hours before delivery |
| 13 | >48 hours but less than or equal to 7 days before delivery |
| 14 | >7 days before delivery |
| 15 | Unknown when administered |

**RETINOPATHY OF
PREMATURITY**

Retinopathy of Prematurity.

Found on the '*DISCHARGE SUMMARY*'.

Code one of the following:

| | | |
|---|---------|-----------------------------------|
| 1 | Stage 1 | Peripheral vascular straightening |
| 2 | Stage 2 | Peripheral shunt well seen |
| 3 | Stage 3 | Vessels growing into vitreous |
| 4 | Stage 4 | Retinal detachment |

**CHROMOSOMAL
ABNORMALITIES**

Chromosomal abnormalities.

Found in the ‘*GENETICS REPORT*’ or *NEONATOLOGIST’S LISTING*’.

Code one chromosomal abnormality from the listing:

| | |
|----|--------------------|
| 1 | Aneuploidy |
| 2 | Chimerism |
| 3 | Mosaicism |
| 4 | Triploidy |
| 5 | Deletion |
| 6 | Duplication |
| 7 | Microdeletion |
| 8 | Monosomy |
| 9 | Ring |
| 10 | Tandem repeat |
| 11 | Trisomy |
| 12 | Uniparental disomy |
| 13 | Translocation |

Please note that chromosome numbers are from 1 to 23 and X and Y.

If Aneuploidy, Chimerism or Triploidy are selected you DO NOT have to code the chromosome affected chromosome. You DO NOT have to code the affected arm (p or q) or the site on the arm.

If Mosaicism, Deletion, Duplication, Microdeletion, Monosomy, Ring, Tandem Repeat, Trisomy or Uniparental Disomy is selected code also the affected chromosome. You DO NOT have to code the affected arm (p or q) or the site on the arm if not documented.

If Translocation is selected two chromosomes should be coded. You DO NOT have to code the affected arm (p or q) or the site on the arm if not documented.

LEFT PAGE BLANK INTENTIONALLY

ADULT RCP CODES

MATERNAL ANTIBODY CONDITIONS DURING PREGNANCY (R001)

Maternal Antibody conditions during pregnancy.

Found on the '*RED CROSS SHEETS*'.

Choose as many as are indicated.

| | |
|------|---|
| 100 | Anti-La |
| 200 | Anti-D (Not to be used to indicate Rh-mom) |
| 300 | Anti-Big C (CW) |
| 400 | Anti-Big E |
| 500 | Anti-Big S |
| 600 | Anti-Dha (DUCH) |
| 700 | Anti-Fya (Duffy) |
| 800 | Anti-Kell (K1/K2) |
| 900 | Anti-Kidd (JKa) |
| 1000 | Anti-Little c |
| 1100 | Anti-Little e |
| 1200 | Anti-Little s |
| 1300 | Anti-Lutheran (Lua/Lub) |
| 1400 | Anti- Wright |
| 1500 | Antinuclear Antibody (ANA) |
| 1600 | Anti-Cardiolipin |
| 1700 | Anti-Cardiolipin |
| 1800 | Anti- DNA Antibody |
| 1900 | Lupus Antibody (Lupus Anticoagulant) |
| 2000 | Anti-Phospholipid |
| 2100 | Factor V Leiden |
| 2200 | PL-A1 Platelet Antigen Negative |

**MATERNAL CARRIER
STATUS AND/OR
CHRONIC INFECTION
DURING PREGANCY (R002)**

Maternal carrier status and/or chronic infection during pregnancy.

Found on the '*PRENATAL RECORD*' or '*DISCHARGE SUMMARY*'.

Choose as many as are indicated:

| | |
|------|---|
| 100 | Cytomegalovirus |
| 200 | Group B |
| 300 | Herpes Simplex |
| 400 | HIV/Acquired Immune Deficiency Syndrome |
| 600 | Syphilis |
| 700 | Toxoplasmosis |
| 800 | Serum Hepatitis Carrier (Antigen positive: Hepatitis A) |
| 900 | Serum Hepatitis Carrier (Antigen positive: Hepatitis B) |
| 1000 | Serum Hepatitis Carrier (Antigen positive: Hepatitis C) |
| 1100 | Serum Hepatitis Carrier (Antigen positive: Hepatitis viral) |

**MATERNAL DRUG
THERAPIES FOR SPECIFIC
CONDITIONS OF PREGNANCY,
DELIVERY AND POSTPARTUM
(R003)**

Maternal drug therapies for specific conditions of pregnancy, deliveries and postpartum.

Found on the '*PRENATAL RECORD*'.

Choose as many as are indicated:

| | |
|-------|---|
| 100 | Adalat (nifedipine for premature labour) |
| 300 | Atosiban for premature labour |
| 400 | Hemabate for postpartum hemorrhage |
| 500 | Indocid (Indomethacin) for premature labour |
| 600 | Indocid(Indomethacin) for tx of polyhydramnios |
| *700 | MgSO ₄ for hypertension or seizures (i.e. Eclampsia prophylaxis or treatment). |
| 900 | Pentaspain for postpartum hemorrhage |
| 1000 | Terbutaline (Bricanyl) for premature labour |
| 1100 | Ventolin for premature labour |
| 1200 | Other Drugs for specific pregnancy, delivery or postpartum conditions |
| 1300 | Ergot for postpartum hemorrhage |
| 1400 | Misoprostil for postpartum hemorrhage |
| *1500 | MgSO ₄ therapy for neuroprotection |
| *1600 | MgSO ₄ therapy for unknown reason |
| 1700 | Adalat for hypertension |
| 1800 | Ephedrine for hypotension, post-epidural or spinal anesthesia |
| 1900 | Phenylephrine for hypotension, post-epidural or spinal anesthesia |

*Note: There should be clear document for the use of MgSO₄ (Magnesium Sulfate therapy) noted in the chart. If it is not noted as being used for hypertension or as a neuroprotector, then code as unknown use.

MATERNAL DRUG THERAPY
DURING PREGNANCY/
POSTPARTUM PERIOD
(R004)

Maternal drug therapy during pregnancy/postpartum period.

Found on the 'PRENATAL RECORD'.

Choose as many as are indicated.

Code if noted taken before found out was pregnant.

| | |
|-------|--|
| 100 | Anti-coagulation therapy |
| 200 | Anti-depressives |
| 300 | Anti-epileptics |
| 400 | Anti-hypertensives |
| 500 | Chronic narcotic use (not abuse, when indicated for medical problems, i.e. back pain) |
| 600 | Lithium |
| 700 | Methadone (therapy, not abuse) |
| 800 | Other Psychiatric Medications |
| 900 | Other Specified |
| 1000 | ASA Therapy (low dose aspirin therapy for Lupus and/or any other autoimmune conditions) |
| 1100 | Insulin therapy |
| 1200 | Thyroid medication |
| *1300 | Anti-anxiety medication |
| 1400 | Nicotine replacement |
| 1500 | Tamiflu |
| 1600 | Relenza |

*Note: If a patient has taken anti-anxiety medication before pregnancy confirmed or in early pregnancy but discontinues once pregnancy confirmed capture under this code.

**MATERNAL DRUG AND
CHEMICAL ABUSE
DURING PREGNANCY
(R005)**

Maternal drug and chemical abuse during pregnancy .

Found on the '*PRENATAL RECORD*'.

Choose as many as are indicated.

Code if noted used before found out was pregnant.

| | |
|------|--|
| 200 | Ativan |
| 300 | Cocaine /Crack |
| 400 | Codeine |
| 500 | Demerol |
| 600 | Dilaudid |
| 700 | Hash |
| 800 | Heroin |
| 900 | Marijuana |
| 1000 | Methadone |
| 1100 | Morphine |
| 1200 | Prescription medication abuse |
| 1300 | Solvents |
| 1400 | Valium |
| 1500 | Other Specified abuse |
| 1600 | Oxycontin |
| 1700 | Ecstasy |
| 1800 | Alcohol abuse – chronic |
| 1900 | Alcohol abuse - binge |
| 2000 | Alcohol abuse – unknown binge or chronic |

**MATERAL/FETAL
DIAGNOSTIC AND
THERAPEUTIC
PROCEDURES (R006)**

Maternal/Fetal diagnostic and therapeutic procedures.

Found on the '*PRENATAL RECORD*'.

Choose as many as are indicated:

| | |
|------|---|
| 100 | Amniocentesis for genetic testing |
| 200 | Amniocentesis for Isoimmunization |
| 300 | Amniocentesis for lung maturity |
| 400 | Amnioreduction (polyhydramnios, twin to twin transfusion) |
| 500 | Amniofusion during labour |
| 600 | Chronic villi sampling |
| 700 | Cordocentesis |
| 801 | One fetal blood transfusion |
| 802 | Two fetal blood transfusions |
| 803 | Three fetal blood transfusions |
| 804 | Four fetal blood transfusions |
| 805 | Five fetal blood transfusions |
| 806 | Six fetal blood transfusions |
| 807 | Seven fetal blood transfusions |
| 808 | Eight fetal blood transfusions |
| 809 | Nine fetal blood transfusions |
| 810 | Ten fetal blood transfusions |
| 900 | Fetal drainage (i.e. thoracentesis, hydrocephalus, urinary) |
| 1000 | Fetal reduction |
| 1100 | Feto/placental laser |
| 1200 | Fetal stent placement |
| 1300 | Forceps rotation during delivery |
| 1400 | Manual rotation during delivery |
| 1500 | Removal of device, cervix of serlage suture |
| 1600 | Removal of device, cervix of cerclage suture |
| 1700 | External version |
| 1800 | Internal Version |
| 1900 | Insertion of device, cervix of cerclage suture |

**ANAESTHESIA DURING
LABOUR AND DELIVERY
(R010)**

Anaesthesia during labour and delivery.

Found on the 'ANAESTHESIA RECORD'.

Choose as many as were administered during labour and delivery.

| | |
|------|--|
| 100 | Entonox (nitronox) |
| 200 | Epidural – single administration |
| 300 | Epidural – continuous catheter with intermittent drug administration |
| 400 | Epidural – continuous infusion of drug (CIEA) |
| 500 | Epidural –patient controlled epidural analgesia (PCEA) |
| 600 | General anaesthesia |
| 700 | Patient controlled intravenous analgesia |
| 800 | Pudendal |
| 900 | Spinal anaesthesia |
| 1000 | Spinal / epidural double needle |
| 1100 | Other specified anaesthesia (e.g. acupuncture, hypnotism, neuroleptic) |

**ANAESTHESIA DURING
LABOUR ONLY (R011)**

Anesthesia during labour only.

Found on the 'ANAESTHESIA RECORD'.

Choose as many as were administered.

| | |
|------|--|
| 100 | Entonox (nitronox) |
| 200 | Epidural – single administration |
| 300 | Epidural – continuous catheter with intermittent drug administration |
| 400 | Epidural – continuous infusion of drug (CIEA) |
| 500 | Epidural –patient controlled epidural analgesia (PCEA) |
| 600 | General anaesthesia |
| 700 | Patient controlled intravenous analgesia |
| 800 | Pudendal |
| 900 | Spinal anaesthesia |
| 1000 | Spinal / epidural double needle |
| 1100 | Other specified anaesthesia (e.g. acupuncture, hypnotism, neuroleptic) |

**ANAESTHESIA DURING
DELIVERY ONLY (R012)**

Anaesthesia during delivery only.

Found on the 'ANAESTHESIA RECORD'.

Choose as many as were administered.

| | |
|------|--|
| 100 | Entonox (Nitronox) |
| 200 | Epidural – single administration |
| 300 | Epidural – continuous catheter with intermittent drug administration |
| 400 | Epidural – continuous infusion of drug (CIEA) |
| 500 | Epidural –patient controlled epidural analgesia (PCEA) |
| 600 | General anaesthesia |
| 700 | Patient controlled intravenous analgesia |
| 800 | Pudendal |
| 900 | Spinal anaesthesia |
| 1000 | Spinal/epidural double needle |
| 1100 | Other specified anaesthesia (e.g. acupuncture, hypnotism, neuroleptic) |

COMPLICATIONS OF ANESTHESIA (R013)

Complications of Anesthesia.

Found on the 'ANAESTHESIA RECORD' or 'DISCHARGE SUMMARY'.

Choose as many as documented.

| | |
|------|---|
| 100 | Blood patching |
| 200 | Toxic intravenous injection (systemic reaction) |
| 300 | Epi-catheter intravenous |
| 400 | Accidental dural tap |
| 500 | Total spinal anesthesia |
| 600 | Prolonged epidural block |
| 700 | High epidural/subdural block |
| 800 | Foot drop |
| 900 | Epidural hematoma |
| 1000 | Epidural abscess |
| 1100 | Spinal cord lesion |
| 1200 | Aspiration pneumonitis |
| 1300 | Cardiac arrest |
| 1400 | Post-dural puncture headache |
| 1500 | Paraesthesia |
| 1600 | Hypotension |
| 1700 | Back pain |
| 1800 | Failed intubation for general anesthetic |

**OTHER OBSTETRICAL
CONDITIONS AFFECTING
PREGNANCY (R014)**

Other obstetrical conditions affecting pregnancy.

Found on the 'PRENATAL RECORD' or 'DISCHARGE SUMMARY'.

Choose as many as documented:

| | |
|------|--|
| 100 | Pruritic urticarial papules and plaques of pregnancy (PUPP) |
| 200 | Impetigo herpetiformis |
| 300 | Dermatitis herpetiformis |
| 400 | Separation of symphysis pubis |
| 500 | Gestational [pregnancy-induced] hypertension without significant proteinuria, includes: gestational hypertension NOS, mild pre-eclampsia |
| 550 | Hypertension, unspecified type |
| 600 | Gestational [pregnancy-induced] hypertension with significant proteinuria, includes: HELLP (syndrome) |
| 700 | Pre-existing hypertension complicating pregnancy, childbirth and the puerperium |
| 800 | Pre-existing hypertensive disorder with superimposed proteinuria |
| 900 | Pre-existing diabetes mellitus, type 1 |
| 1000 | Pre-existing diabetes mellitus, type 2 |
| 1100 | Pre-existing diabetes mellitus of other specified type present when pregnant during this pregnancy |
| 1200 | Pre-existing diabetes mellitus of unspecified type present when pregnant during this pregnancy |
| 1300 | Diabetes mellitus arising in pregnancy. Includes: Gestational diabetes |
| 1400 | Diabetes mellitus in pregnancy, unspecified |
| 1500 | Anemia in Pregnancy (HB < 10gms% in pregnancy) |
| 1600 | Febrile morbidity(38 degrees or more on 2 or more occasions at least 4 hours, in any 48 hour period, excluding the first 24 hours after delivery, regardless of cause.) |
| 1700 | Maternal fever > 38 degrees |

**GASTO-INTESTINAL
DISEASES**

Gasto-intestinal diseases .

**CODE IF CONDITION IS OR
WAS PRESENT DURING
THE PREGNANCY (R015)**

Found on the '*PRENATAL RECORD*' or *DISCHARGE SUMMARY*'.

Choose as many as documented.

| | |
|-----|---------------------------------|
| 100 | Cholelithiasis |
| 200 | Ulcerative colitis / proctitis |
| 300 | Crohn's disease |
| 400 | Irritable bowel syndrome |
| 500 | Pancreatitis, acute and chronic |
| 600 | Reflux gastritis |
| 700 | Ulcers (all types) |

PSYCHIATRIC ILLNESS

Psychiatric illness.

**(CODE IF CONDITIONS IS OR
WAS PRESENT DURING THE
PREGNANCY (R016)**

Found on the '*PRENATAL RECORD*' or *DISCHARGE SUMMARY*'.

Choose as many as documented.

| | |
|-----|---|
| 100 | Anxiety disorders |
| 200 | Depression |
| 300 | Eating disorders (e.g. anorexia nervosa, bulimia nervosa) |
| 400 | Manic – depression |
| 500 | Schizophrenia |
| 600 | Other |

NEUROLOGICAL ILLNESS

Neurological illness.

**(CODE IF THE CONDITION IS
OR WAS PRESENT DURING
THE CURRENT PREGNANCY)
(R017)**

Found on the '*PRENATAL RECORD*' or '*DISCHARGE SUMMARY*'.

Choose as many as documented.

| | |
|------|----------------------------|
| 100 | Bell's palsy |
| 200 | Cerebral palsy |
| 300 | Epilepsy |
| 400 | Intracerebral hemorrhage |
| 500 | Muscular dystrophy |
| 600 | Myasthenia gravis |
| 700 | Multiple sclerosis |
| 800 | Presence of Harrington Rod |
| 900 | Subarachnoid hemorrhage |
| 1000 | Seizure |
| 1100 | Tuberous sclerosis |
| 1200 | Thoracic outlet syndrome |
| 1300 | Other |

HEART DISEASE

Heart disease.

**(CODE IF THE CONDITION IS
OR WAS PRESENT DURING
CURRENT PREGNANCY
(R018)**Found on the '*PRENATAL RECORD*' or '*DISCHARGE SUMMARY*'.

Choose as many as documented.

| | |
|------|-------------------------------------|
| 100 | Arrhythmia |
| 200 | Congenital heart disease |
| 300 | Cardiac arrest |
| 400 | Coronary artery disease |
| 500 | Endocarditis |
| 600 | History of heart disease or surgery |
| 700 | Myocardial infarction |
| 800 | Prolapsed mitral valve |
| 900 | Cardiomyopathy |
| 1000 | Myocarditis |
| 1100 | Pulmonary hypertension |
| 1200 | Rheumatic heart disease |
| 1300 | Valve prosthesis |
| 1400 | Wolff Parkinson's White syndrome |
| 1500 | Other acquired cardiac diseases |
| 1600 | Thromboembolic disease |

ENDOCRINE DISEASE

Endocrine disease.

**(CODE IF THE CONDITION IS
OR WAS PRESENT DURING THE
CURRENT PREGNANCY (R019)**Found on the '*PRENATAL RECORD*' or '*DISCHARGE SUMMARY*'.

Choose as many as documented.

| | |
|------|--------------------------------------|
| 100 | Disorder of adrenal gland |
| 200 | Disorder of ovary |
| 300 | Hashimoto's thyroiditis |
| 400 | Hyperthyroidism with goiter |
| 500 | Hyperthyroidism with thyroid nodule |
| 600 | Hyperthyroidism with goiter, nodular |
| 700 | Hyperthyroidism without Goiter |
| 800 | Hypothyroidism |
| 900 | Hyperparathyroidism |
| 1000 | Disorder of hypothalamus |
| 1100 | Disorder of pituitary gland |

RENAL DISEASE

**(CODE IF THE CONDITION
IS OR WAS PRESENT
DURING THE CURRENT
PREGNANCY (R020)**

Renal disease.

Found on the '*PRENATAL RECORD*' or '*DISCHARGE SUMMARY*'.

Choose as many as documented.

| | |
|------|---|
| 100 | Acute pyelonephritis |
| 200 | Renal calculus |
| 300 | Chronic glomerulonephritis |
| 400 | Previous episode of acute pyelonephritis during current pregnancy |
| 500 | Hydronephrosis |
| 600 | Nephropathy |
| 700 | Nephrotic syndrome |
| 800 | Polycystic kidney disease |
| 900 | Chronic pyelonephritis |
| 1000 | Renal agenesis |
| 1100 | Renal transplant |
| 1200 | Chronic renal disease, type undetermined |
| 1300 | Urinary tract infection |

NEOPLASM, INCLUDING MALIGNANCIES

(CODE IF CONDITION IS OR WAS PRESENT DURING THE CURRENT PREGNANCY) (R021)

Neoplasm, including malignancies

Found on the '*PRENATAL RECORD*' or '*DISCHARGE SUMMARY*'.

Choose as many as documented

| | |
|-----|------------------|
| 100 | Bowel |
| 200 | Breast |
| 300 | Cervix |
| 400 | Other |
| 500 | Ovary (teratoma) |
| 600 | Thyroid |
| 700 | Vagina |

BLOOD DYSCRASIAS

(CODE IF THE CONDITION IS OR WAS PRESENT DURING THE CURRENT PREGNANCY / POSTPARTUM PERIOD) (R022)

Blood dyscrasias.

Found on the '*PRENATAL RECORD*' or '*DISCHARGE SUMMARY*'.

Choose as many as documented.

| | |
|------|---|
| 100 | Hemolytic |
| 200 | Dysfibrinogenemia |
| 300 | Factor 12 deficiency |
| 400 | Familial hypofibrinogenemia |
| 500 | Factor VIII deficiency |
| 600 | G6PD deficiency |
| 700 | Idiopathic hypoplastic purpura (ITP) |
| 800 | Idiopathic thrombocytopenic purpura (ITP) |
| 900 | Sickle cell anemia |
| 1000 | Thalassemia |
| 1100 | Von Willebrand's disease |
| 1200 | Thrombotic thrombocytopenia purpura (TTP) |
| 1300 | Thrombocytopenia |

PULMONARY DISEASE

Pulmonary disease.

(CODE IF THE CONDITION IS OR WAS PRESENT DURING CURRENT PREGNANCY) (R023)

Found on the '*PRENATAL RECORD*' or '*DISCHARGE SUMMARY*'.

Choose as many as documented.

| | |
|-----|--------------------------------------|
| 100 | Asthma |
| 200 | Cystic fibrosis |
| 300 | Pulmonary edema |
| 400 | Other significant pulmonary diseases |
| 500 | Pneumonia, antepartum |
| 600 | Laboratory confirmed H1N1 Influenza |

OTHER NON-OBSTETRICAL DISEASES, NOT ELSEWHERE CLASSIFIABLE

Other non-obstetrical disease, not elsewhere classifiable.

(CODE IF THE CONDITION IS OR WAS PRESENT DURING THE CURRENT PREGNANCY) (R024)

Found on the '*PRENATAL RECORD*' or '*DISCHARGE SUMMARY*'.

Choose as many as documented.

| | |
|------|--|
| 100 | Ankylosing spondylitis |
| 200 | Cholinesterase deficiency |
| 300 | Family or personal history of malignant hyperthermia |
| 400 | Neurofibromatosis (Von Recklinghausen's disease) |
| 500 | Porphyria |
| 600 | Maternal phenylketonuria |
| 700 | Rheumatoid arthritis/psoriatic |
| 800 | Sarcoidosis |
| 900 | Scleroderma |
| 1000 | Scoliosis |
| 1100 | Sjogren's syndrome |
| 1200 | Systemic lupus |
| 1300 | Scheurmann's disease |

PREVIOUS PREGNANCY
MATERNAL DISEASES (R025)

Previous pregnancy – maternal diseases

Found on the ‘*PRENATAL RECORD*’ or ‘*DISCHARGE SUMMARY*’.

Choose as many as documented.

| | |
|------|--|
| 100 | Previous history of personal malignancy |
| 200 | Previous sensitized pregnancy |
| 300 | Hypertensive disease in previous pregnancy |
| 400 | Previous eclampsia |
| 500 | Previous ectopic pregnancy |
| 600 | Previous molar pregnancy |
| 700 | Previous anemia |
| 800 | Previous abruptio placenta |
| 900 | Previous breech |
| 1000 | Previous thromboembolic disease |
| 1100 | Previous gestational diabetes |
| 1200 | Previous history of infertility |
| 1300 | Previous postpartum depression |

MATERNAL TRANSFUSIONS
BLOOD AND OTHER PRODUCTS
(R026)

Maternal transfusions, blood and other products.

Found on the '*PRENATAL RECORD*' or '*DISCHARGE SUMMARY*' or '*OPERATIVE REPORT*'.

Choose as many as documented.

| | |
|------|--|
| 100 | One maternal blood transfusion |
| 200 | Two maternal blood transfusions |
| 300 | Three maternal blood transfusions |
| 400 | Four maternal blood transfusions |
| 500 | Five maternal blood transfusions |
| 600 | Six maternal blood transfusions |
| 700 | Seven maternal blood transfusions |
| 800 | Eight maternal blood transfusions |
| 900 | Nine maternal blood transfusions |
| 1000 | Ten maternal blood transfusions |
| 1100 | More than 10 maternal blood transfusions |
| 1200 | Albumin transfusion |
| 1300 | Cryoprecipitate transfusion |
| 1400 | Fresh frozen plasma transfusion |
| 1500 | Gamma globulin transfusion |
| 1600 | Plasma exchange/plasmapheresis transfusion |
| 1700 | Platelet transfusion |

REASON FOR MATERNAL
BLOOD TRANSFUSION
(R027)

Reason for maternal blood transfusion.

Found on the '*PRENATAL RECORD*' or '*DISCHARGE SUMMARY*' or '*OPERATIVE REPORT*'.

Choose as many as documented.

| | |
|-----|------------------------|
| 100 | Anemia in pregnancy |
| 200 | Antepartum hemorrhage |
| 300 | Intrapartum hemorrhage |
| 400 | Postpartum hemorrhage |
| 500 | Other |

IMMUNIZATIONS (R028)

Immunizations.

Found on the '*PRENATAL RECORD*' or '*MATERNAL ASSESSMENT FORM*'.

Choose all documented vaccines.

100 Seasonal influenza vaccine

**PROCEDURES FOR
POSTPARTUM HEMORRHAGE
(R029)**

Procedures for postpartum hemorrhage.

Found on the '*BIRTH RECORD*' or '*PARTOGRAM*', '*DISCHARGE SUMMARY*' or '*OPERATIVE REPORT*'.

Choose all documented procedures.

| | |
|-----|----------------------------|
| 100 | B-Lynch suture |
| 200 | Tying of uterine arteries |
| 300 | Embolization of arteries |
| 400 | Packing for Backri balloon |

INFANT RCP CODES

PLACENTAL OR CORD ANOMALIES (R051)

Placental or cord anomalies.

Found in '*OBSTETRICIAN'S REPORT*' or '*PLACENTAL PATHOLOGY REPORT*'.

Code all that are applicable.

| | |
|------|--|
| 100 | Amnionodosum |
| 200 | Chorioamnionitis, marked or severe |
| 300 | Choroangioma of placenta |
| 400 | Circumvallate placenta |
| 500 | Funisitis |
| 600 | Funisitis, necrotizing |
| 700 | Funisitis, candidal |
| 800 | Hematoma of umbilical cord |
| 900 | Marginal insertion of cord /Battledore |
| 1000 | Membranous placenta |
| 1100 | Placenta accreta |
| 1200 | Placenta increta |
| 1300 | Placenta percreta |
| 1400 | Single umbilical artery |
| 1500 | True knot in cord |
| 1600 | Vasa previa |
| 1700 | Velamentous insertion of cord |

**ANOMALY / METABOLIC
SYNDROMES AND
CONDITIONS (R054)**

Anomaly/metabolic syndromes and conditions

Found on the 'DISCHARGE SUMMARY' or 'NEONATOLIST LISTING' or 'CHROMOSOMAL REPORT'.

Code all that are applicable.

| | |
|------|---|
| 100 | Aarskog syndrome |
| 200 | Aase syndrome |
| 300 | Acardia |
| 400 | Accutane embryopathy |
| 500 | Achondrogenesis type Ia |
| 600 | Achondrogenesis type Ib |
| 700 | Achondrogenesis type II |
| 800 | Achondrogenesis-dysplasia congenital type II |
| 900 | Achondroplasia |
| 1000 | Acoustic neurofibromatosis |
| 1100 | Acrocallosal syndrome |
| 1200 | Acrocephalosyndactyly syndrome |
| 1300 | Acrodysostosis |
| 1400 | Acrofacial dysostosis syndrome |
| 1500 | Acromegaly |
| 1600 | Acromesomelic dwarfism (dysplasia) |
| 1700 | Acro-osteolysis syndrome (Artho-dento-osteo dysplasia) |
| 1800 | Adactyly |
| 1900 | Adams – Oliver syndrome |
| 2000 | Adenoma sebaceum |
| 2100 | Adrenal hyperplasia |
| 2200 | Adrenal hypoplasia |
| 2300 | Adrenoleukodystrophy |
| 2400 | AEC syndrome (Ankyloblepharon-ectodermal dysplasia-clefting syndrome) |
| 2500 | Agensis of corpus callosum |
| 2600 | Aglossia-adactyly syndrome |
| 2700 | Aicardia syndrome |
| 2800 | Akinesia sequence |
| 2900 | Alagille syndrome |
| 3000 | Albright hereditary osteodystrophy |
| 3100 | Alopecia |
| 3200 | Aminopterin embryopathy |
| 3300 | Amnion rupture sequence |
| 3400 | Amyoplasia congenita disruptive sequence |
| 3500 | Anal atresia |
| 3600 | Anencephaly |
| 3700 | Aneurysm of the vein of Galen |

**SYNDROMES AND
CONDITIONS (R054) (con't)**

| | |
|------|---|
| 3900 | Aniridia |
| 4000 | Aniridia-Wilm's tumor association |
| 4100 | Anodontia |
| 4200 | Anorectal malformation |
| 4300 | Antley-Bixler syndrome |
| 4400 | Apert syndrome |
| 4500 | Arachnodactyly |
| 4600 | Arachnoid cyst |
| 4700 | Argininaemia |
| 4800 | Argininosuccinic aciduria |
| 4900 | Arteriohepatic dysplasia |
| 5000 | Arteriovenous malformation of the lung |
| 5100 | Arthrogryposis, muscular |
| 5200 | Arthrogryposis, neurogenic |
| 5300 | Arthro-ophthalnopathy (Stickler Syndrome) |
| 5400 | Asphyxiating thoracic dystrophy |
| 5500 | Asplenia syndrome |
| 5600 | Ataxia – telangiectasia syndrome (Lovis-Bar Syndrome) |
| 5700 | Atelosteogenesis, type 1 (Chondrodysplasia, gaint cell) |
| 5800 | Athyrotic hypothyroidism sequence |
| 5900 | Atr-x syndrome |
| 6000 | Baller- Gerold syndrome |
| 6100 | Bannayan syndrome (Bannayan-Riley-Ruvalcaba syndrome) |
| 6200 | Bardet-Biedl syndrome |
| 6300 | Beals syndrome (Beals contractural arachnodactyly) |
| 6400 | Beckwith syndrome (Beckwith-Wiederman Syndrome) |
| 6500 | Berardinelli lipodystrophy syndrome |
| 6600 | Bicorunate uterus |
| 6700 | Bifid scrotum |
| 6800 | Bifid uvula |
| 6900 | Bladder exstrophy |
| 7000 | Blepharophimosis |
| 7100 | Bloch-sulzberger syndrome |
| 7200 | Bloom syndrome |
| 7300 | Blue sclera |
| 7400 | Body stalk anomaly |
| 7500 | Bor syndrome (Brachio-oto-renal syndrome) |
| 7600 | Borjeson-Forssman-Lehmann syndrome |
| 7700 | Brachmann-de Lange Syndrome (Cornelia deLange syndrome) |
| 7800 | Brachydactyly |
| 7900 | Branchial sinus |

**SYNDROMES AND
CONDITIONS (R054) (con't)**

| | |
|-------|--|
| 8000 | Branchio-oculo-facial syndrome |
| 8100 | Breech deformation sequence |
| 8200 | Brushfield spots |
| 8300 | Buru-Baraister syndrome |
| 8400 | Caffey pseudo-Hurler syndrome |
| 8500 | Campomelic dysplasia |
| 8600 | Camurati-Engelmann syndrome |
| 8700 | Capillary hemangioma |
| 8800 | Cardio-facio-cutaneous syndrome (CFC) |
| 8900 | Cardiomyopathy, congenital |
| 9000 | Carnitine deficiency |
| 9100 | Carpenter syndrome |
| 9200 | Cartilage-hair hypoplasia syndrome |
| 9300 | Catel-Manzke syndrome |
| 9400 | Cat-eye syndrome |
| 9500 | Caudal dysplasia sequence |
| 9600 | Caudal regression syndrome |
| 9700 | Cavernous hemangioma |
| 9800 | Cebocephaly |
| 9900 | Cephalopolysyndactyly syndrome (Greig Syndrome) |
| 10000 | Cerebellar calcification |
| 10100 | Cerebellar hypoplasia |
| 10200 | Cerebral calcification |
| 10300 | Cerebral gigantism syndrome |
| 10400 | Cerebro-costo-mandibular syndrome |
| 10500 | Cerebro-oculo facio-skeletal (cofs) syndrome |
| 10600 | Cerevico-oculo-acoustic syndrome |
| 10700 | Charcot-Marie-Tooth syndrome |
| 10800 | Charge syndrome |
| 10900 | Child Syndrome (Congenital hemidysplasia) |
| 11000 | Choanal atresia |
| 11100 | Chondrodysplasia punctata (Condracli-Hünemann Syndrome) |
| 11200 | Chondrodystrophica myotonia (Schwartz-Jampel Syndrome) |
| 11300 | Chondroectodermal dysplasia (Ellis-van Creveld syndrome) |
| 11400 | Chondromatosis |
| 11500 | Citrullinaemia |
| 11600 | Cleft face |
| 11700 | Cleft lip, unilateral |
| 11800 | Cleft lip, bilateral |
| 11900 | Cleft tongue |
| 12000 | Cleft palate |

**SYNDROMES AND
CONDITIONS
(R054) (con't)**

| | |
|-------|--|
| 12100 | Cleidocranial dysostosis |
| 12200 | Clinodactyly |
| 12300 | Cloacal exstrophy |
| 12400 | Clouston syndrome |
| 12500 | Cloverleaf skull |
| 12600 | Clubfoot |
| 12700 | Cockayne syndrome |
| 12800 | Coffin-Lowry syndrome |
| 12900 | Coffin-Siris syndrome |
| 13000 | Cohen syndrome |
| 13100 | Coloboma of iris |
| 13200 | Colon, malrotation |
| 13300 | Congenital adrenal hyperplasia |
| 13400 | Congenital hypothyroidism |
| 13500 | Congenital microgastria-limb reduction complex |
| 13600 | Conjoined twins |
| 13700 | Cortical hypoplasia |
| 13800 | Costello syndrome |
| 13900 | Coumarin embryology effects |
| 14000 | Craniofacial dysostosis (Crouzon Syndrome) |
| 14100 | Craniofrontonasal dysplasia |
| 14200 | Cranio metaphyseal dysplasia |
| 14300 | Craniosynostosis |
| 14400 | Craniosynostosis, coronal |
| 14500 | Craniosynostosis, frontal |
| 14600 | Craniosynostosis, Kleeblattschadel |
| 14700 | Craniosynostosis, lambdoid |
| 14800 | Craniosynostosis, sagittal |
| 14900 | Craniosynostosis, trigonocephaly |
| 15000 | Cri du chat syndrome |
| 15100 | Cryptophthalmos anomaly (Fraser Syndrome) |
| 15200 | Cryptorchidism |
| 15300 | Cubitus valgus |
| 15400 | Cutis aplasia |
| 15500 | Cutis hyperelastica |
| 15600 | Cutis laxa |
| 15700 | Cutis marmorata |
| 15800 | Cyclopia |
| 15900 | Cyclops |
| 16000 | Cystathionuria |

**SYNDROMES AND
CONDITIONS**
(R054)

| | |
|-------|---|
| 16100 | Cystic adenomatoid malformation of the lung |
| 16200 | Cytomegalic inclusion disease |
| 16300 | Dandy-walker syndrome |
| 16400 | Darwinian tubercle |
| 16500 | Dental cyst |
| 16600 | Deprivation syndrome |
| 16700 | Dermal ridge, aberrant |
| 16800 | Desanctis-Cacchione syndrome |
| 16900 | Diabetes insipidus |
| 17000 | Diabetes mellitus |
| 17100 | Diaphragmatic hernia |
| 17200 | Diaphyseal aclasis |
| 17300 | Diastriophic dyslasia |
| 17400 | Diastrophic nanism |
| 17500 | DiGeorge syndrome |
| 17600 | Dilantin embryopathy |
| 17700 | Dimple, sacral |
| 17800 | Distal arthogyrposis syndrome |
| 17900 | Distichiasis-lymphedema syndrome |
| 18000 | Donohue syndrome (Leprechaunism Syndrome) |
| 18100 | Down syndrome |
| 18200 | Dubowitz syndrome |
| 18300 | Duodenal atresia |
| 18400 | Dwarfism, acromesomelic |
| 18500 | Dwarfism, metatrophic |
| 18600 | Dyggve-Melchoir-Clausen syndrome |
| 18700 | Dysencephalia splanchnocystica (Meckel-Gruber Syndrome) |
| 18800 | Dyskeratosis congenita syndrome |
| 18900 | Dystrophia myotonica, Steinert (Myotonic dystrophy) |
| 19000 | Early urethral obstruction syndrome |
| 19100 | Ectodermal dysplasia |
| 19200 | Ectrodactyly, tibial |
| 19300 | Ectrodactyly-ectodermal dysplasia-clefting syndrome (EEC) |
| 19400 | Eczema |
| 19500 | Ehlers-Danlos syndrome |
| 19600 | Elbow dysplasia |
| 19700 | Enamel hypoplasia |
| 19800 | Encephalocele |
| 19900 | Encephalocraniocutaneous lipomatosis |

**ANOMALY/METABOLIC
SYNDROMES AND
CONDITIONS (R054) (con't)**

| | |
|-------|--|
| 20000 | Endocrine neoplasia,multiple, type 2 |
| 20100 | Epidermal nevus syndrome |
| 20200 | Epiphyseal calcification |
| 20300 | Epiphyseal dysplasia, multiple |
| 20400 | Equinovarus deformity |
| 20500 | Escobar syndrome (Multiple pteryguim dysplasia) |
| 20600 | Esophageal atresia |
| 20700 | Exomphalos |
| 20800 | External chonromatosis |
| 20900 | Fabry's disease |
| 21000 | Falx calcification |
| 21100 | Familial blepharophimosis syndrome |
| 21200 | Familial short stature |
| 21300 | Fanconi syndrome |
| 21400 | Fetal alcohol syndrome (FAS) |
| 21500 | Femoral hypoplasia-unusual facies syndrome |
| 21600 | Fetal face syndrome (Robinow Syndrome) |
| 21700 | Fg syndrome |
| 21800 | Fibrochondrogenesis |
| 21900 | Fibrodysplasia ossificans progressiva syndrome |
| 22000 | First and second brachial arch syndrome |
| 22100 | Floating-harbour syndrome |
| 22200 | Fragile x syndrome (Martin-Bell Syndrome) |
| 22300 | Franceschetti-Klein syndrome (Treacher-Collins Syndrome) |
| 22400 | Freeman-Sheldon syndrome (Whistling Face Syndrome) |
| 22500 | Frenula, absent |
| 22600 | Frontal bossing |
| 22700 | Frontometaphyseal dysplasia |
| 22800 | Frontonasal dysplasia sequence |
| 22900 | Fryns syndrome |
| 23000 | Galactosemia |
| 23100 | Gastroschisis |
| 23200 | Geleophysic dysplasia |
| 23300 | Gilles telencephalic leucoencephalopathy |
| 23400 | Glaucoma |
| 23500 | Glossopalatine ankylosis syndrome |
| 23600 | B-glucuridase deficiency |
| 23700 | Glycogen storage disease |
| 23800 | Goiter |
| 23900 | Goldenhar syndrome |
| 24000 | Goltz syndrome |

**ANOMALY/METABOLIC
SYNDROMES AND
CONDITIONS (R054) (con't)**

| | |
|-------|--|
| 24100 | Gonadal dysgenesis |
| 24200 | Gorlin syndrome (Nevoid basal cell carcinoma) |
| 24300 | Grebe syndrome |
| 24400 | Hallerman-Streiff syndrome |
| 25000 | Hecht syndrome |
| 25100 | Hemifacial microsomia |
| 25200 | Hemochromatosis |
| 25300 | Hemorrhagic telangiectasia, hereditary |
| 25400 | Hereditary arthro-ophthalmopathy |
| 25500 | Hereditary osteo-onchodysplasia (Nail-patella syndrome) |
| 25600 | Hirshsprung aganglionosis |
| 25700 | Holoprosencephaly |
| 25800 | Holt-Oram syndrome |
| 25900 | Homocystinuria syndrome |
| 26000 | Homozygous Leri-Weill syndrome |
| 26100 | Hunter syndrome |
| 26200 | Hurler syndrome |
| 26300 | Hurler-Scheie syndrome |
| 26400 | Hutchinson-Gilford syndrome (Progeria Syndrome) |
| 26500 | Hydantoin embryology |
| 26600 | Hydatidiform placenta |
| 26700 | Hydranencephaly |
| 26800 | Hydrocele |
| 26900 | Hydrocephalus |
| 27000 | Hydrops fetalis |
| 27100 | Hyperammonaemia |
| 27200 | Hypochondrogenesis |
| 27300 | Hypochondroplasia |
| 27400 | Hypodactyly, hypoglossal |
| 27500 | Hypodontia |
| 27600 | Hypogenitalism |
| 27700 | Hypoglossia-hypodactyly syndrome |
| 27800 | Hypogonadism |
| 27900 | Hypohidrotic ectodermal dysplasia (Rapp-Hodgkin ectoderma) |
| 28000 | Hypomelanosis of Ito |

**ANOMALY/METABOLIC
SYNDROMES AND CONDITIONS
(R054) (con't)**

| | |
|-------|--|
| 28100 | Hypomellia-hypotrichosis-facial hemangioma syndrome |
| 28200 | Hypospadias |
| 28300 | Hypospadias, glandular (first degree) |
| 28400 | Hypospadias, coronal (second degree) |
| 28500 | Hypospadias, shaft (third degree) |
| 28600 | Hypospadias, perineal (fourth degree) |
| 28700 | Hypotrichosis |
| 28800 | Icthyosiform erythroderma (Senter-Kid Syndrome) |
| 28900 | Immune deficiency |
| 29000 | Immunoglobulin deficiency |
| 29100 | Imperforate anus |
| 29200 | Iniiencephaly |
| 29300 | Intestinal atresia |
| 29400 | Intestinal atresia, anal |
| 29500 | Intestinal atresia, colonic |
| 29600 | Intestinal atresia, duodenal |
| 29700 | Intestinal atresia, ileal |
| 29800 | Intestinal atresia, jejunal |
| 29900 | Intestinal stenosis |
| 30000 | Intestinal stenosis, anal |
| 30100 | Intestinal stenosis, colonic |
| 30200 | Intestinal stenosis, duodenal |
| 30300 | Intestinal stenosis, ileal |
| 30400 | Intestinal stenosis, jejunal |
| 30500 | Intestinal stenosis, rectal |
| 30600 | Intracardiac mass |
| 30700 | Intrathoracic vascular ring |
| 30800 | Ivenmark syndrome |
| 30900 | Jackson-Lawler pachyonychia congenita syndrome |
| 31000 | Jadossohn-Lewandowski pachyonychia congenita syndrome |
| 31100 | Jansen-type metaphyseal dysplasia |
| 31200 | Jarcho-Levin syndrome |
| 31300 | Johanson-Blizzard syndrome |
| 31400 | Jugular lymphatic obstruction sequence |
| 31500 | Kabuki syndrome |
| 31600 | Kartagener syndrome |
| 31700 | Keratoconus |
| 31800 | Killian/Teschler-Nicola syndrome (Pallister mosaic syndrome) |
| 31900 | Kinky hair syndrome (Menkes Syndrome) |
| 32000 | Klein-Waardenburg syndrome |

**ANOMALY/METABOLIC
SYNDROMES AND CONDITIONS
(R054) (con't)**

| | |
|-------|--|
| 32100 | Klinefelter syndrome |
| 32200 | Klippel-Feil sequence |
| 32300 | Klippel-Trenaunay-Weber syndrome |
| 32400 | Kniest dysplasia |
| 32500 | Kozlowski spondylometaphyseal dysplasia |
| 32600 | Lacrimal-auriculo-dento-digital syndrome |
| 32700 | Ladd syndrome |
| 32800 | Langer-Gideon Syndrome |
| 32900 | Langer-Saldino achondrogenesis |
| 33000 | Larsen syndrome |
| 33100 | Laryngeal abnormality |
| 33200 | Laryngeal atresia |
| 33300 | Laryngeal web |
| 33400 | Left-sidedness sequence |
| 33500 | Lens, dislocation |
| 33600 | Lenticular opacity |
| 33700 | Lentigines, multiple |
| 33800 | Lenz-Majewski hyperostosis syndrome |
| 33900 | Leopard syndrome |
| 34000 | Leri-Weill dyschondrosteosis |
| 34100 | Leroy I-cell syndrome |
| 34200 | Lesch-Nylan syndrome |
| 34300 | Lethal multiple pterygium syndrome |
| 34400 | Levy-Hollister syndrome |
| 34500 | Limb-body wall complex |
| 34600 | Lipoatrophy |
| 34700 | Lipodosis, neurovisceral |
| 34800 | Lipodystrophy, generalized |
| 34900 | Lipomatosis, encephalocraniocutaneous |
| 35000 | Lippit-cleft hip syndrome (Van der Woude Syndrome) |
| 35100 | Lissencephaly Syndrome (Miller-Dieker Syndrome) |
| 35200 | Lobstein disease |
| 35300 | Lupus, neonatal |
| 35400 | Macrocephaly |
| 35500 | Macroglossia |
| 35600 | Macrogyria |
| 35700 | Macro-orchidism |
| 35800 | Macrosomia |
| 35900 | Macrostomia |
| 36000 | Madelung deformity |
| 36100 | Maffucci syndrome |
| 36200 | Malar hypoplasia |
| 36300 | Male pseudohermaphroditism |

**ANOMALY/METABOLIC
SYNDROMES AND CONDITIONS
(R054) (con't)**

| | |
|-------|---|
| 36400 | Mandibular hypodontia |
| 36500 | Marden-Walker syndrome |
| 36600 | Marfan syndrome |
| 36700 | Maroteaux-Lamy (mucopolysaccharidosis syndrome) |
| 36800 | Marshall syndrome |
| 36900 | Marshall-Smith syndrome |
| 37000 | Masa syndrome (X-linked hydrocephalus sequence) |
| 37100 | Maternal phenylketonuria, fetal effects |
| 37200 | Maxillary hypoplasia |
| 37300 | Mccune-Albright syndrome (osteitis fibrosa cystica) |
| 37400 | McKusick type metaphyseal dysplasia |
| 37500 | Meckel diverticulum |
| 37600 | Median cleft face syndrome |
| 37700 | Melanomata |
| 37800 | Melanosis, neurocutaneous |
| 37900 | Melnick-Fraser syndrome |
| 38000 | Melnick-Needles syndrome |
| 38100 | Meningomyelocele |
| 38200 | Meningomyelocele |
| 38300 | Metacarpal hypoplasia |
| 38400 | Metaphyseal dysplasia, Jansen type |
| 38500 | Metaphyseal dysplasia, McKusick type |
| 38600 | Metaphyseal dysplasia, Pyle type |
| 38700 | Metaphyseal dysplasia, Schmid type |
| 38800 | Metatarsal hypoplasia |
| 38900 | Metatarsus adductus |
| 39000 | Metatropic dwarfism |
| 39100 | Metatropic dysplasia |
| 39200 | Methioninaemia |
| 39300 | Methotrexate embryology |
| 39400 | Microcephaly |
| 39500 | Microcolon |
| 39600 | Microcolon-megacystis-hypoperistalsis syndrome |
| 39700 | Microcornea |
| 39800 | Microdeletion syndrome |
| 39900 | Microdontia |
| 40000 | Microgastria |
| 40100 | Microglossia |
| 40200 | Micrognathia |
| 40300 | Micropenis |
| 40400 | Microphthalmia |
| 40500 | Microstomia |
| 40600 | Miller syndrome (postaxial acrofacial dysostosis) |

**ANOMALY/METABOLIC
SYNDROMES AND CONDITIONS
(R054) (con't)**

| | |
|-------|---|
| 40700 | Moebius syndrome |
| 40800 | Mohr syndrome (OFD) |
| 40900 | Morquio syndrome |
| 41000 | Mucopolipidosis III (pseudo Hurler) |
| 41100 | Mucopolysaccharidosis I s (Scheie Syndrome) |
| 41200 | Mucopolysaccharidosis III, types a, b, c, d |
| 41300 | Mucopolysaccharidosis VII (Sly Syndrome) |
| 41400 | Mulibrey nanism syndrome (Parheentupa Syndrome) |
| 41500 | Multiple endocrine neoplasia, type 2b |
| 41600 | Multiple neuroma syndrome |
| 41700 | Multiple synostosis syndrome (Symphalangism Syndrome) |
| 41800 | Murcs association |
| 41900 | Myasthenia gravis, newborn |
| 42000 | Myopathy, centronuclear |
| 42100 | Myopathy, myotubular |
| 42200 | Nanism, diastrophic |
| 42300 | Nasal dysplasia |
| 42400 | Neonatal lupus |
| 42500 | Neonatal teeth |
| 42600 | Nesidioblastosis |
| 42700 | Neu-laxova syndrome |
| 42800 | Neural tube defect |
| 42900 | Neurocutaneous melanosis syndrome |
| 43000 | Neurofibromatosis syndrome |
| 43100 | Neuromuscular defect |
| 43200 | Neurovisceral lipidosis, familial |
| 43300 | Noonan syndrome |
| 43400 | Occult spinal dysraphism |
| 43500 | Oculo-auriculo-vertebral defect spectrum |
| 43600 | Oculodentodigital syndrome |
| 43700 | Oculo-genito-laryngeal syndrome (Optiz Syndrome) |
| 43800 | Odontoid hypoplasia |
| 43900 | Oculo-facial-digital syndrome, type I (OFD-I) |
| 44000 | Oculo-digital-facial syndrome type III (OFD-III) |
| 44100 | Oligohydramnios sequence |
| 44200 | Ollier disease (osteochondromatosis syndrome) |
| 44300 | Omphalocele |
| 44400 | Optic nerve dysplasia |
| 44500 | Oromandibular-limb hypogenesis spectrum |
| 44600 | Osteochondrodysplasia |
| 44700 | Osteodysplasia |
| 44800 | Osteogenesis imperfecta, type I |

**ANOMALY/METABOLIC
SYNDROMES AND CONDITIONS
(R054) (con't)**

| | |
|-------|--|
| 44900 | Osteogenesis imperfecta, type II |
| 45000 | Osteolysis |
| 45100 | Osteo-onychodysplasia |
| 45200 | Osteopetrosis |
| 45300 | Otocephaly |
| 45400 | Oto-palato-digital syndrome, type I (Taybi Syndrome) |
| 45500 | Oto-palato-digital syndrome, type II |
| 45600 | Pachydermoperiostosis syndrome |
| 45700 | Pachygyria |
| 45800 | Pachyonia congenita syndrome |
| 45900 | Pallister-Hall syndrome |
| 46000 | Parabiotic syndrome, donor (Twin-to-twin transfer) |
| 46100 | Parabiotic syndrome, recipient (Twin-to-twin transfer) |
| 46200 | Pectus carinatum |
| 46300 | Pectus excavatum |
| 46400 | Pena-Shokeir phenotype, type I |
| 46500 | Pena-Shokeir phenotype, type II |
| 46600 | Penta x syndrome |
| 46700 | Pentrology of cantrell |
| 46800 | Perinatal lethal hypophosphotasia |
| 46900 | Peters plus syndrome |
| 47000 | Peutz-Jeghers syndrome |
| 47100 | Pfeiffer syndrome |
| 47200 | Phenylketonuria |
| 47300 | Phenylketonuria, maternal effects |
| 47400 | Photosensitive dermatitis |
| 47500 | Pierre Robin syndrome |
| 47600 | Pitting, lip |
| 47700 | Pitting, preauricular |
| 47800 | Poikiloderma congenitale syndrome (Rothmund-Thomson) |
| 47900 | Poland sequence |
| 48000 | Polydactyly |
| 48100 | Polymicrogyria |
| 48200 | Polysplenia syndrome |
| 48300 | Popliteal pteryguim syndrome |
| 48400 | Porencephalic cyst |
| 48500 | Port wine stain |
| 48600 | Potter syndrome |
| 48700 | Prader-Willi syndrome |
| 48800 | Preauricular tags |
| 48900 | Preauricular pits |
| 49000 | Prognathism |

**ANOMALY/METABOLIC
SYNDROMES AND CONDITIONS
(R054) (con't)**

| | |
|-------|--|
| 49100 | Proteus syndrome |
| 49200 | Pseudoachondroplasia |
| 49300 | Pseudocamptodactyly |
| 49400 | Pulmonary agenesis |
| 49500 | Pulmonary hypoplasia |
| 49600 | Pulmonary lymphangectasia, congenital |
| 49700 | Pyknodysostosis |
| 49800 | Pyle disease (Pyle metaphyseal dysplasia) |
| 49900 | Pyruvate carboxylase deficiency |
| 50000 | Pyruvate dehydrogenase deficiency |
| 50100 | Rachischisis |
| 50200 | Ranula |
| 50300 | Rectal atresia |
| 50400 | Rectal atresia, with fistula |
| 50500 | Refsum's disease |
| 50600 | Reifenstein's syndrome |
| 50700 | Restrictive dermopathy |
| 50800 | Retinoic acid embryopathy |
| 50900 | Rhizomelic chondrodysplasia punctata |
| 51000 | Rieger syndrome |
| 51100 | Right-sidedness sequence |
| 51200 | Rokitansky malformation sequence |
| 51300 | Rubinstein-Taybi syndrome |
| 51400 | Russell-Silver syndrome (Silver Syndrome) |
| 51500 | Saddle nose |
| 51600 | Saethre-Chotzen syndrome |
| 51700 | Salino-Noonan short rib-polydactyly syndrome |
| 51800 | Sc phocomelia |
| 51900 | Schinzel-Giedion syndrome |
| 52000 | Schmid type metaphyseal dysplasia |
| 52100 | Schizencephaly |
| 52300 | Sclerosteosis |
| 52500 | Scrotum, shawl |
| 52600 | Seckel syndrome |
| 52700 | Septo-optic dysplasia sequence |
| 52800 | Short bowel syndrome |
| 52900 | Short rib-polydactyly syndrome, type II |
| 53000 | Shprintzen syndrome |
| 53100 | Shwachman syndrome |
| 53200 | Simpson-Golabi-Behmel syndrome |
| 53300 | Sirenomelia sequence |
| 53400 | Smith-Lemli-Opitz Syndrome |
| 53500 | Spondylocarpotarsal synostosis syndrome |

**ANOMALY/METABOLIC
SYNDROMES AND CONDITIONS
(R054) (con't)**

| | |
|-------|--|
| 53600 | Spondylomepiphyseal dysplasia |
| 53700 | Spondylometaphyseal dysplasia, Kozlowski |
| 53800 | Sternal malformation-vascular dysplasia spectrum |
| 53900 | Struge-Weber sequence |
| 54000 | Sulfite oxidase deficiency |
| 54100 | Sugarman syndrome |
| 54200 | Syndactyly |
| 54300 | Tar syndrome (thromocytopenia absent radius) |
| 54400 | Taurodontism |
| 54600 | Tdo syndrome |
| 54700 | Testicular feminization syndrome |
| 54800 | Testis, hydrocele |
| 54900 | Tethered cord malformation syndrome |
| 55000 | Thanatophoric dysplasia |
| 55100 | Thyroglossal cyst |
| 55300 | Thurston syndrome |
| 55400 | Tibial aplasia-ectrodactyly syndrome |
| 55500 | Townes-brock syndrome |
| 55600 | Tracheoesophageal fistula |
| 55700 | Transcobalamin II deficiency |
| 55800 | Trapezoidcephaly |
| 55900 | Tricho-rhino-phalangeal syndrome, type I |
| 56000 | Tridione embryopathy |
| 56100 | Trimethadione embryopathy |
| 56200 | Triphalangeal thumb |
| 56300 | Triploidy |
| 56500 | Turner syndrome |
| 56600 | Turner-like syndrome |
| 56700 | Umbilical hernia |
| 56800 | Urorectal septum malformation sequence |
| 56900 | Uterus, ambiguous |
| 57300 | Vagina, double |
| 57400 | Valproate embryopathy |
| 57500 | Varadi-Papp syndrome |
| 57600 | Vater association |
| 57700 | Vein of Galen, aneurysm |
| 57800 | Vertebral defect |
| 57900 | Volvulus, colon |
| 58000 | Volvulus, ileum |
| 58100 | Volvulus, jejunum |
| 58200 | Volvulus, small bowel |

**ANOMALY/METABOLIC
SYNDROMES AND CONDITIONS
(R054) (con't)**

| | |
|-------|--------------------------------|
| 58300 | Von Hippel-Lindau syndrome |
| 58400 | Vrolik disease |
| 58500 | Waardenburg syndrome, type I |
| 58600 | Waardenburg syndrome, type II |
| 58700 | Waardenburg syndrome, type III |
| 58800 | Wagr syndrome |
| 58900 | Walker-Warburg syndrome |
| 59000 | Warfarin embryology |
| 59100 | Weaver syndrome |
| 59200 | Weill-Marchesani syndrome |
| 59300 | Werner syndrome |
| 59400 | Whelan syndrome |
| 59500 | Williams syndrome |
| 59600 | Xeroderma pigmentosa syndrome |
| 59700 | Yunis-Varon syndrome |
| 59800 | Zellweger syndrome |
| 59900 | Zollinger-Ellison syndrome |

DEPRESSION AT BIRTH (R055)

Depression at birth.

Found on the '*BIRTH RECORD*', '*DISCHARGE SUMMARY*' or '*NEONATOLOGIST'S LISTING*'.

If more than one procedure is performed during a delivery, code each separately.

If the same procedure is performed more than once code the total time that procedure was performed.

| | |
|------|---------------------------------------|
| 100 | Bag and mask < 1 minute |
| 200 | Bag and mask 1-3 minutes |
| 300 | Bag and mask > 3 minutes |
| 400 | Bag and mask unknown duration |
| 500 | Endotracheal tube < 1 minute |
| 600 | Endotracheal tube 1-3 minutes |
| 700 | Endotracheal tube > 3 minutes |
| 800 | Endotracheal tube unknown duration |
| 900 | CPAP/T-piece/neopuff < 1 minute |
| 1000 | CPAP/T-piece/neopuff 1-3 minutes |
| 1100 | CPAP/T-piece/neopuff > 3 minutes |
| 1200 | CPAP/T-piece/neopuff unknown duration |
| 1300 | LMA < 1 minute |
| 1400 | LMA 1-3 minutes |
| 1500 | LMA > 3 minutes |
| 1600 | LMA unknown duration |

PATENT DUCTUS ARTERIOSUS (R057)

Patent ductus arteriosus.

Found on the '*DISCHARGE SUMMARY*'.

Choose one of the following.

| | |
|-----|-----------------------|
| 100 | Non-surgical closures |
| 200 | Surgical closure |
| 300 | Treatment not stated |

**PERSISTENT FETAL
CIRCULATION/
PERSISTENT PULMONARY
HYPERTENSION OF THE
NEWBORN (R058)**

Persistent fetal circulation / persistent pulmonary hypertension of the newborn.

Found on the 'DISCHARGE SUMMARY'.

Choose **one** of the following causes.

| | |
|-----|--------------------------------|
| 100 | Congenital heart disease |
| 200 | Fetomaternal bleed |
| 300 | Hyaline membrane disease |
| 400 | Meconium aspiration |
| 500 | Pulmonary hypoplasia |
| 600 | Pneumonia |
| 700 | Primary pulmonary hypertension |
| 800 | Cause not stated |

**RESPIRATORY DISTRESS
SYNDROME (R059)**

Respiratory distress syndrome.

Found on the 'DISCHARGE SUMMARY'.

Choose one of the following.

| | |
|-----|------------------------------------|
| 100 | Transient respiratory distress |
| 200 | IRDS, mild |
| 300 | IRDS, moderate |
| 400 | IRDS, severe |
| 500 | IRDS, severity not stated |
| 600 | Transient Tachypnea of the newborn |
| 700 | Benign respiratory distress |

**CHRONIC PULMONARY
DISEASE OF PREMATURITY
(R060)**

Chronic pulmonary disease of prematurity.

Found on the 'DISCHARGE SUMMARY'.

Choose one of the following.

| | |
|-----|--|
| 100 | Wilson-Mikity syndrome, non-cystic |
| 200 | Wilson-Mikity syndrome, cystic |
| 300 | Bronchopulmonary dysplasia, non-cystic |
| 400 | Bronchopulmonary dysplasia, cystic |

**REQUIREMENT FOR HOME
OXYGEN (R061)**

Requirement for home oxygen.

Found on the 'DISCHARGE SUMMARY'.

| | |
|-----|------------------------------|
| 100 | Patient requires home oxygen |
|-----|------------------------------|

**BIRTH ASPHYXIA SEQUELLA
(R062)**

Birth asphyxia sequella.

Found on the 'DISCHARGE SUMMARY'.

Choose as many as are present.

| | |
|-----|---|
| 100 | Post-asphyctic CNS depression |
| 200 | Post-asphyctic CNS excitation |
| 300 | Post-asphyctic increase intracranial pressure |
| 400 | Post-asphyctic brain necrosis |
| 500 | Post-asphyctic acute tubular necrosis |
| 600 | Post-asphyctic acute tubular necrosis |
| 700 | Post-asphyctic liver and/or adrenal necrosis |

CONVULSIONS/SEIZURES
(R063)

Convulsions or seizures due to a stated condition.

Found on the '*DISCHARGE SUMMARY*'.

Choose as many as are present.

| | |
|------|-------------------------------|
| 100 | Alkalosis |
| 200 | Arhinencephaly |
| 300 | Benign familial |
| 400 | Brain edema |
| 500 | Cerebral anomaly, unspecified |
| 600 | Drug withdrawal |
| 700 | Hemorrhage, brain stem |
| 800 | Hemorrhage, cerebellar |
| 900 | Hemorrhage, cerebral |
| 1000 | Holoprosencephaly |
| 1100 | Hydrocephaly |
| 1200 | Hydranencephaly |
| 1300 | Hypercapnia |
| 1400 | Hypocalcemia |
| 1500 | Hypocapnia |
| 1600 | Hypoglycemia |
| 1700 | Hypomagnesemia |
| 1800 | Hyponatremia |
| 1900 | Inborn error of metabolism |
| 2000 | Infarction |
| 2100 | Kernicterus |
| 2200 | Meningitis |
| 2300 | Post-asphyctic |
| 2400 | Pyridoxine deficiency |
| 2500 | Pyridoxine dependency |
| 2600 | Unknown |
| 2700 | Venous thrombosis |

NEOPLASMS
(R064)

Neoplasms.

Found on the 'DISCHARGE SUMMARY'.

Code all that are applicable.

| | |
|------|--|
| 100 | Astrocytoma |
| 200 | Choroid plexus papilloma |
| 300 | Connective tissue |
| 400 | Craniopharyngioma |
| 500 | Cystadenoma |
| 600 | Cystic hygroma |
| 700 | Endothelial tissue |
| 800 | Ependymoma |
| 900 | Epithelial tissue |
| 1000 | Familial erythrophagocytic lymphohistiocytosis |
| 1100 | Fibroma |
| 1200 | Follicular cyst |
| 1300 | Glioma |
| 1400 | Hemangioma, cavernous |
| 1500 | Hemangioma, capillary |
| 1600 | Hepatoblastoma |
| 1700 | Histiocytosis |
| 1800 | Insulinoma |
| 1900 | Leukemia |
| 2000 | Lipoma |
| 2100 | Lymphangioma |
| 2200 | Lymphoma |
| 2300 | Mass, unknown type |
| 2400 | Medulloblastoma |
| 2500 | Melanoma |
| 2600 | Melanotic neuroectodermal tumor |
| 2700 | Mesoblastic nephroma |
| 2800 | Muscle |
| 2900 | Myxofibrosarcoma |
| 3000 | Nasal glioma |
| 3100 | Nephroblastoma |
| 3200 | Nesidioblastosis |
| 3300 | Neuroblastoma |
| 3400 | Neuroectodermal tumor |
| 3500 | Neurofibroma |
| 3600 | Retinoblastoma |
| 3700 | Rhabdomyoma, cardiac |
| 3800 | Rhabdomyoma |

NEOPLASMS
(R064) (con't)

| | |
|------|------------------------------|
| 3900 | Sarcoma |
| 4000 | Teratoma, cardiac |
| 4100 | Teratoma, embryotic rests |
| 4200 | Teratoma, gonads |
| 4300 | Teratoma, sacrococcygeal |
| 4400 | Teratoma, site not specified |
| 4500 | Wilm's tumor |
| 4600 | Hemangioma |
| 4700 | Hemangioma, port-wine |

MEDICATIONS
(R066)

Medications.

Found on '*MEDICATION SHEETS*' or '*DISCHARGE SUMMARY*'.

(Not coded at IWK)

Choose all applicable medications

| | |
|------|---|
| 400 | Acyclovir |
| 500 | Adenosine |
| 600 | Adrenalin |
| 1000 | Alprostadel (prostaglandin, e.g.; prostin) |
| 1400 | Amoxicillin |
| 1600 | Ampicillin |
| 3100 | Cefazidime |
| 3200 | Cefazolin |
| 3300 | Cefotaxime |
| 3400 | Ceftriaxone |
| 3500 | Cefuroxime |
| 4000 | Cloxacillin |
| 4200 | Colfosceril palmitate [exosurf], cortisol,(exosurf) [surfactant] |
| 4600 | Diazepam |
| 4800 | Digoxin |
| 4900 | Dilantin (phenytoin) |
| 5000 | Dobutamine |
| 5200 | Dopamine |
| 5400 | Epinephrine |
| 5600 | Erythromycin |
| 5700 | Fentanyl |
| 5900 | Flagyl (metronidazole) |
| 6300 | Furosemide (Lasix) |
| 6400 | Gentamicin |
| 6500 | Glucagon |
| 7500 | Insulin |
| 7800 | Kayexalate |
| 7900 | Morphine |

MEDICATIONS
(R066) (con't)

(Not coded at IWK)

| | |
|-------|--|
| 8800 | Naloxone (narcan) |
| 9500 | Penicillin |
| 9600 | Phenobarbital |
| 9700 | Potassium Chloride |
| 10000 | Propranolol |
| 10300 | Salbutamol (ventolin) |
| 10400 | Septra (sulfamethoxazole / trimethoprim) |
| 11100 | Ticarcillin |
| 11200 | Tobramycin |
| 11400 | Trimethoprim |
| 11700 | Vancomycin |
| 11900 | Tamiflu |
| 12000 | Relenza |

NEONATAL ABSTINENCE
SYNDROME
(R067)

Neonatal abstinence syndrome.

Drug withdrawal from maternal use.

Found on the '*DISCHARGE SUMMARY*'.

Code ALL applicable drugs

| | |
|------|--------------------------|
| 100 | Alprazolam (xanax) |
| 200 | Barbituate |
| 300 | Benzodiazepam |
| 400 | Citalopram (celexa) |
| 500 | Cocaine |
| 600 | Diazepam (valium) |
| 700 | Fluoxetine (prozac) |
| 800 | Ethchlorvyol (placidyl) |
| 900 | Heroin |
| 1000 | Hydromorphone (dilaudid) |
| 1100 | Lorazepam (ativan) |
| 1200 | Meperidine (demerol) |
| 1300 | Methadone |
| 1400 | Morphine |
| 1500 | Oxazepam |
| 1600 | Paroxetine (paxil) |
| 1700 | Pentazocine (talwin) |
| 1800 | Sertraline (Zoloft) |
| 1900 | Unknown |
| 2000 | Venlafaxine |
| 2010 | OxyContin |
| 2020 | Other |

**CENTRAL VENOUS
CATHETERS (R069)**

Central venous catheters.

Found on the '*OPERATIVE REPORT*' or on the '*DISCHARGE SUMMARY*'.

Code all applicable catheters along with the number of times each were inserted.

| | |
|-----|--|
| 110 | Umbilical vein, direct (1 time) |
| 120 | Umbilical vein, direct (2 times) |
| 130 | Umbilical vein, direct (3 times) |
| 140 | Umbilical vein, direct (4 times) |
| 150 | Umbilical vein, direct (5 times) |
| 160 | Umbilical vein, direct (more than 5 times) |
| 210 | Upper limb, direct (1 time) |
| 220 | Upper limb, direct (2 times) |
| 230 | Upper limb, direct (3 times) |
| 240 | Upper limb, direct (4 times) |
| 250 | Upper limb, direct (5 times) |
| 260 | Upper limb, direct (more than 5 times) |
| 310 | Upper limb, percutaneous (PICC) (1 time) |
| 320 | Upper limb, percutaneous (PICC) (2 times) |
| 330 | Upper limb, percutaneous (PICC) (3 times) |
| 340 | Upper limb, percutaneous (PICC) (4 times) |
| 350 | Upper limb, percutaneous (PICC) (5 times) |
| 360 | Upper limb, percutaneous (PICC) (more than 5 times) |
| 410 | Upper limb, cut down (surgical) (1 time) |
| 420 | Upper limb, cut down (surgical) (2 times) |
| 430 | Upper limb, cut down (surgical) (3 times) |
| 440 | Upper limb, cut down (surgical) (4 times) |
| 450 | Upper limb, cut down (surgical) (5 times) |
| 460 | Upper limb, cut down (surgical) (more than 5 times) |
| 510 | Upper limb, Broviac (1 time) |
| 520 | Upper limb, Broviac (2 times) |
| 530 | Upper limb, Broviac (3 times) |
| 540 | Upper limb, Broviac (4 times) |
| 550 | Upper limb, Broviac (5 times) |
| 560 | Upper limb, Broviac (more than 5 times) |
| 610 | Lower limb, direct (1 time) |
| 620 | Lower limb, direct (2 times) |
| 630 | Lower limb, direct (3 times) |
| 640 | Lower limb, direct (4 times) |
| 650 | Lower limb, direct (5 times) |
| 660 | Lower limb, direct (more than 5 times) |

**CENTRAL VENOUS
CATHETERS (R069) (con't)**

| | |
|------|---|
| 710 | Lower limb, percutaneous (PICC) (1 time) |
| 720 | Lower limb, percutaneous (PICC) (2 times) |
| 730 | Lower limb, percutaneous (PICC) (3 times) |
| 740 | Lower limb, percutaneous (PICC) (4 times) |
| 750 | Lower limb, percutaneous (PICC) (5 times) |
| 760 | Lower limb, percutaneous (PICC) (more than 5 times) |
| 810 | Lower limb, cut down (surgical) (1 time) |
| 820 | Lower limb, cut down (surgical) (2 times) |
| 830 | Lower limb, cut down (surgical) (3 times) |
| 840 | Lower limb, cut down (surgical) (4 times) |
| 850 | Lower limb, cut down (surgical) (5 times) |
| 860 | Lower limb, cut down (surgical) (more than 5 times) |
| 910 | Lower limb, Brioviac (1 time) |
| 920 | Lower limb, Brioviac (2 times) |
| 930 | Lower limb, Brioviac (3 times) |
| 940 | Lower limb, Brioviac (4 times) |
| 950 | Lower limb, Brioviac (5 times) |
| 960 | Lower limb, Brioviac (more than 5 times) |
| 1100 | Other (1 time) |
| 1120 | Other (2 times) |
| 1130 | Other (3 times) |
| 1140 | Other (4 times) |
| 1150 | Other (5 times) |
| 1160 | Other (more than 5 times) |

**ARTERIAL CATHETERS
(R070)**

Arterial catheters.

Found on the '*OPERATIVE REPORT*' or on the '*DISCHARGE SUMMARY*'.

Code all applicable catheters along with the number of times each were inserted.

| | |
|-----|---------------------------------------|
| 110 | Umbilical, direct (1 time) |
| 120 | Umbilical, direct (2 times) |
| 130 | Umbilical, direct (3 times) |
| 140 | Umbilical, direct (4 times) |
| 150 | Umbilical, direct (5 times) |
| 160 | Umbilical, direct (more than 5 times) |
| 210 | Radial, direct (1 time) |
| 220 | Radial, direct (2 times) |
| 230 | Radial, direct (3 times) |
| 240 | Radial, direct (4 times) |
| 250 | Radial, direct (5 times) |
| 260 | Radial, direct (more than 5 times) |

ARTERIAL CATHETERS
(RO70)

| | |
|-----|--|
| 310 | Radial, percutaneous (PICC) (1 time) |
| 320 | Radial, percutaneous (PICC) (2 times) |
| 330 | Radial, percutaneous (PICC) (3 times) |
| 340 | Radial, percutaneous (PICC) (4 times) |
| 350 | Radial, percutaneous (PICC) (5 times) |
| 360 | Radial, percutaneous (PICC) (more than 5 times) |
| 410 | Radial, cut down (surgical) (1 time) |
| 420 | Radial, cut down (surgical) (2 times) |
| 430 | Radial, cut down (surgical) (3 times) |
| 440 | Radial, cut down (surgical) (4 times) |
| 450 | Radial, cut down (surgical) (5 times) |
| 460 | Radial, cut down (surgical) (more than 5 times) |
| 510 | Pedal, direct (1 time) |
| 520 | Pedal, direct (2 times) |
| 530 | Pedal, direct (3 times) |
| 540 | Pedal, direct (4 times) |
| 550 | Pedal, direct (5 times) |
| 560 | Pedal, direct (more than 5 times) |
| 610 | Pedal, percutaneous (PICC) (1 time) |
| 620 | Pedal, percutaneous (PICC) (2 times) |
| 630 | Pedal, percutaneous (PICC) (3 times) |
| 640 | Pedal, percutaneous (PICC) (4 times) |
| 650 | Pedal, percutaneous (PICC) (5 times) |
| 660 | Pedal, percutaneous (PICC) (more than 5 times) |
| 710 | Pedal, cut down (surgical) (1 time) |
| 720 | Pedal, cut down (surgical) (2 times) |
| 730 | Pedal, cut down (surgical) (3 times) |
| 740 | Pedal, cut down (surgical) (4 times) |
| 750 | Pedal, cut down (surgical) (5 times) |
| 760 | Pedal, cut down (surgical) (more than 5 times) |
| 810 | Femoral, direct (1 time) |
| 820 | Femoral, direct (2 times) |
| 830 | Femoral, direct (3 times) |
| 840 | Femoral, direct (4 times) |
| 850 | Femoral, direct (5 times) |
| 860 | Femoral, direct (more than 5 times) |
| 910 | Femoral, percutaneous (PICC) (1 time) |
| 920 | Femoral, percutaneous (PICC) (2 times) |
| 930 | Femoral, percutaneous (PICC) (3 times) |
| 940 | Femoral, percutaneous (PICC) (4 times) |
| 950 | Femoral, percutaneous (PICC) (5 times) |
| 960 | Femoral, percutaneous (PICC) (more than 5 times) |

ARTERIAL CATHETERS
(R070) (con't)

| | |
|------|--|
| 1010 | Femoral, cut down (surgical) (1 time) |
| 1020 | Femoral, cut down (surgical) (2 times) |
| 1030 | Femoral, cut down (surgical) (3 times) |
| 1040 | Femoral, cut down (surgical) (4 times) |
| 1050 | Femoral, cut down (surgical) (5 times) |
| 1060 | Femoral, cut down (surgical) (more than 5 times) |
| 1110 | Other (1 time) |
| 1120 | Other (2 times) |
| 1130 | Other (3 times) |
| 1140 | Other (4 times) |
| 1150 | Other (5 times) |
| 1160 | Other (more than 5 times) |

MODE OF VENTILATION
(R071)

Mode of ventilation.

Found on the '*RESPIRATORY THERAPY RECORD*' or on the '*DISCHARGE SUMMARY*'.

| | |
|-----|---|
| 100 | Intermittent mandatory ventilation (IMV) |
| 200 | Synchronized mandatory ventilation (SIMV) |
| 300 | Pressure support (PS) |
| 400 | Continuous positive airway pressure (CPAP) |
| 500 | High frequency oscillatory ventilation (HFOV) |
| 600 | Positive pressure ventilation (PPV) |

Code ALL that are applicable.

**COMPLICATIONS OF
ENDOTRACHEAL INTUBATION
(R072)**

Complications of endotracheal intubation.

Found on the '*DISCHARGE SUMMARY*'.

Code ALL complications of an endotracheal intubation that are applicable.

| | |
|------|------------------------|
| 100 | Esophageal perforation |
| 200 | Granuloma |
| 300 | Laryngeal perforation |
| 400 | Laryngeal stenosis |
| 500 | Lip deformity |
| 600 | Necrotizing laryngitis |
| 700 | Necrotizing tracheitis |
| 800 | Palate deformity |
| 900 | Squamous metaplasia |
| 1000 | Stridor |
| 1100 | Subglottic stenosis |
| 1200 | Tracheal perforation |
| 1300 | Tracheobronchomalacia |
| 1400 | Ulceration |

**COMPLICATIONS OF
VASCULAR CATHETERS
(R073)**

Complications of vascular catheters.

Found on the '*OPERATIVE REPORT*' or on the '*DISCHARGE SUMMARY*'.

Code ALL complications of a vascular catheter that are applicable.

| | |
|------|--------------------------|
| 100 | Arterial thrombosis |
| 200 | Cardiac tamponade |
| 300 | Edema |
| 400 | Loss of finger(s) |
| 500 | Loss of toe(s) |
| 600 | Pericardial effusion |
| 700 | Perforation of the heart |
| 800 | Pleural effusion |
| 900 | Phrenic nerve palsy |
| 1000 | Ruptured vessel |
| 1100 | Thrombophlebitis |
| 1200 | Vasospasm |
| 1300 | Venous thrombosis |

COMPLICATIONS OF NASO/ORO GASTRIC TUBES (R074)

Complications of NASO/ORO gastric tubes .

Found on the '*DISCHARGE SUMMARY*'.

Code ALL complications of a naso/oro gastric tube that are applicable.

| | |
|-----|--------------------------|
| 100 | Perforation, esophagus |
| 200 | Perforation, stomach |
| 300 | Perforation, small bowel |

COMPLICATIONS OF MEDICATIONS (R075)

Complications of medications.

Found on the '*DISCHARGE SUMMARY*'.

Code ALL applicable complications due to a medication.

| | |
|-----|--|
| 100 | Cardiomyopathy, steroid induced |
| 200 | Contracture, secondary to IM injection |
| 300 | Nephrocalcinosis, diuretic induced |
| 500 | Skin slough |

COMPLICATIONS OF SURGERY (R076)

Complications of surgery.

Found on the '*OPERATIVE REPORT*' or on the '*DISCHARGE SUMMARY*'.

Code ALL applicable complications due to a surgical procedure.

| | |
|-----|-------------------------|
| 100 | Diaphragmatic paralysis |
| 200 | Vocal cord paralysis |

COMPLICATIONS OF BURNS (R077)

Complications of burns.

Found on the '*DISCHARGE SUMMARY*'.

Code ALL applicable complications due to burns.

| | |
|-----|------------|
| 100 | Chemical |
| 200 | Electrical |
| 300 | Thermal |

PHOTOTHERAPY
(R078)

Phototherapy.

Found on the 'DISCHARGE SUMMARY'.

| | |
|-----|--------------|
| 100 | Phototherapy |
|-----|--------------|

IMMUNIZATIONS
(R079)

Immunizations.

Found on the 'DISCHARGE SUMMARY'.

Code ALL applicable immunizations given to the infant.

| | |
|------|---|
| 100 | DTP (diphtheria, pertussis, tetanus, polio) |
| 200 | DPT (diphtheria, pertussis, tetanus) |
| 300 | Hepatitis B globulin |
| 400 | Hepatitis B vaccine |
| 500 | Viral influenza |
| 600 | Hemophilus influenza B conjugate |
| 700 | RSV (respiratory syncytial virus) vaccine |
| 800 | Varicella (chicken pox) vaccine |
| 1000 | Prevnar |
| 1100 | Rota teq for Rota Virus |
| 1200 | Rotarix for Rota Virus |

LAB RESULTS(R080)

Lab results

(Not coded at IWK)

Found on 'DISCHARGE SUMMARY' OR 'LAB SHEETS'.

(Refer to reference lab sheet for ranges)

| | |
|------|--|
| 100 | Neutropenia <1,000 pmns(mature or bands per cu.mm) Use following formula: Multiply the total corrected WBC's by the % of pmns (polymorphoneutrophils) and bands. e.g. total WBC – 15,000 pmns = 5% Bands = 1% |
| 200 | ABO immunizations – definite |
| 300 | D Isoimmunisation |
| 400 | Little c Isoimmunization |
| 500 | Big C Isoimmunization |
| 600 | Big E Isoimmunization |
| 700 | Kell Isoimmunization |
| 800 | Fya Isoimmunization (Duffy) |
| 900 | Kidd |
| 1000 | Wright |
| 1100 | MNS blood groups |
| 1200 | Positive DAT |
| 1300 | Misc. Isoimmunization – Little “e” |
| 1400 | Misc. Isoimmunization – Little”s” |
| 1500 | Hyperbilirubinemia (Total bilirubin > 15 mg% or > 258 microM/L; or unconjugated or indirect bilirubin ≥ 230 microM/L)) |
| 1600 | Anemia (Hgb < 14 gm% or <140g/L or Hct <42% in the first week; Hgb <10gm% or <100g/L or Hct < 30% at any age. Code the cause based on the first low haemoglobin, unless clearly stated otherwise)) |

LAB RESULTS
(R080) (con't)

| | |
|------|--|
| 1700 | Polycythemia (Central Hgb > 21 gm% (210 g/L), central >63% (.630 L/L), capillary Hgb >25 gm% (250 g/L) or capillary Hct > 75% (750 L/L); both Hgb and Hct is above normal on a single sample, or at least one of Hgb or Hct is above normal on 2 or more consecutive samples.) |
| 1800 | Thrombocytopenia (Platelet count < 100,000 on greater than two occasions only) |
| 1900 | Obstructive Jaundice (Direct bilirubin, or conjugated, > 2.0 mg% or >34.5 micromol/L) |
| 2000 | Increased nucleated RBC and/or normoblastemia (>15% or greater than 18 NRBCs on 0-5days; >1% or greater than 2 NRBCS after 5 days) |
| 2100 | Reticulocytosis (>7% on days 1-2; >5% on days 3-6; >3% on days 7 and thereafter) |
| 2200 | Hyperthyroidism |
| 2300 | Rickets – Elevated alkaline phosphatase only (>406 I.U.) |
| 2400 | Hypoglycosemia (<30 mgm% or <1.67 mmol/L) |
| 2500 | Hyperglycosemia (>125 mg% or >6.94 mmol/L) |
| 2600 | Hypocalcemia (7.0mg% or less; 1.75 mmol/L or less; ionized ≤ 1.0 mmol/L) |
| 2700 | Late metabolic acidosis (After 72 hours of age; base deficit >-10 mEq/L or >-10 mmol/L) |
| 2800 | Hypokalemia (<3.0 mEq/L or <3.0 mmol/L) |
| 2900 | Hyperkalemia (7.0 mEq/L or more; 7.0 mmol/L or more) |
| 3000 | Hyponatremia (130 mEq/L or less; 130 mmol/L or less) |
| 3100 | Hypernatremia (>155 mEq/L or 155 mmol/L) |

LAB RESULTS
(R080) (con't)

| | |
|------|--|
| 3200 | Azotemia (BUN 20 mg% or more; 7.14 mmol/L or more urea value) |
| 3300 | Hypercreatininemia (2.0mg% or more; 177 micromol/L or more) |
| 3400 | Oliguria (<15 ml/Kgm/day on day2 or <20 ml/Kgm/day after 2 days) |
| 3500 | Hypoproteinemia (4.0 gm% or less; 40 gm/L or less) |
| 3600 | Hypoalbuminemia (≤ 2.4gm% or ≤ 24 gm/L) |
| 3700 | Hypomagnesemia (1.3 mEq/L or < 1.03 mmol/L) |
| 3800 | Hypermagnesemia (> 2.5 mEq/L or > 1.03 mmol/L) |
| 3900 | Hyperphosphatemia (8.0 mg% or more; 2.58 mmol/L or more) |
| 4000 | Hypertyrosinemia (5.0 mgm% or more) |
| 4100 | Hyperammonemia (>150 microgm% or >107 micromol/L) |
| 4200 | Hyperuricemia (>400 micromol/L) |
| 4300 | Hypercalcemia (≥ 3.0 mmol/L; ionized - ≥ 1.5 mmol/L) |
| 4400 | Low serum alkaline/phosphatase (<120 IU/L) |
| 4500 | Hypophosphatemia (<4.0 mg% or <1.29 mmol/L) |

**INTRA-VENTRICULAR
HEMORRHAGE
(R081)**

Intra-ventricular hemorrhage.

Found on the '*DISCHARGE SUMMARY*'.

| | |
|-----|--|
| 100 | Grade 1 (sub-ependymal, choroid Plexus hemorrhage) |
| 200 | Grade 2 (Hemorrhage into ventricle without dilatation of ventricle) |
| 300 | Grade III (Hemorrhage into ventricle with dilatation of ventricle) |
| 400 | Grade IV (Hemorrhage into brain: thalamic hemorrhage, cortical hemorrhage) |

**TRAUMA
(R082)**

Trauma.

Found on the '*DISCHARGE SUMMARY*'.

Code **ALL** applicable traumas

| | |
|------|--|
| 100 | Fracture clavicle |
| 200 | Fracture femur |
| 300 | Fracture humerus |
| 400 | Fracture other |
| 500 | Fracture rib(s) |
| 600 | Fracture skull |
| 700 | Cephalohematoma left |
| 800 | Cephalohematoma right |
| 900 | Cephalohematoma bilateral |
| 1000 | Cephalohematoma other, including occipital |
| 1100 | Cephalohematoma unknown |
| 1200 | Shoulder dystocia |

**NON-SPECIFIC
NEUROLOGICAL
FINDINGS (R083)**

Non-specific neurological findings.

Found on the '*DISCHARGE SUMMARY*'.

Code **ALL** applicable findings.

| | |
|------|--|
| 100 | Abnormal cerebral irritation/hypertonicity |
| 200 | Hyperexplixia (Hereditary Startle Disease) |
| 300 | Abnormal cerebral depression/hypotonicity |
| 400 | Abnormal cerebral depression due to maternal analgesia |
| 500 | Cerebral edema |
| 600 | Cortical atrophy |
| 700 | Encephalomalacia |
| 800 | Gilles telencephalic leucoencephalopathy |
| 900 | Infarction |
| 1000 | Porencephalic cyst(s) |
| 1100 | Periventricular leukomalacia |

**OTHER SPECIFIC
NEUROLOGICAL
FINDINGS (R084)**

Other neurological findings.

Found on the 'DISCHARGE SUMMARY'.

Code **ALL** applicable findings.

| | |
|------|--|
| 100 | Facial palsy left |
| 200 | Facial palsy right |
| 300 | Facial palsy bilateral |
| 400 | Brachial plexus (Erb's & Klumpke's) Palsy, Left |
| 500 | Brachial plexus (Erb's & Klumpke's) Palsy, Right |
| 600 | Brachial plexus (Erb's & Klumpke's) Palsy, bilateral |
| 700 | Brachial plexus (Erb's & Klumpke's) Palsy, Radial Nerve (Wrist Drop) |
| 800 | Phrenic nerve, left |
| 900 | Phrenic nerve, right |
| 1000 | Phrenic nerve, bilateral |
| 1100 | Hemiparesis transient (NOT present at time of discharge from hospital) |
| 1200 | Hemiparesis transient (present at time of discharge from hospital) |
| 1300 | Retinal hemorrhage involving the macula |
| 1400 | Chorioretinitis |
| 1500 | Congenital subdural effusion |
| 1600 | Periventricular calcification |
| 1700 | Ondines curse |
| 1800 | Opsoclonus |
| 1900 | Cranial nerve palsy 3rd or oculomotor nerve |
| 2000 | Cranial nerve palsy 4th or trochlear nerve |
| 2100 | Cranial nerve palsy 5th or trigeminal nerve |
| 2200 | Cranial nerve palsy 6th or Abducens nerve |
| 2300 | Cranial nerve palsy 10th or vagus nerve |

**APNEA
(R085)**

Apnea

Found on the 'DISCHARGE SUMMARY OR NURSES NOTE'

| | |
|-----|---------------|
| 100 | Apneic spells |
|-----|---------------|

RESUSCITATION AT DELIVERY (R086)

Resuscitation at delivery.

Found on the '*BIRTH RECORD*' or '*DISCHARGE SUMMARY*'

Code **ALL** applicable codes.

| | |
|-----|--------------------|
| 100 | Oxygen |
| 300 | Chest compressions |
| 400 | Other medications |
| 500 | Narcan |
| 600 | Epinephrine |

H1N1 (R087)

H1N1.

Found on '*DISCHARGE SUMMARY*'.

| | |
|-----|-------------------------------------|
| 100 | Laboratory confirmed H1N1 influenza |
|-----|-------------------------------------|

PERIPHERAL IV (R088)

Peripheral IV.

Found on '*DISCHARGE SUMMARY*' or '*NURSES NOTES*'.

| | |
|-----|---------------|
| 100 | Peripheral IV |
|-----|---------------|

TREATMENT FOR RETINOPATHY OF PREMATURITY (R089)

Treatment of retinopathy

Found on the '*DISCHARGE SUMMARY*'

Code **ALL** applicable codes.

| | |
|-----|----------------------------------|
| 100 | Cryotherapy |
| 200 | Laser surgery |
| 300 | Intra-ocular injection (Avastin) |

INDEX OF MATERNAL DISEASES AND PROCEDURES

- A -

| | CODE # |
|--|--------|
| Abruptio placentae: | |
| in a previous pregnancy | R025 |
| Abscess: | |
| Epidural..... | R013 |
| Absence, kidney | R020 |
| Abuse: | |
| Alcohol | R005 |
| Ativan..... | R005 |
| Chemical, unspecified..... | R005 |
| Cocaine/Crack..... | R005 |
| Codeine | R005 |
| Demerol | R005 |
| Dilaudid | R005 |
| Hash | R005 |
| Heroin | R005 |
| Marijuana | R005 |
| Methadone | R005 |
| Morphine..... | R005 |
| Oxycontin..... | R005 |
| Prescription medications..... | R005 |
| Solvents..... | R005 |
| Valium | R005 |
| Acquired immune deficiency syndrome (A.I.D.S.) | R002 |
| Agensis, renal | R020 |
| Albumin transfusion..... | R026 |
| Alcohol abuse..... | R005 |
| Amniocentesis: | |
| for genetics..... | R006 |
| for isoimmunisation | R006 |
| for lung maturity | R006 |
| Amnioinfusion | R006 |
| Amnioreduction | R006 |
| Anaesthesia during labour and delivery | R010 |
| Anaesthesia during labour only..... | R011 |
| Anesthesia during delivery only | R012 |

- A -

Anemia:

| | |
|-------------------------------|------|
| Antepartum | R022 |
| In a previous pregnancy | R025 |
| Idiopathic hypoplastic | R022 |
| Hemolytic..... | R022 |
| Postpartum | R022 |
| Sickle Cell..... | R022 |

Anesthesia:

| | |
|--|------------------------|
| Entonox | R010, R011 and/or R012 |
| Epidural, continuous catheter..... | R010, R011 and/or R012 |
| Epidural, continuous infusion (CIEA) | R010, R011 and/or R012 |
| Epidural, single | R010, R011 and/or R012 |
| General | R010, R011 and/or R012 |
| Other | R010, R011 and/or R012 |
| Pudendal | R010, R011 and/or R012 |
| Spinal/epidural double needle..... | R010, R011 and/or R012 |
| Spinal | R010, R011 and/or R012 |

| | |
|------------------------------|------|
| Ankylosing spondylitis | R024 |
|------------------------------|------|

| | |
|------------------------|------|
| Anorexia Nervosa | R016 |
|------------------------|------|

Antibodies, (Maternal conditions)

| | |
|-------------------------|------|
| Antigen negative | R001 |
| Anti-Cardiolipin | R001 |
| Anti-DNA | R001 |
| Antinuclear (ANA) | R001 |
| Anti-SSA (Ro) | R001 |
| Lupus | R001 |
| Anti-Big C | R001 |
| Anti-Big E | R001 |
| Anti-Big S | R001 |
| Anti-D | R001 |
| Anti-Dha | R001 |
| Anti-Fya | R001 |
| Anti-Kell | R001 |
| Anti-Kidd | R001 |
| Anti-La..... | R001 |
| Anti-Little c | R001 |
| Anti-Little e | R001 |
| Anti-Little s..... | R001 |
| Anti-Lutheran | R001 |
| Anti-Wright | R001 |

- A -

| | |
|--|------|
| Anti-coagulation drug therapy during pregnancy | R004 |
| Anti-depressive drug use during pregnancy..... | R004 |
| Anti-epileptic drug use during pregnancy..... | R004 |
| Anti-hypertensive drug use during pregnancy | R004 |
| Anxiety disorders | R016 |
| Anxiety medication..... | R004 |
| Arrest: | |
| Cardiac, during pregnancy | R018 |
| Arrhythmias, cardiac..... | R018 |
| Arthritis, rheumatoid..... | R024 |
| ASA therapy for autoimmune diseases | R004 |
| Aspiration pneumonitis, complicating anesthesia..... | R013 |
| Asthma | R023 |
| Atelectasis, pulmonary..... | R023 |
| Atosiban therapy for tocolysis | R003 |
| Autoimmune thyroiditis | R019 |

- B -

| | |
|---|------|
| Back pain, post anesthetic..... | R013 |
| B-Lynch procedure | R029 |
| Bell's Palsy..... | R017 |
| Block: | |
| High epidural/subdural..... | R013 |
| Prolonged epidural | R013 |
| Blood dyscrasia..... | R022 |
| Blood patch, to seal dural tear..... | R013 |
| Blood transfusions, number of..... | R026 |
| Blood transfusions, reason for | R027 |
| Bowel carcinoma | R021 |
| Breast carcinoma..... | R021 |
| Breech presentation in a previous pregnancy | R025 |
| Bricanyl (Terbutaline) therapy for tocolysis..... | R003 |
| Bulimia nervosa | R016 |

- C -

| | |
|---|------|
| Calculus, renal..... | R020 |
| Carcinoma | R021 |
| Cardiac: | |
| Arrest | R018 |
| Arrest, complicating anesthesia | R013 |
| Cardiomyopathy..... | R018 |
| Carrier, Serum hepatitis (Antigen Positive: Hepatitis A)..... | R002 |
| Serum hepatitis (Antigen Positive: Hepatitis B)..... | R002 |
| Serum hepatitis (Antigen Positive: Hepatitis C)..... | R002 |
| Serum hepatitis (Antigen Positive: Hepatitis viral) | R002 |
| Cerebral palsy | R017 |
| Cervical: | |
| Carcinoma..... | R021 |
| Encerlage(insertion and removal of)..... | R006 |

| | |
|--------------------------------------|------|
| Cholelithiasis..... | R015 |
| Cholinesterase deficiency | R024 |
| Chorionic villi sampling | R006 |
| Chronic hypertensive disease..... | R014 |
| Coagulation disorder, acquired | R022 |
| Colitis, ulcerative | R015 |
| Complications of anesthesia | R013 |
| Congenital heart disease | R018 |
| Cordocentesis..... | R006 |
| Coronary artery disease..... | R018 |
| Crohn's disease..... | R015 |
| Cryoprecipitate transfusion | R026 |
| Cystic fibrosis | R023 |
| Cytomeglaovirus | R002 |

- D -

| | |
|--|------|
| Deficiency: | |
| Cholinesterase | R022 |
| Factor 8 | R022 |
| Factor 12 | R022 |
| G6PD | R022 |
| Depression: | |
| Manic/current | R016 |
| Previous pregnancy | R025 |
| Dermatitis herpetiformis | R014 |
| Diabetes: | |
| Gestational, in a previous pregnancy | R025 |
| Maternal | R014 |
| Diazepam (Valium) tranquilizer | R008 |
| Dilaudid therapy | R008 |
| Disease: | |
| Cardiac | R018 |
| Congenital heart | R018 |
| Coronary artery | R018 |
| Crohn's | R015 |
| Gastrointestinal | R015 |
| Hypertensive, chronic | R014 |
| Polycystic kidney | R020 |
| Pulmonary | R023 |
| Renal | R020 |
| Rheumatic heart | R018 |
| Scheurmann's | R024 |
| Thromboembolic | R022 |
| Von Recklinghausen's | R024 |
| Von Willebrand's | R022 |
| Disorder: | |
| Adrenal gland | R019 |
| Anxiety | R016 |
| Eating | R016 |
| Hypothalamus | R019 |
| Obsessive compulsive | R016 |
| Ovary | R019 |
| Panic | R016 |
| Pituitary | R019 |
| Drainage: | |
| Fetal head to effect delivery | R006 |
| Drop, foot: | |
| Due to anesthesia | R013 |

- D -

| | |
|-----------------------------|------|
| Drug abuse | R005 |
| Dural tap, accidental | R013 |
| Dyscrasia, blood..... | R022 |
| Dysfibrinogenemia..... | R022 |
| Dystrophy, muscular | R017 |

- E -

| | |
|---|------------------------|
| Eating disorders | R016 |
| Eclampsia in previous pregnancy | R025 |
| Ectopic pregnancy in a previous pregnancy | R025 |
| Edema, Pulmonary | R023 |
| Embolism, pulmonary..... | R023 |
| Embolization of Arteries..... | R029 |
| Encerclage, cervical | R006 |
| Endocarditis | R018 |
| Endocrine diseases | R019 |
| Entonox anesthesia for labour/delivery..... | R012 |
| Epidural: | |
| Abscess, complicating epidural block..... | R013 |
| Block, high..... | R013 |
| Block, prolonged..... | R013 |
| Entonox | R010, R011 and/or R012 |
| Epidural, continuous catheter..... | R010, R011 and/or R012 |
| Epidural, continuous infusion (CIEA) | R010, R011 and/or R012 |
| Epidural, single | R010, R011 and/or R012 |
| General R010 | R011 and/or R012 |
| Hematoma, complicating epidural block | R013 |
| Other | R010, R011 and/or R012 |
| Patient controlled (PCEA) | R010, R011 and/or R012 |
| Pudendal..... | R010, R011 and/or R012 |
| Spinal/epidural double needle..... | R010, R011 and/or R012 |
| Spinal | R010, R011 and/or R012 |
| Epilepsy | R017 |
| Ergot for postpartum hemorrhage | R003 |
| Exchange, plasma | R026 |
| External Auscultation..... | R030 |
| External version | R006 |

- F -

| | |
|---|------|
| Factor V Leiden deficiency..... | R001 |
| Factor 8 deficiency..... | R022 |
| Factor 12 deficiency..... | R022 |
| Failed intubation for general anesthetic..... | R013 |
| Familial hypofibrinogenemia..... | R024 |
| Febrile morbidity..... | R014 |
| Fetal blood transfusions..... | R006 |
| Fetal drainage..... | R006 |
| Fetal reduction..... | R006 |
| Fetal surveillance methods..... | R030 |
| Feto/placental laser..... | R006 |
| Fetal thoracentesis..... | R006 |
| Fever, maternal..... | R014 |
| Foot drop: | |
| Complicating epidural or subdural block..... | R013 |

- G -

| | |
|---|------|
| G6PD deficiency..... | R022 |
| Gamma globulin transfusion..... | R026 |
| Gastritis, reflux..... | R015 |
| Gastro-intestinal disease..... | R015 |
| Gestational diabetes in a previous pregnancy..... | R025 |
| Glomerulonephritis, chronic..... | R020 |
| Group B streptococcal..... | R002 |

- H -

| | |
|---|------------------------|
| H1N1 confirmed diagnosis | R023 |
| Harrington Rod, presence of | R017 |
| Hash abuse | R005 |
| Hashimoto's Thyroiditis | R019 |
| Headache, post-dural puncture..... | R013 |
| Heart disease | R018 |
| HELLP syndrome | R014 |
| Hemolytic anemia | R022 |
| Hepatitis | |
| Serum hepatitis (Antigen Positive: Hepatitis A)..... | R002 |
| Serum hepatitis (Antigen Positive: Hepatitis B)..... | R002 |
| Serum hepatitis (Antigen Positive: Hepatitis C)..... | R002 |
| Serum hepatitis (Antigen Positive: Hepatitis viral) | R002 |
| Herpes simplex infection | R002 |
| Heroin abuse | R005 |
| History: | |
| Abruptio placenta..... | R025 |
| Anemia..... | R025 |
| Breech presentation..... | R025 |
| Diabetes, gestational | R025 |
| Eclampsia..... | R025 |
| Ectopic pregnancy..... | R025 |
| Embolus, pulmonary | R025 |
| Hydatidiform mole | R025 |
| Hypertensive disease..... | R025 |
| Infertility | R025 |
| Malignancy | R025 |
| Malignant hyperthermia (family/personal) | R025 |
| Sensitized pregnancy | R025 |
| Thromboembolic disease | R025 |
| Hydronephrosis | R020 |
| Hypertension, pulmonary..... | R023 |
| Hypertensive disease: | |
| chronic | R014 |
| in previous pregnancy | R025 |
| pregnancy-induced..... | R014 |
| Hyperparathyroidism | R019 |
| Hyperthyroidism | R019 |
| Hypnotism for labour/delivery..... | R010, R11 and/ or R012 |
| Hypofibrinogenemia | R022 |
| Hypoplastic anemia, idiopathic..... | R022 |
| Hypotension, post anesthetic | R013 |

- I -

| | |
|---|------|
| Idiopathic thrombocytopenic purpura | R022 |
| Illness, psychiatric..... | R016 |
| Immunizations..... | R028 |
| HINI | R028 |
| Seasonal | R028 |
| Impetigo herpetiformis..... | R014 |
| Indocid (Indomethacin) therapy for tocolysis..... | R003 |
| Indomethacin therapy (polyhydramnios)..... | R003 |
| Induction, intracervical catheter..... | R009 |
| Infarction, myocardial..... | R018 |
| Infection: | |
| AIDS | R002 |
| Group B streptococcus..... | R002 |
| Herpes simplex virus..... | R002 |
| Syphilis | R002 |
| Urinary tract..... | R019 |
| Infertility, previous history | R025 |
| Injection: | |
| Epi-catheter..... | R013 |
| Intravenous, toxic reaction to..... | R013 |
| Insertion: | |
| Intracervical catheter..... | R009 |
| Intracervical prostaglandin..... | R009 |
| Iaminaria tents..... | R009 |
| Vaginal prostaglandin | R009 |
| Insulin therapy | R004 |
| Intermittent auscultation | R030 |
| Internal auscultation..... | R030 |
| Intracerebral hemorrhage | R017 |
| Irritable bowel syndrome | R015 |
| Isoxsuprine (Vasodilan) therapy for tocolysis | R003 |
| IV Syntocin (Only) | R009 |

- L -

| | |
|-------------------------------|------|
| Lesion, spinal cord..... | R013 |
| Lithium, maternal use of..... | R004 |

- M -

| | |
|---|---------------|
| Magnesium sulfate therapy: | |
| hypertension or seizures..... | R003 |
| tocolysis | R003 |
| Malignancy/Neoplasms | |
| current pregnancy..... | R021 |
| previous pregnancy | R025 |
| Manic-depression..... | R016 |
| Maternal antibody conditions..... | R001 |
| Maternal blood transfusions..... | R026 |
| Maternal carrier status..... | R002 |
| Maternal drug and chemical abuse..... | R005 |
| Maternal drug therapies | R003 and R004 |
| Maternal fever..... | R014 |
| Maternal/fetal diagnostic procedures | R006 |
| Maternal infection..... | R002 |
| Methadone abuse | R005 |
| Misoprostil for postpartum hemorrhage | R003 |
| Mitral valve prolapsed | R018 |
| Molar pregnancy in a previous pregnancy | R025 |
| Morphine abuse..... | R005 |
| Multiple sclerosis | R017 |
| Muscular dystrophy | R017 |
| Myasthenia gravis | R017 |
| Myocardial infarction..... | R018 |
| Myocarditis | R018 |

- N -

| | |
|--|------|
| Narcotic: | |
| abuse, chronic, during pregnancy | R005 |
| use, chronic, during pregnancy | R004 |
| Neoplasms, including malignancies..... | R021 |
| Nephropathy..... | R020 |
| Nephrotic syndrome..... | R020 |
| Nervosa, anorexia | R016 |
| Neurofibromatosis..... | R024 |
| Neurologic illness | R017 |
| Nicotine replacement therapy | R004 |

- O -

| | |
|---------------------------------------|------|
| Obsessive-compulsive disorders | R016 |
| Obstetrical disease, other, NEC | R014 |
| Other non-obstetrical diseases | R024 |
| Oral herpes | R002 |
| Ovarian carcinoma | R021 |
| Oxytocin induction..... | R009 |

- P -

| | |
|---|------|
| Packing of Backri balloon..... | R029 |
| Pain, back, anesthetic complication | R013 |
| Palsy: | |
| Bell's | R017 |
| Cerebral..... | R017 |
| Pancreatitis, acute and chronic..... | R015 |
| Paraesthesia, post-anesthetic..... | R013 |
| Paralysis, respiratory, due to anesthesia..... | R013 |
| Patch, blood | R013 |
| Phenylketonua..... | R024 |
| Pitocin induction | R009 |
| Plasma exchange | R026 |
| Plasma transfusion | R026 |
| Plasmapheresis | R026 |
| Platelet transfusion..... | R026 |
| Pneumonia, antepartum..... | R023 |
| Pneumonitis, aspiration, complicating anesthesia..... | R013 |
| Polycystic kidney disease | R020 |
| Porphyria..... | R024 |
| Post-dural puncture headache | R013 |
| Postpartum hemorrhage procederes..... | R029 |
| Pregnancy-induced hypertension | R014 |
| Prescription medication abuse during pregnancy | R005 |
| Presence, Harrington Rod | R017 |
| Pre-eclampsia previous pregnancy..... | R025 |
| Previous: | |
| Abruptio placentae | R025 |
| Anemia..... | R025 |
| Breech | R025 |
| Ectopic pregnancy..... | R025 |
| Gestational diabetes | R025 |
| Malignancy | R025 |
| Molar pregnancy | R025 |

- P -

| | |
|--|------------------------|
| Postpartum depression | R025 |
| Thromboembolic disease | R025 |
| Sensitized pregnancy | R025 |
| Problems, lower urinary tract..... | R020 |
| Procedures, postpartum hemorrhage..... | R029 |
| Proctitis, ulcerative | R015 |
| Prolapsed mitral valve..... | R018 |
| Prolonged epidural block | R013 |
| Prostaglandin (administration): | |
| Intracervical | R009 |
| Oral | R009 |
| Vaginal..... | R009 |
| Prosthesis, valve (heart) | R018 |
| Pruritic urticarial papules and plaques of pregnancy | R014 |
| Pseudotumor cerebri | R017 |
| Psychiatric illness..... | R016 |
| Pudendal anesthesia for labour/delivery | R010, R011 and/or R012 |
| Pulmonary: | |
| Disease | R023 |
| Edema, antepartum/intrapartum..... | R023 |
| Edema, postpartum | R023 |
| Embolus in a previous pregnancy | R025 |
| Hypertension..... | R018 |
| Pyelonephritis: | |
| Acute..... | R020 |
| Chronic..... | R020 |

- R -

| | |
|------------------------------|------|
| Reflux: gastritis..... | R015 |
| Removal cervical suture..... | R006 |
| Renal: | |
| Agenesis..... | R020 |
| Calculus | R020 |
| Disease (not U.T.I.)..... | R020 |
| Failure | R020 |
| Transplant | R020 |
| Rheumatic heart disease..... | R018 |
| Rheumatoid arthritis..... | R024 |

| | |
|--|------------------------|
| Sarcoidosis | R024 |
| Scheurmann's disease..... | R024 |
| Schizophrenia..... | R016 |
| Scleroderma | R024 |
| Sclerosis: | |
| Muscular | R017 |
| Tuberous | R017 |
| Scoliosis | R024 |
| Sensitized pregnancy previously..... | R025 |
| Separation of symphysis pubis..... | R014 |
| Seizures | R017 |
| Serum hepatitis carrier | R002 |
| Sickle cell anemia | R022 |
| Sjogren's Syndrome | R024 |
| Spherocytosis, hereditary | R005 |
| Spinal anesthesia: | |
| Labour and delivery | R010, R011 and/or R012 |
| Total (respiratory paralysis)..... | R013 |
| Spinal cord lesion, complicating epidural or subdural block..... | R013 |
| Spinal/epidural double needle: | |
| Labour/delivery..... | R010, R011 and/or R012 |
| Spondylitis, ankylosing..... | R024 |
| Street drug abuse during pregnancy..... | R005 |
| Streptococcal infection, group | BR002 |
| Subarachnoid hemorrhage | R017 |
| Subdural block, high | R013 |
| Suture, cervical, removal of..... | R006 |
| Syndrome: | |
| Irritable bowel..... | R015 |
| Nephrotic | R020 |
| Sjogren's..... | R024 |
| Thoracic outlet | R017 |
| Wolff Parkinson's White Syndrome..... | R018 |
| Syntocin induction | R009 |
| Syphilis | R002 |
| Systemic lupus | R024 |

| | |
|---|------|
| Tap: | |
| Dural, accidental | R013 |
| Fetal peritoneal | R006 |
| Terbutaline therapy for tocolysis | R003 |
| Thalassemia..... | R022 |
| Therapy: | |
| Anti-coagulation | R004 |
| Anti-depressives..... | R004 |
| Anti-epileptics..... | R004 |
| Anti-hypertensives | R004 |
| ASA for autoimmune diseases..... | R003 |
| Thoracentesis, fetal | R006 |
| Thoracic outlet syndrome | R017 |
| Thrombocytopenia | R022 |
| Thrombocytopenic purpura: | |
| Idiopathic | R022 |
| Thrombotic..... | R022 |
| Thromboembolic disease in present pregnancy | R018 |
| Thrombophlebitis in a previous pregnancy..... | R025 |
| Thyroid therapy..... | R004 |
| Thyroiditis Hashimoto | R019 |
| Toxic intravenous injection..... | R013 |
| Toxoplasmosis, prenatal | R002 |
| Transfusions: | |
| Albumin | R026 |
| Blood, number of | R026 |
| Cryoprecipitate..... | R026 |
| Fetal, total number of..... | R006 |
| Fresh frozen plasma | R026 |
| Gamma globulin | R026 |
| Plasma exchange/plasmapheresis | R026 |
| Platelets | R026 |
| Transfusion, reason for | R027 |
| Transplant, renal | R020 |
| Tuberous sclerosis..... | R017 |
| Tying of uterine arteries..... | R029 |

- U -

Ulcerative:

| | |
|--|------|
| Colitis..... | R015 |
| Proctitis | R015 |
| Ulcers | R015 |
| Unspecified chemical abuse during pregnancy..... | R005 |
| Urinary tract infection..... | R020 |
| Use, narcotic, chronic | R004 |

- V -

| | |
|-------------------------------------|------|
| Vaginal carcinoma | R021 |
| Valve prosthesis | R018 |
| Ventolin therapy for tocolysis..... | R003 |
| Version, external | R006 |
| Von Reckinghausen's disease | R024 |
| Von Willebrand's disease | R022 |

- W -

| | |
|---------------------------------------|------|
| Wolff Parkinson's White Syndrome..... | R018 |
|---------------------------------------|------|

LEFT PAGE BLANK INTENTIONALLY

INDEX OF NEONATAL DISEASES AND PROCEDURES

- A -

| | CODE # |
|---|--------|
| Abducens nerve palsy, 6th nerve | R085 |
| Abnormal cerebral depression: | |
| Non post-asphyctic | R083 |
| Post-asphyctic | R062 |
| Abnormal cerebral irritation: | |
| Not post-asphyctic | R083 |
| Post-asphyctic | R062 |
| ABO Isoimmunization | R080 |
| Acyclovir | R066 |
| Adenosine | R066 |
| Adrenalin | R066 |
| Alkalosis | R063 |
| Alprazolam..... | R067 |
| Alprostadel..... | R066 |
| Amnionsodosum | R051 |
| Amoxicillin | R066 |
| Anemia..... | R080 |
| Anomaly/Metabolic Syndromes and Conditions | |
| Aarskog syndrome | R054 |
| Aase syndrome..... | R054 |
| Acardia..... | R054 |
| Accutane embryopathy | R054 |
| Achondrogenesis type Ia..... | R054 |
| Achondrogenesis type Ib..... | R054 |
| Achondrogenesis type II | R054 |
| Achondrogenesis-dysplasia congenita type II..... | R054 |
| Achondroplasia | R054 |
| Acoustic neurofibromatosis | R054 |
| Acrocallosal syndrome..... | R054 |
| Acrocephalosyndactyly syndrome | R054 |
| Acrodysostosis | R054 |
| Acrofacial dysostosis syndrome | R054 |
| Acromegaly..... | R054 |
| Acromesomelic dwarfism (dysplasia)..... | R054 |
| Acro-osteolysis syndrome (Artho-dento-osteo dysplasia)..... | R054 |
| Adactyly | R054 |
| Adams-Oliver syndrome | R054 |
| Adenoma sebaceum | R054 |
| Adrenal hyperplasia | R054 |
| Adrenal hypoplasia | R054 |
| Adrenoleukodystrophy..... | R054 |
| Aec syndrome | |
| (Ankyloblepharon-ectodermal dysplasia-clefting syndrome)..... | R054 |

Anomaly/Metabolic Syndromes and Conditions (cont...)

| | |
|---|------|
| Agenesis of corpus callosum | R054 |
| Aglossia-adactyly syndrome | R054 |
| Aicardia syndrome | R054 |
| Akinesia sequence..... | R054 |
| Alagille syndrome..... | R054 |
| Albright hereditary osteodystrophy | R054 |
| Alopecia | R054 |
| Aminopterin embryopathy | R054 |
| Amnion rupture sequence | R054 |
| Amyoplasia congenita disruptive sequence | R054 |
| Anal atresia | R054 |
| Anencephaly | R054 |
| Aneurysm of the vein of Galen..... | R054 |
| Angelman syndrome (Happy Puppet Syndrome) | R054 |
| Aniridia | R054 |
| Aniridia-Wilm's tumor association..... | R054 |
| Anodontia..... | R054 |
| Anorectal malformation | R054 |
| Antley-Bixler syndrome..... | R054 |
| Apert syndrome..... | R054 |
| Arachnodactyly | R054 |
| Arachnoid cyst | R054 |
| Argininaemia | R054 |
| Argininosuccinic aciduria | R054 |
| Arteriohepatic dysplasia..... | R054 |
| Arteriovenous malformation of the lung..... | R054 |
| Arthrogryposis, muscular..... | R054 |
| Arthrogryposis, neurogenic..... | R054 |
| Arthro-ophthalmopathy (Stickler Syndrome)..... | R054 |
| Asphyxiating thoracic dystrophy | R054 |
| Asplenia syndrome..... | R054 |
| Ataxia - telangiectasia syndrome (Lovis-Bar Syndrome)..... | R054 |
| Atelosteogenesis, type I (Chondrodysplasia, giant cell) | R054 |
| Athyrotic hypothyroidism sequence | R054 |
| Atr-x syndrome | R054 |
| Baller Gerold syndrome..... | R054 |
| Bannayan syndrome (Bannayan-Riley-Ruvalcaba syndrome) | R054 |
| Bardet-Biedl syndrome | R054 |
| Beals syndrome (Beals contractural arachnodactyly)..... | R054 |
| Beckwith syndrome (Beckwith-Wiederman Syndrome) | R054 |
| Berardinelli lipodystrophy syndrome..... | R054 |
| Bicornuate uterus | R054 |
| Bifid scrotum | R054 |
| Bifid uvula | R054 |

Anomaly/Metabolic Syndromes and Conditions (continue)

| | |
|---|------|
| Bladder exstrophy | R054 |
| Blepharophimosis | R054 |
| Bloch-sulzberger syndrome | R054 |
| Bloom syndrome..... | R054 |
| Blue sclera..... | R054 |
| Body stalk anomaly..... | R054 |
| Bor syndrome (Brachio-oto-renal syndrome)..... | R054 |
| Björnsjö-Forssman-Lehmann syndrome | R054 |
| Brachmann-de Lange syndrome (Cornelia deLange syndrome) | R054 |
| Brachydactyly | R054 |
| Branchial sinus..... | R054 |
| Branchio-oculo-facial syndrome..... | R054 |
| Breech deformation sequence | R054 |
| Brushfield spots | R054 |
| Buru-Baraister syndrome | R054 |
| Caffey pseudo-hurler syndrome..... | R054 |
| Campomelic dysplasia | R054 |
| Camurati-Engelmann syndrome | R054 |
| Capillary hemangioma..... | R054 |
| Cardiomyopathy, congenital | R054 |
| Carnitine deficiency | R054 |
| Carpenter syndrome | R054 |
| Cartilage-hair hypoplasia syndrome | R054 |
| Catel-Manzke syndrome | R054 |
| Cat-eye syndrome | R054 |
| Caudal dysplasia sequence..... | R054 |
| Caudal regression syndrome | R054 |
| Cavernous hemangioma..... | R054 |
| Cebocephaly..... | R054 |
| Cephalopolysyndactyly syndrome (Greig Syndrome)..... | R054 |
| Cerebellar calcification | R054 |
| Cerebellar hypoplasia..... | R054 |
| Cerebral calcification | R054 |
| Cerebral gigantism syndrome | R054 |
| Cerebro-costo-mandibular syndrome..... | R054 |
| Cerebro-oculo facio-skeletal (cofs) syndrome..... | R054 |
| Cerevico-oculo-acoustic syndrome..... | R054 |
| Charcot-Marie-Tooth syndrome | R054 |
| Charge syndrome | R054 |
| Child Syndrome (Congenital hemidysplasia) | R054 |
| Choanal atresia..... | R054 |
| Chondrodysplasia punctata (Condracli-Hünemann Syndrome) | R054 |
| Chondrodystrophica myotonia (Schwartz-Jampel Syndrome) | R054 |
| Chondroectodermal dysplasia (Ellis-van Creveld syndrome)..... | R054 |

Anomaly/Metabolic Syndromes and Conditions (continue)

| | |
|---|------|
| Chondromatosis | R054 |
| Citrullinaemia | R054 |
| Cleft face..... | R054 |
| Cleft lip, unilateral | R054 |
| Cleft lip, bilateral | R054 |
| Cleft tongue..... | R054 |
| Cleft palate..... | R054 |
| Cleidocranial dysostosis..... | R054 |
| Clinodactyly..... | R054 |
| Cloacal exstrophy | R054 |
| Clouston syndrome | R054 |
| Cloverleaf skull..... | R054 |
| Clubfoot | R054 |
| Cockayne syndrome..... | R054 |
| Coffin-Lowry syndrome | R054 |
| Coffin-Siris syndrome..... | R054 |
| Cohen syndrome | R054 |
| Coloboma of iris | R054 |
| Colon, malrotation | R054 |
| Congenital adrenal hyperplasia..... | R054 |
| Congenital hypothyroidism..... | R054 |
| Congenital microgastria-limb reduction complex..... | R054 |
| Conjoined twins | R054 |
| Cortical hypoplasia | R054 |
| Costello syndrome | R054 |
| Coumarin embryology effects..... | R054 |
| Craniofacial dysostosis (Crouzon Syndrome)..... | R054 |
| Craniofrontonasal dysplasia..... | R054 |
| Cranio metaphyseal dysplasia..... | R054 |
| Craniosynostosis | R054 |
| Craniosynostosis, coronal | R054 |
| Craniosynostosis, frontal..... | R054 |
| Craniosynostosis, Kleeblattschadel..... | R054 |
| Craniosynostosis, lambdoid | R054 |
| Craniosynostosis, sagittal..... | R054 |
| Craniosynostosis, trigonocephaly | R054 |
| Cri du chat syndrome..... | R054 |
| Cryptophthalmos anomaly (Fraser Syndrome)..... | R054 |
| Cryptorchidism | R054 |
| Cubitus valgus..... | R054 |
| Cutis aplasia..... | R054 |
| Cutis hyperelastica..... | R054 |
| Cutis laxa | R054 |
| Cutis marmorata..... | R054 |
| Cyclopia..... | R054 |

Anomaly/Metabolic Syndromes and Conditions (continue)

| | |
|--|------|
| Cystathionuria..... | R054 |
| Cystic adenomatoid malformation of the lung..... | R054 |
| Cytomegalic inclusion disease..... | R054 |
| Dandy-walker syndrome..... | R054 |
| Darwinian tubercle..... | R054 |
| Dental cyst..... | R054 |
| Deprivation syndrome..... | R054 |
| Dermal ridge, aberrant..... | R054 |
| Desanctis-Cacchione syndrome..... | R054 |
| Diabetes insipidus..... | R054 |
| Diabetes mellitus..... | R054 |
| Diaphragmatic hernia..... | R054 |
| Diaphyseal aclasis..... | R054 |
| Diastriophic dyslasia..... | R054 |
| Diastrophic nanism..... | R054 |
| DiGeorge syndrome..... | R054 |
| Dilantin embryopathy..... | R054 |
| Dimple, sacral..... | R054 |
| Distal arthogyriposis syndrome..... | R054 |
| Distichiasis-lymphedema syndrome..... | R054 |
| Donohue syndrome (Leprechaunism Syndrome)..... | R054 |
| Down syndrome..... | R054 |
| Dubowitz syndrome..... | R054 |
| Duodenal atresia..... | R054 |
| Dwarfism, acromesomelic..... | R054 |
| Dwarfism, metatrophic..... | R054 |
| Dyggve-Melchoir-Clausen syndrome..... | R054 |
| Dysencephalia splanchnocystica (Meckel-Gruber Syndrome)..... | R054 |
| Dyskeratosis congenita syndrome..... | R054 |
| Dystrophia myotonica, Steinert (Myotonic dystrophy)..... | R054 |
| Early urethral obstruction syndrome..... | R054 |
| Ectodermal dysplasia..... | R054 |
| Ectrodactyly, tibial..... | R054 |
| Ectrodactyly-ectodermal dysplasia-clefting syndrome (EEC)..... | R054 |
| Eczema..... | R054 |
| Ehlers-danlos syndrome..... | R054 |
| Elbow dysplasia..... | R054 |
| Enamel hypoplasia..... | R054 |
| Encephalocele..... | R054 |
| Encephalocraniocutaneous lipomatosis..... | R054 |
| Endocrine neoplasia, multiple, type 2..... | R054 |
| Epidermal nevus syndrome..... | R054 |
| Epiphyseal calcification..... | R054 |
| Epiphyseal dysplasia, multiple..... | R054 |
| Equinovarus deformity..... | R054 |

Anomaly/Metabolic Syndromes and Conditions (continue)

| | |
|--|------|
| Escobar syndrome (Multiple pterygium dysplasia) | R054 |
| Esophageal atresia..... | R054 |
| Exomphalos | R054 |
| External chonromatosis..... | R054 |
| Fabry’s disease..... | R054 |
| Falx calcification..... | R054 |
| Familial blepharophimosis syndrome | R054 |
| Familial short stature..... | R054 |
| Fanconi syndrome..... | R054 |
| Fetal alcohol syndrome (FAS)..... | R054 |
| Femoral hypoplasia-unusal facies syndrome | R054 |
| Fetal face syndrome (Robinow Syndrome) | R054 |
| Fg syndrome | R054 |
| Fibrochondrogenesis..... | R054 |
| Fibrodysplasia ossificans progressiva syndrome | R054 |
| First and second brachial arch syndrome | R054 |
| Floating-habour syndrome | R054 |
| Fragile x syndrome (Martin-Bell Syndrome)..... | R054 |
| Franceschetti-Klein syndrome (Treacher-Collins Syndrome..... | R054 |
| Freeman-Sheldon syndrome (Whistling Face Syndrome) | R054 |
| Frenula, absent | R054 |
| Frontal bossing..... | R054 |
| Frontometaphyseal dysplasia | R054 |
| Frontonasal dysplasia sequence | R054 |
| Fryns syndrome..... | R054 |
| Galactosemia..... | R054 |
| Gastroschisis | R054 |
| Geleophysic dysplasia..... | R054 |
| Gilles telencephalic leucoencephalopathy | R054 |
| Glaucoma | R054 |
| Glossopalatine ankylosis syndrome | R054 |
| B-glucuidase deficiency | R054 |
| Glycogen storage disease | R054 |
| Goiter | R054 |
| Goldenhar syndrome..... | R054 |
| Goltz syndrome..... | R054 |
| Gonadal dysgenesis..... | R054 |
| Gorlin syndrome (Nevoid basal cell carcinoma) | R054 |
| Grebe syndrome | R054 |
| Hallerman-streiff syndrome | R054 |
| Hamartosis | R054 |
| Hemangioma..... | R054 |
| Hemangioma, capillary | R054 |
| Hemangioma, cavernous..... | R054 |
| Hemangioma, port-wine | R054 |

Anomaly/Metabolic Syndromes and Conditions (continue)

| | |
|---|------|
| Hecht syndrome | R054 |
| Hemifacial microsomia..... | R054 |
| Hemochromatosis | R054 |
| Hemorrhagic telangiectasia, hereditary..... | R054 |
| Hereditary arthro-ophthalmopathy..... | R054 |
| Hereditary osteo-onchodysplasia (Nail patella syndrome) | R054 |
| Hirshsprung aganglionosis..... | R054 |
| Holoprosencephaly | R054 |
| Holt-oram syndrome | R054 |
| Homocystinuria syndrome..... | R054 |
| Homozygous Leri-Weill syndrome..... | R054 |
| Hunter syndrome..... | R054 |
| Hurler syndrome | R054 |
| Hurler-Scheie syndrome | R054 |
| Hutchinson-Gilford syndrome (Progeria Syndrome)..... | R054 |
| Hydantoin embryology | R054 |
| Hydatidiform placenta | R054 |
| Hydranencephaly..... | R054 |
| Hydrocele..... | R054 |
| Hydrocephalus | R054 |
| Hydrops fetalis..... | R054 |
| Hyperammonaemia | R054 |
| Hypochondrogenesis..... | R054 |
| Hypochondroplasia | R054 |
| Hypodactyly, hypoglossal..... | R054 |
| Hypodontia..... | R054 |
| Hypogenitalism..... | R054 |
| Hypoglossia-hypodactyly syndrome..... | R054 |
| Hypogonadism | R054 |
| Hypohidrotic ectodermal dysplasia (Rapp-Hodgkin ectoderma)..... | R054 |
| Hypomelanosis of ito | R054 |
| Hypomellia-hypotrichosis-facial hemangioma syndrome | R054 |
| Hypospadias..... | R054 |
| Hypospadias, glandular (first degree)..... | R054 |
| Hypospadias, coronal (second degree) | R054 |
| Hypospadias, shaft (third degree) | R054 |
| Hypospadias, perineal (fourth degree)..... | R054 |
| Hypotrichosis | R054 |
| Icthyosiform erythroderma (Senter-Kid Syndrome)..... | R054 |
| Immune deficiency..... | R054 |
| Immunoglobulin deficiency | R054 |
| Imperforate anus | R054 |
| Iniiencephaly..... | R054 |
| Intestinal atresia | R054 |
| Intestinal atresia, anal..... | R054 |

Anomaly/Metabolic Syndromes and Conditions (continue)

| | |
|--|------|
| Intestinal atresia, colonic | R054 |
| Intestinal atresia, duodenal..... | R054 |
| Intestinal atresia, ileal | R054 |
| Intestinal atresia, jejuna | R054 |
| Intestinal stenosis | R054 |
| Intestinal stenosis, anal | R054 |
| Intestinal stenosis, colonic | R054 |
| Intestinal stenosis, duodenal | R054 |
| Intestinal stenosis, ileal | R054 |
| Intestinal stenosis, jejuna | R054 |
| Intestinal stenosis, rectal | R054 |
| Intracardiac mass | R054 |
| Intrathoracic vascular ring | R054 |
| Ivenmark syndrome | R054 |
| Jackson-Lawler pachyonychia congenita syndrome..... | R054 |
| Jadossohn-Lewandowski pachyonychia congenita syndrome | R054 |
| Jansen-type metaphyseal dysplasia..... | R054 |
| Jarcho-Levin syndrome..... | R054 |
| Johanson-Blizzard syndrome | R054 |
| Jugular lymphatic obstruction sequence | R054 |
| Kabuki syndrome | R054 |
| Kartagener syndrome | R054 |
| Keratoconus | R054 |
| Killian/Teschler-Nicola syndrome (Pallister mosaic syndrome) | R054 |
| Kinky hair syndrome (Menkes Syndrome)..... | R054 |
| Klein-Waardenburg syndrome..... | R054 |
| Klinefelter syndrome | R054 |
| Klippel-Feil sequence | R054 |
| Klippel-Trenaunay-Weber syndrome | R054 |
| Kniest dysplasia | R054 |
| Kozlowski spondylometaphyseal dysplasia..... | R054 |
| Lacrimal-auriculo-dento-digital syndrome | R054 |
| Ladd syndrome | R054 |
| Langer-Gideon Syndrome..... | R054 |
| Langer-Saldino achondrogenesis | R054 |
| Larsen syndrome..... | R054 |
| Laryngeal abnormality | R054 |
| Laryngeal atresia..... | R054 |
| Laryngeal web..... | R054 |
| Left-sidedness sequence..... | R054 |
| Lens, dislocation | R054 |
| Lenticular opacity | R054 |
| Lentigines, multiple | R054 |
| Lenz-Majewski hyperostosis syndrome..... | R054 |
| Leopard syndrome | R054 |

Anomaly/Metabolic Syndromes and Conditions (continue)

| | |
|--|------|
| Leri-weill dyschondrosteosi..... | R054 |
| Leroy I-cell syndrome..... | R054 |
| Lesch-Nylan syndrome..... | R054 |
| Lethal multiple pterygium syndrome..... | R054 |
| Levy-Hollister syndrome..... | R054 |
| Limb-body wall complex..... | R054 |
| Lipoatrophy..... | R054 |
| Lipodosis, neurovisceral..... | R054 |
| Lipodystrophy, generalized..... | R054 |
| Lipomatosis, encephalocraniocutaneous..... | R054 |
| Lippit-cleft hip syndrome (Van der Woude Syndrome)..... | R054 |
| Lissencephaly Syndrome (Miller-Dreker Syndrome)..... | R054 |
| Lobstein disease..... | R054 |
| Lupus, neonatal..... | R054 |
| Macrocephaly..... | R054 |
| Macroglossia..... | R054 |
| Macrogyria..... | R054 |
| Macro-orchidism..... | R054 |
| Macrosomia..... | R054 |
| Macrostomia..... | R054 |
| Madelung deformity..... | R054 |
| Maffucci syndrome..... | R054 |
| Malar hypoplasia..... | R054 |
| Male pseudohermaphroditism..... | R054 |
| Mandibular hypodontia..... | R054 |
| Marden-Walker syndrome..... | R054 |
| Marfan syndrome..... | R054 |
| Maroteaux-Lamy (mucopolysaccharidosis syndrome)..... | R054 |
| Marshall Syndrome..... | R054 |
| Marshall-Smith syndrome..... | R054 |
| Masa syndrome (X-linked hydrocephalus syndrome)..... | R054 |
| Maternal phenylketonuria, fetal effects..... | R054 |
| Maxillary hypoplasia..... | R054 |
| Mccune-Albright syndrome (osteitis fibrosa cystica)..... | R054 |
| Mckusick type metaphyseal dysplasia..... | R054 |
| Meckel diverticulum..... | R054 |
| Median cleft face syndrome..... | R054 |
| Melanomata..... | R054 |
| Melanosis, neurocutaneous..... | R054 |
| Melnick-Fraser syndrome..... | R054 |
| Melnick-needles syndrome..... | R054 |
| Meningocele..... | R054 |
| Meningomyelocele..... | R054 |
| Metacarpal hypoplasia..... | R054 |
| Metaphyseal dysplasia, Jansen type..... | R054 |

Anomaly/Metabolic Syndromes and Conditions (continue)

| | |
|--|------|
| Metaphyseal dysplasia, Mckusick type..... | R054 |
| Metaphyseal dysplasia, Pyle type | R054 |
| Metaphyseal dysplasia, Schmid type | R054 |
| Metatarsal hypoplasia | R054 |
| Metatarsus adductus..... | R054 |
| Metatropic dwarfism..... | R054 |
| Metatropic dysplasia | R054 |
| Methioninaemia | R054 |
| Methotrexate embryology | R054 |
| Microcephaly | R054 |
| Microcolon..... | R054 |
| Microcolon-megacystis-hypoperistalsis syndrome..... | R054 |
| Microcornea | R054 |
| Microdeletion syndrome | R054 |
| Microdontia..... | R054 |
| Microgastria | R054 |
| Microglossia..... | R054 |
| Micrognathia..... | R054 |
| Micropenis | R054 |
| Microphthalmia..... | R054 |
| Microstomia | R054 |
| Miller syndrome (postaxial acrofacial dysostosis)..... | R054 |
| Moebius syndrome..... | R054 |
| Mohr syndrome (OFD) | R054 |
| Morquio syndrome..... | R054 |
| Mucopolidosis III (pseudo Hurler) | R054 |
| Mucopolysaccharidosis I s (Scheie Syndrome) | R054 |
| Mucopolysaccharidosis III, types a, b, c, d..... | R054 |
| Mucopolysaccharidosis VII (Sly Syndrome)..... | R054 |
| Mulibrey nanism syndrome (Perheentupu Syndrome) | R054 |
| Multiple endocrine neoplasia, type 2b | R054 |
| Multiple neuroma syndrome | R054 |
| Multiple synostosis syndrome (Symphalangism Syndrome)..... | R054 |
| Murcs association | R054 |
| Myasthenia gravis, newborn | R054 |
| Myopathy, centronuclear | R054 |
| Myopathy, myotubular..... | R054 |
| Nanism, diastrophic | R054 |
| Nasal dysplasia | R054 |
| Neonatal lupus | R054 |
| Neonatal teeth | R054 |
| Nesidioblastosis | R054 |
| Neu-laxova syndrome | R054 |
| Neural tube defect..... | R054 |
| Neurocutaneous melanosis syndrome..... | R054 |
| Neurofibromatosis syndrome..... | R054 |

Anomaly/Metabolic Syndromes and Conditions (cont...)

| | |
|---|------|
| Neuromuscular defect | R054 |
| Neurovisceral lipidosis, familial | R054 |
| Noonan syndrome | R054 |
| Occult spinal dysraphism | R054 |
| Oculo-auriculo-vertebral defect spectrum | R054 |
| Oculodentodigital syndrome | R054 |
| Oculo-genito-laryngeal syndrome (Optiz Syndrome)..... | R054 |
| Odontoid hypoplasia | R054 |
| Oculo-facial-digital syndrome, type I (OFD-I)..... | R054 |
| Oculo-digital-facial syndrome type III (OFD-III) | R054 |
| Oligohydramnios sequence | R054 |
| Ollier disease (osteochondromatosis syndrome)..... | R054 |
| Omphalocele | R054 |
| Optic nerve dysplasia | R054 |
| Oromandibular-limb hypogenesis spectrum | R054 |
| Osteochondrodysplasia | R054 |
| Osteodysplasia | R054 |
| Osteogenesis imperfecta, type I | R054 |
| Osteogenesis imperfecta, type II..... | R054 |
| Osteolysis | R054 |
| Osteo-onychodysplasia | R054 |
| Osteopetrosis..... | R054 |
| Otocephaly | R054 |
| Oto-palato-digital syndrome, type I (Taybi Syndrome)..... | R054 |
| Oto-palato-digital syndrome, type II..... | R054 |
| Pachydermoperiostosis syndrome..... | R054 |
| Pachygyria | R054 |
| Pachyonia congenita syndrome | R054 |
| Pallister-Hall syndrome | R054 |
| Parabiotic syndrome, donor (Twin-to-twin transfer) | R054 |
| Parabiotic syndrome, recipient (Twin-to-twin transfer)..... | R054 |
| Pectus carinatum | R054 |
| Pectus excavatum..... | R054 |
| Pena Shokeir phenotype, type I | R054 |
| Pena-Shokeir phenotype, type II..... | R054 |
| Penta x syndrome | R054 |
| Pentrology of Cantrell..... | R054 |
| Perinatal lethal hypophosphatasia..... | R054 |
| Peters' -plus syndrome..... | R054 |
| Peutz Jeghers syndrome | R054 |
| Pfeiffer syndrome | R054 |
| Phenylketonuria | R054 |
| Phenylketonuria, maternal effects..... | R054 |
| Photosensitive dermatitis | R054 |
| Pierre Robin syndrome | R054 |
| Pitting, lip..... | R054 |

Anomaly/Metabolic Syndromes and Conditions (cont...)

| | |
|---|------|
| Pitting, preauricular..... | R054 |
| Poikiloderma congenitale syndrome (Rothmund-Thomson)..... | R054 |
| Poland sequence..... | R054 |
| Polydactyly | R054 |
| Polymicrogyria..... | R054 |
| Polysplenia syndrome | R054 |
| Popliteal pteryguim syndrome | R054 |
| Porencephalic cyst | R054 |
| Port wine stain | R054 |
| Potter syndrome | R054 |
| Prader-Willi syndrome..... | R054 |
| Preauricular tags | R054 |
| Preauricular pits | R054 |
| Prognathism | R054 |
| Porteus syndrome..... | R054 |
| Pseudoachondroplasia..... | R054 |
| Pseudocamptodactyly | R054 |
| Pulmonary agenesis | R054 |
| Pulmonary hypoplasia..... | R054 |
| Pulmonary lymphangectasia, congenital..... | R054 |
| Pyknodysostosis..... | R054 |
| Pyle disease (Pyle metaphyeal dysplasia)..... | R054 |
| Pyruvate carboxylase deficiency..... | R054 |
| Pyruvate dehydrogenase deficiency..... | R054 |
| Rachischisis | R054 |
| Ranula | R054 |
| Rectal atresia..... | R054 |
| Rectal atresia, with fistula..... | R054 |
| Refsum's disease..... | R054 |
| Reifenstein's syndrome..... | R054 |
| Restrictive dermopathy | R054 |
| Retinoic acid embryopathy | R054 |
| Rhizomelic chondrodysplasia punctata..... | R054 |
| Rieger syndrome | R054 |
| Right-sidedness sequence | R054 |
| Rokitansky malformation sequence..... | R054 |
| Rubinstein-Taybi syndrome..... | R054 |
| Russell-Silver syndrome (Silver Syndrome)..... | R054 |
| Saddle nose | R054 |
| Saethre-Chatzen syndrome | R054 |
| Salino-noonan short rib-polydactyly syndrome..... | R054 |
| Sc phocomelia..... | R054 |
| Schinzel-Giedion syndrome..... | R054 |
| Schimid type metaphyseal dysplasia..... | R054 |
| Schizencephaly..... | R054 |
| Sclerosteosis..... | R054 |

Anomaly/Metabolic Syndromes and Conditions (cont...)

| | |
|---|------|
| Scrotum, shawl..... | R054 |
| Seckel syndrome | R054 |
| Septo-optic dysplasia sequence..... | R054 |
| Short bowel syndrome | R054 |
| Short rib-polydactyly syndrome, type II..... | R054 |
| Shprintzen syndrome | R054 |
| Shwachman syndrome | R054 |
| Simpson-Golabi-Behmel syndrome..... | R054 |
| Sirenomelia sequence..... | R054 |
| Smith-Lemli-Opitz Syndrome | R054 |
| Spondylometatarsal synostosis syndrome..... | R054 |
| Spondylometaphyseal dysplasia | R054 |
| Spondylometaphyseal dysplasia, Kozlowski..... | R054 |
| Stenial malformation-vascular dysplasia spectrum..... | R054 |
| Struge-Weber sequence | R054 |
| Sulfite oxidase deficiency | R054 |
| Sugarman syndrome..... | R054 |
| Syndactyly | R054 |
| Tar syndrome (thrombocytopenia absent radius)..... | R054 |
| Taurodontism | R054 |
| Tdo syndrome | R054 |
| Testicular feminization syndrome..... | R054 |
| Tesetis, hydrocele | R054 |
| Tethered cord malformation syndrome..... | R054 |
| Thanatophoric dysplasia | R054 |
| Thyroglossal cyst | R054 |
| Thrombocytopenia absent radius syndrome | R054 |
| Thurston syndrome | R054 |
| Tibial aplasia-ectrodactyly syndrome | R054 |
| Townes-brock syndrome..... | R054 |
| Tracheoesophageal fistula..... | R054 |
| Transcobalamin II deficiency | R054 |
| Trapezoidcephaly..... | R054 |
| Tricho-rhino-phalangeal syndrome, type I..... | R054 |
| Tridione embryopathy..... | R054 |
| Trimethadione embryopathy | R054 |
| Triphalangeal thumb | R054 |
| Triploidy | R054 |
| Trp I | R054 |
| Turner syndrome..... | R054 |
| Turner-like syndrome..... | R054 |
| Umbilical hernia | R054 |
| Urorectal septum malformation sequence..... | R054 |
| Uterus, ambiguous | R054 |
| Vagina, double | R054 |
| Valproate embryopathy..... | R054 |

| | |
|--|------|
| Anomaly/Metabolic Syndromes and Conditions (cont...) | |
| Varadi-Papp syndrome..... | R054 |
| Vater association..... | R054 |
| Vein of Galen, aneurysm | R054 |
| Vertebral defect..... | R054 |
| Volvulus, colon..... | R054 |
| Volvulus, ileum..... | R054 |
| Volvulus, jejunum..... | R054 |
| Volvulus, small bowel | R054 |
| Von Hippel-Lindau syndrome | R054 |
| Vrolik disease..... | R054 |
| Waardenburg syndrome, type I..... | R054 |
| Waardenburg syndrome, type II | R054 |
| Waardenburg syndrome, type III | R054 |
| Wagr syndrome..... | R054 |
| Walker-Warburg syndrome | R054 |
| Warfarin embryology..... | R054 |
| Weaver syndrome | R054 |
| Weill-Marchesani syndrome..... | R054 |
| Werner syndrome..... | R054 |
| Whelan syndrome | R054 |
| Williams syndrome | R054 |
| Xeroderma pigmentosa syndrome | R054 |
| Yunis-Varon syndrome..... | R054 |
| Zellweger syndrome..... | R054 |
| Zollinger-ellison syndrome..... | R054 |
| Ampicillin | R063 |
| Apnea..... | R085 |
| Arhinecephaly..... | R063 |
| Aterial Catheters | |
| Femoral, direct | R070 |
| Femoral, percutaneous (PICC)..... | R070 |
| Femoral, cut down (surgical) | R070 |
| Pedal, direct..... | R070 |
| Pedal, percutaneous (PICC)..... | R070 |
| Pedal, cut down (surgical)..... | R070 |
| Radial, direct..... | R070 |
| Radial, percutaneous (PICC)..... | R070 |
| Radial, cut down (surgical) | R070 |
| Umbilical, direct | R070 |
| Arterial thrombosis | R073 |
| Astrocytoma..... | R064 |
| Azotemia..... | R080 |

- B -

| | |
|---|------|
| Baller Gerold syndrome | R054 |
| Bannayan syndrome (Bannayan-Riley-Ruvalcaba syndrome) | R054 |
| Barbituate, drug withdrawal from maternal use | R067 |
| Bardet-Biedl syndrome | R054 |
| Beals syndrome (Beals contractural arachnodactyly) | R054 |
| Beckwith syndrome (Beckwith-Wiederman Syndrome) | R054 |
| Benzodiazapan, drug withdrawal from maternal use | R063 |
| Berardinelli lipodystrophy syndrome | R054 |
| Bicornuate uterus | R054 |
| Bifid scrotum | R054 |
| Bifid uvula | R054 |
| Big C-isoimmunization | R080 |
| Big E-isoimmunization | R080 |
| Birth asphyxia sequella: | |
| Post-Asphyctic CNS depression | R062 |
| Post-Asphyctic CNS excitation | R062 |
| Post-Asphyctic increase intracranial pressure | R062 |
| Post-Asphyctic brain necrosis | R062 |
| Post-Asphyctic congestive heart failure | R062 |
| Post-Asphyctic Aacute tubular necrosis | R062 |
| Post-Asphyctic Liver and/or adrenal necrosis | R062 |
| Bladder exstrophy | R054 |
| Blepharophimosis | R054 |
| Bloch-sulzberger syndrome | R054 |
| Bloom syndrome | R054 |
| Blue sclera | R054 |
| Body stalk anomaly | R054 |
| Bor syndrome (Brachio-oto-renal syndrome) | R054 |
| Brjeson-Forssman-Lehmann syndrome | R054 |
| Brachial Plexus (Erb& Klumpke's) Palsy Right | R084 |
| Brachial Plexus (Erb & Klumpke's) Palsy Bilateral | R084 |
| Brachial Plexus (Erb & Klumpke's) Palsy Radial Nerve | R084 |
| Brachmann-de Lange syndrome (Cornelia deLange syndrome) | R054 |
| Brachydactyly | R054 |
| Brain edema | R063 |
| Branchial sinus | R054 |
| Branchio-oculo-facial syndrome | R054 |
| Breech deformation sequence | R054 |
| Brushfield spots | R054 |
| Bronchopulmonary dysplasia, non-cystic | R060 |
| Bronchopulmoary dyplasia, non-cystic | R060 |
| Burns: | |
| Chemical | R077 |
| Electrical | R077 |
| Thermal | R077 |
| Buru-Baraister syndrome | R054 |

| | |
|---|------|
| Caffey pseudo-hurler syndrome..... | R054 |
| Campomelic dysplasia | R054 |
| Camurati-Engelmann syndrome | R054 |
| Capillary hemangioma | R054 |
| Cardiomyopathy, congenital | R054 |
| Carnitine deficiency | R054 |
| Carpenter syndrome | R054 |
| Cartilage-hair hypoplasia syndrome | R054 |
| Catel-Manzke syndrome | R054 |
| Cat-eye syndrome | R054 |
| Caudal dysplasia sequence..... | R054 |
| Caudal regression syndrome | R054 |
| Cavernous hemangioma..... | R054 |
| Cebocephaly..... | R054 |
| Central Venous Catheters | |
| Lower limb, direct..... | R069 |
| Lower limb, percutaneous (PICC) | R069 |
| Lower limb, cut down (surgical)..... | R069 |
| Lower limb, Brioviac | R069 |
| Umbilical vein, direct..... | R069 |
| Upper limb, direct | R069 |
| Upper limb, percutaneous (PICC)..... | R069 |
| Upper limb, cut down (surgical) | R069 |
| Upper limb, Broviac..... | R069 |
| Cephalopolysyndactyly syndrome (Greig Syndrome)..... | R054 |
| Cerebellar calcification | R054 |
| Cerebellar hypoplasia..... | R054 |
| Cerebral anomaly associated with convulsions | R063 |
| Cerebral calcification | R054 |
| Cerebral gigantism syndrome | R054 |
| Cerebro-costo-mandibular syndrome..... | R054 |
| Cerebro-oculo facio-skeletal (cofs) syndrome | R054 |
| Cerevico-oculo-acoustic syndrome..... | R054 |
| Charcot-Marie-Tooth syndrome | R054 |
| Charge syndrome | R054 |
| Child Syndrome (Congenital hemidysplasia) | R054 |
| Choanal atresia..... | R054 |
| Chondrodysplasia punctata (Condracli-Hünemann Syndrome) | R054 |
| Chondrodystrophica myotonia (Schwartz-Jampel Syndrome) | R054 |
| Chondroectodermal dysplasia (Ellis-van Creveld syndrome)..... | R054 |
| Chondromatosi | R054 |
| Chorioamnionitis, marked or severe | R051 |
| Chorioangioma of placenta/cord..... | R051 |
| Choroid Plexus Papilloma..... | R064 |

| | |
|---|------|
| Circumvallate placenta..... | R051 |
| Citrullinaemia | R054 |
| Cefazidime | R066 |
| Cefazolin | R066 |
| Cefotaxime..... | R066 |
| Ceftriaxone..... | R066 |
| Cefuroxime | R066 |
| Cephalohematoma..... | R082 |
| Cerebral edema | R083 |
| Chorioretinitis | R084 |
| Chronic Pulmonary Disease of Prematurity: | |
| Bronchopulmonary dysplasia, non-cystic | R060 |
| Bronchopulmonary dysplasia, cystic | R060 |
| Wilson-Mikity syndrome, non-cystic | R060 |
| Wilson-Mikity syndrome, cystic..... | R060 |
| Citalopram, withdrawl from maternal use | R067 |
| Cloxacillin..... | R066 |
| Cleft face..... | R054 |
| Cleft lip, unilateral | R054 |
| Cleft lip, bilateral | R054 |
| Cleft tongue..... | R054 |
| Cleft palate..... | R054 |
| Cleidocranial dysostosis..... | R054 |
| Clinodactyly..... | R054 |
| Cloacal exstrophy..... | R054 |
| Clouston syndrome | R054 |
| Cloverleaf skull..... | R054 |
| Clubfoot | R054 |
| Cockayne syndrome..... | R054 |
| Coffin-Lowry syndrome | R054 |
| Coffin-Siris syndrome..... | R054 |
| Cohen syndrome | R054 |
| Coloboma of iris | R054 |
| Colon, malrotation | R054 |

Complications of Endotracheal Intubations:

| | |
|--|------|
| Esophageal perforation | R072 |
| Granuloma | R072 |
| Laryngeal perforation..... | R072 |
| Laryngeal stenosis..... | R072 |
| Lip deformity | R072 |
| Necrotizing laryngitis..... | R072 |
| Necrotizing tracheitis | R072 |
| Palate deformity | R072 |
| Squamous metaplasia..... | R072 |
| Stridor | R072 |
| Subglottic stenosis | R072 |
| Tracheal perforation..... | R072 |
| Tracheobronchomalacia | R072 |
| Ulceration..... | R072 |
| Complications of naso/oro gastric tubes | |
| Perforation, esophagus..... | R074 |
| Perforation, stomach | R074 |
| Perforation, small bowel | R074 |
| Complications of medications | |
| Cardiomyopathy..... | R075 |
| Contracture secondary to IM injections | R075 |
| Nephrocalcinosis, diuretic induced | R075 |
| Skin slough | R075 |
| Complications of surgery | |
| Diaphragmatic paralysis..... | R076 |
| Vocal cord paralysis..... | R076 |
| Complications of vascular catheters | |
| Arterial thrombosis | R073 |
| Cardiac tamponade..... | R073 |
| Edema | R073 |
| Loss of finger(s)..... | R073 |
| Loss of toe(s) | R073 |
| Pericardial effusion | R073 |
| Perforation of the heart | R073 |
| Pleural effusion | R073 |
| Phrenic nerve palsy | R073 |
| Ruptured vessel..... | R073 |
| Thrombophlebitis..... | R073 |
| Vasospasm | R073 |
| Venous thrombosis | R073 |

- C -

| | |
|---|------|
| Congenital adrenal hyperplasia..... | R054 |
| Congenital hypothyroidism..... | R054 |
| Congenital microgastria-limb reduction complex..... | R054 |
| Congenital Subdural Effusion..... | R084 |
| Conjoined twins | R054 |
| Convulsions,/Seizures due to: | |
| Alkalosis | R063 |
| Arhinencephaly..... | R063 |
| Benign Familial..... | R063 |
| Brain Edema | R063 |
| Cerebral Anomaly, Unspecified..... | R063 |
| Drug Withdrawal | R063 |
| Hemorrhage, Brain Stem | R063 |
| Hemorrhage, Cerebellar..... | R063 |
| Hemorrhage, Cerebral..... | R063 |
| Holoprosencephaly | R063 |
| Hydrocephaly..... | R063 |
| Hydranencephaly | R063 |
| Hypercapnia | R063 |
| Hypocalcemia | R063 |
| Hypocapnia..... | R063 |
| Hypoglycemia..... | R063 |
| Hypomagnesemia..... | R063 |
| Hyponatremia..... | R063 |
| Inborn Error of Metabolism..... | R063 |
| Infarction..... | R063 |
| Kernicterus..... | R063 |
| Meningitis | R063 |
| Post-asphyctic | R063 |
| Pyridoxine Deficiency | R063 |
| Pyridoxine Dependency | R063 |
| Unknown..... | R063 |
| Venous Thrombosis | R063 |
| Cortical atrophy | R083 |
| Cortical hypoplasia | R054 |
| Costello syndrome | R054 |
| Coumarin embryology effects..... | R054 |
| Cranial Nerve Palsy | R084 |
| Craniofacial dysostosis (Crouzon Syndrome)..... | R054 |
| Craniofrontonasal dysplasia..... | R054 |
| Craniometaphyseal dysplasia..... | R054 |
| Craniopharyngioma neoplasm | R064 |

- C -

| | |
|--|------|
| Craniosynostosis | R054 |
| Craniosynostosis, coronal | R054 |
| Craniosynostosis, frontal..... | R054 |
| Craniosynostosis, Kleeblattschadel..... | R054 |
| Craniosynostosis, lambdoid | R054 |
| Craniosynostosis, sagittal..... | R054 |
| Craniosynostosis, trigonocephaly | R054 |
| Cri du chat syndrome | R054 |
| Cryptophthalmos anomaly (Fraser Syndrome) | R054 |
| Cryptorchidism | R054 |
| Cubitus valgus..... | R054 |
| Cutis aplasia | R054 |
| Cutis hyperelastica | R054 |
| Cutis laxa | R054 |
| Cutis marmorata..... | R054 |
| Cyclopia | R054 |
| Cystathionuria..... | R054 |
| Cystadenoma..... | R064 |
| Cystic adenomatoid malformation of the lung..... | R054 |
| Cystic Hygroma | R064 |
| Cytomegalic inclusion disease..... | R054 |

- D -

| | |
|---|------|
| Dandy-walker syndrome | R054 |
| Darwinian tubercle..... | R054 |
| Dental cyst | R054 |
| Depression at birth | R055 |
| Deprivation syndrome..... | R054 |
| Dermal ridge, aberrant | R054 |
| Desanctis-Cacchione syndrome | R054 |
| Diabetes insipidus | R054 |
| Diabetes mellitus..... | R054 |
| Diaphragmatic hernia | R054 |
| Diaphragmatic paralysis, complication of surger | R076 |
| Diaphyseal aclasis | R054 |
| Diastrophic dyslasia..... | R054 |
| Diastrophic nanism | R054 |
| Diazepam, infant medication | R066 |
| Diazepam, drug withdrawl from maternal use..... | R067 |
| DiGeorge syndrome | R054 |
| Digoxin, infant medication | R066 |
| Dilantin embryopathy | R054 |
| Dilantin, infant medication | R066 |
| Dimple, sacral | R054 |
| Distal arthogyriposis syndrome | R054 |
| Distichiasis-lymphedema syndrome | R054 |

| | |
|---|------|
| D Isoimmunization..... | R080 |
| Dobutamine, infant medication..... | R066 |
| Dopamin, infant medication..... | R066 |
| Donohue syndrome (Leprechaunism Syndrome) | R054 |
| Down syndrome | R054 |
| DPT Immunization..... | R079 |
| DPTP immunization..... | R079 |
| Drug withdrawl from maternal use | |
| Alprazolam (Xanax)..... | R067 |
| Barbituate..... | R067 |
| Benzodiazapam | R067 |
| Citalopram (Celexa)..... | R067 |
| Cocaine | R067 |
| Diazapam (Valium)..... | R067 |
| Fluoxetine (Prozac)..... | R067 |
| Ethchlorvyol (Placidyl)..... | R067 |
| Heroin | R067 |
| Hydromorphone (Dilaudid) | R067 |
| Lorazopam (Ativan)..... | R067 |
| Meperidine (Demerol) | R067 |
| Methadone | R067 |
| Morphine..... | R067 |
| OxyContin..... | R067 |
| Oxazepam | R067 |
| Paroxetine (Paxil) | R067 |
| Pentazocine (Talwin) | R067 |
| Sertraline (Zoloft) | R067 |
| Unknown..... | R067 |
| Venlafaxine (Effexor) | R067 |
| Dubowitz syndrome | R054 |
| Ductus syndrome of prematurity | |
| Non-surgical closure | R057 |
| Surgical treatment | R057 |
| Treatment not stated..... | R057 |
| Duffy Isoimmunization | R080 |
| Duodenal atresia..... | R054 |
| Dwarfism, acromesomelic | R054 |
| Dwarfism, metatrophic | R054 |
| Dyggve-Melchoir-Clausen syndrome | R054 |
| Dysencephalia splanchnocystica (Meckel-Gruber Syndrome) | R054 |
| Dyskeratosis congenita syndrome..... | R054 |
| Dystocia, shoulder..... | R082 |
| Dystrophia myotonica, Steinert (Myotonic dystrophy) | R054 |

| | |
|--|------|
| Early urethral obstruction syndrome..... | R054 |
| Ectodermal dysplasia | R054 |
| Ectrodactyly, tibial | R054 |
| Ectrodactyly-ectodermal dysplasia-clefting syndrome (EEC)..... | R054 |
| Eczema..... | R054 |
| Edema, complication of vascular catheter | R073 |
| Ehlers-danlos syndrome..... | R054 |
| Elbow dysplasia | R054 |
| Enamel hypoplasia | R054 |
| Encephalocele | R054 |
| Encephalomalacia | R083 |
| Encephalocraniocutaneous lipomatosis | R054 |
| Endocrine neoplasia,multiple, type 2..... | R054 |
| Endothelial tissue, neoplasm..... | R064 |
| Epednymona, neoplasm | R064 |
| Epidermal nevus syndrome | R054 |
| Epinephrine, infant medication | R066 |
| Epiphyseal calcification | R054 |
| Epiphyseal dysplasia, multiple..... | R054 |
| Epithelial Tissue, neoplasm | R066 |
| Equinovarus deformity..... | R054 |
| Erb's Palsy | R084 |
| Erythromycin, infant medication | R066 |
| Escobar syndrome (Multiple pterygium dysplasia) | R054 |
| Esophageal atresia..... | R054 |
| Esophageal perforation, due to Endotracheal tube..... | R072 |
| Ethchlorvyol, drug withdrawl from maternal use | R067 |
| Exomphalos | R054 |
| External chonromatosis..... | R054 |

- F -

| | |
|--|------|
| Fabry's disease..... | R054 |
| Facial Palsy | R084 |
| Falx calcification..... | R054 |
| Familial blepharophimosis syndrome | R054 |
| Familial erythrophagocytic lymphohistiocytosis, neoplasm..... | R064 |
| Familial short stature..... | R054 |
| Fanconi syndrome..... | R054 |
| Fetal alcohol syndrome (FAS)..... | R054 |
| Femoral hypoplasia-unusal facies syndrome | R054 |
| Fentanyl, infant medication | R066 |
| Fetal face syndrome (Robinow Syndrome) | R054 |
| Fg syndrome..... | R054 |
| Fibrochondrogenesis..... | R054 |
| Fibrodysplasia ossificans progressiva syndrome | R054 |
| Fibroma, neoplasm..... | R064 |
| First and second brachial arch syndrome | R054 |
| Flagyl, infant medications..... | R066 |
| Floating-habour syndrome | R054 |
| Fluoxetine, drug withdrawl from maternal use..... | R067 |
| Follicular cyst, neoplasm | R064 |
| Fracture | |
| Clavicle | R082 |
| Femur | F082 |
| Humerus..... | R082 |
| Other | R082 |
| Rib(s) | R082 |
| Skull..... | R082 |
| Fragile x syndrome (Martin-Bell Syndrome)..... | R054 |
| Franceschetti-Klein syndrome (Treacher-Collins Syndrome) | R054 |
| Freeman-Sheldon syndrome (Whistling Face Syndrome) | R054 |
| Frenula, absent | R054 |
| Frontal bossing..... | R054 |
| Frontometaphyseal dysplasia | R054 |
| Frontonasal dysplasia sequece | R054 |
| Fryns syndrome..... | R054 |
| Funisitis..... | R051 |
| Funisitis, candidal | R051 |
| Funisitis, necrotizing..... | R051 |
| Furosemide, infant medication..... | R066 |
| Fya isoimmunisation..... | R080 |

-G -

| | |
|---|------|
| Galactosemia..... | R054 |
| Gastroschisis | R054 |
| Geleophysic dysplasia..... | R054 |
| Gentamicin, infant medications | R066 |
| Gilles telencephalic leucoencephalopathy | R054 |
| Glaucoma | R054 |
| Glioma, neoplasm | R064 |
| Glossopalatine ankylosis syndrome | R054 |
| B-glucosidase deficiency | R054 |
| Glucagon, infant medications | R066 |
| Glycogen storage disease | R054 |
| Goiter | R054 |
| Goldenhar syndrome..... | R054 |
| Goltz syndrome..... | R054 |
| Gonadal dysgenesis..... | R054 |
| Gorlin syndrome (Nevoid basal cell carcinoma) | R054 |
| Grebe syndrome | R054 |

- H -

| | |
|---|------|
| Hallerman-streiff syndrome | R054 |
| Hamartosis | R054 |
| Hecht syndrome | R054 |
| Hemangioma..... | R054 |
| Hemangioma, capillary | R054 |
| Hemangioma, cavernous..... | R054 |
| Hemangioma, port-wine | R054 |
| Hematoma of umbilical cord | R051 |
| Hemiparesis, Transient | R084 |
| Hemifacial microsomia | R054 |
| Hemochromatosis | R054 |
| Hemorrhage, Intra-ventricular | |
| Grade I | R081 |
| Grade II | R081 |
| Grade III..... | R081 |
| Grade IV | R081 |
| Hemorrhagic telangiectasia, hereditary..... | R054 |
| Hepatoblastoma, neoplasm | R064 |
| Hereditary arthro-ophthalmopathy..... | R054 |
| Hereditary osteo-onchodysplasia (Nail patella syndrome) | R054 |
| Hirshsprung aganglionosis..... | R054 |
| Histiocytosis, neoplasm | R064 |

- H -

| | |
|---|------|
| Holoprosencephaly | R054 |
| Holt-oram syndrome | R054 |
| Home Oxygen | R061 |
| Homocystinuria syndrome | R054 |
| Homozygous Leri-Weill syndrome..... | R054 |
| Hunter syndrome..... | R054 |
| Hurler syndrome | R054 |
| Hurler-Scheie syndrome | R054 |
| Hutchinson-Gilford syndrome (Progeria Syndrome)..... | R054 |
| Hydantoin embryology | R054 |
| Hydatidiform placenta | R054 |
| Hydranencephaly..... | R054 |
| Hydrocele..... | R054 |
| Hydrocephalus | R054 |
| Hydrops fetalis | R054 |
| Hyperammonaemia | R080 |
| Hyperbilirubinemia | R080 |
| Hypercalcemia | R080 |
| Hypercreatininemia..... | R080 |
| Hyperglucosemia | R080 |
| Hyperkalemia..... | R080 |
| Hypermagnesemia..... | R080 |
| Hypernatremia..... | R080 |
| Hyperphosphatemia | R080 |
| Hyperplexixia (hereditary Startle Disease)..... | R083 |
| Hyperthyroidism | R080 |
| Hypertyrosinemia..... | R080 |
| Hyperuricemia..... | R080 |
| Hypoalbuminemia..... | R080 |
| Hypocalcemia | R080 |
| Hypochondrogenesis..... | R054 |
| Hypochondroplasia | R054 |
| Hypodactyly, hypoglossal..... | R054 |
| Hypodontia..... | R054 |
| Hypogenitalism | R054 |
| Hypoglossia-hypodactyly syndrome..... | R054 |
| Hypoglucosemia | R080 |
| Hypogonadism | R054 |
| Hypohidrotic ectodermal dysplasia (Rapp-Hodgkin ectoderma)..... | R054 |
| Hypokalemia..... | R080 |
| Hyponatremia..... | R080 |
| Hypomagnesemia..... | R080 |
| Hypomelanosis of ito | R054 |
| Hypomellia-hypotrichosis-facial hemangioma syndrome | R054 |
| Hypophosphatemia | R080 |
| Hypoproteinemia..... | R080 |

-H-

| | |
|--|------|
| Hypospadias..... | R054 |
| Hypospadias, glandular (first degree)..... | R054 |
| Hypospadias, coronal (second degree)..... | R054 |
| Hypospadias, shaft (third degree)..... | R054 |
| Hypospadias, perineal (fourth degree)..... | R054 |
| Hypotrichosis..... | R054 |

- I -

| | |
|---|------|
| Ichthyosiform erythroderma (Senter-Kid Syndrome)..... | R054 |
| Immune deficiency..... | R054 |
| Immunization: | |
| DPT..... | R079 |
| DPTP..... | R079 |
| Flu (viral influenza)..... | R079 |
| Hemphilus Influenza B Conjugate (Act Hib)..... | R079 |
| Hepatitis B globulin..... | R079 |
| Hepatitis B vaccine..... | R079 |
| RSV (Respiratory Syncytial Virus)..... | R079 |
| Varicella (Chicken Pox) vaccine..... | R079 |
| Immunoglobulin deficiency..... | R054 |
| Imperforate anus..... | R054 |
| Intra-Ventricular Hemorrhage | |
| Grade I..... | R081 |
| Grade II..... | R081 |
| Grade III..... | R081 |
| Grade IV..... | R081 |
| Increased nucleated RBC and /or neuroblastemia..... | R080 |
| Infarction, Non-specific neurological findings..... | R083 |
| Infant Medications | |
| Acyclovir..... | R066 |
| Adenosine..... | R066 |
| Adrenalin..... | R066 |
| Alprostadel (Prostagladin i.e. Prostin)..... | R066 |
| Amoxicillin..... | R066 |
| Ampicillin..... | R066 |
| Cefazidime..... | R066 |
| Cefazolin..... | R066 |
| Cefotaxime..... | R066 |
| Ceftriaxone..... | R066 |
| Cefuroxime..... | R066 |
| Cloxacillin..... | R066 |
| Surfactant [Exosurf] Cortisol (Exosurf) [Surfactant]..... | R066 |
| Diazepam..... | R066 |
| Digoxin..... | R066 |

Infant Medications (continue)

| | |
|-------------------------------------|------|
| Dilantin (Phenytoin) | R066 |
| Dobutamine..... | R066 |
| Dopamine..... | R066 |
| Epinephrine..... | R066 |
| Erythromycin | R066 |
| Fentanyl | R066 |
| Flagyl (Metronidazole) | R066 |
| Furosemide (Lasix)..... | R066 |
| Gentamicin..... | R066 |
| Glucagon..... | R066 |
| Insulin | R066 |
| Morphine..... | R066 |
| Naloxone (Narcan)..... | R066 |
| Penicillin | R066 |
| Phenobarbital | R066 |
| Potassium chloride | R066 |
| Propranolol..... | R066 |
| Salbutamol (Ventolin)..... | R066 |
| Septra | R066 |
| Trimethoprim | R066 |
| Vancomycin | R066 |
| Intelligence..... | R054 |
| Insulin, infant medications..... | R066 |
| Insulinoma, neoplasm | R064 |
| IV Peripheral..... | R088 |
| Intestinal atresia | R054 |
| Intestinal atresia, anal..... | R054 |
| Intestinal atresia, colonic | R054 |
| Intestinal atresia, duodenal..... | R054 |
| Intestinal atresia, ileal | R054 |
| Intestinal atresia, jejuna | R054 |
| Intestinal stenosis | R054 |
| Intestinal stenosis, anal | R054 |
| Intestinal stenosis, colonic | R054 |
| Intestinal stenosis, duodenal | R054 |
| Intestinal stenosis, ileal | R054 |
| Intestinal stenosis, jejuna | R054 |
| Intestinal stenosis, rectal | R054 |
| Intracardiac mass | R054 |
| Intrathoracic vascular ring | R054 |
| Ivemark syndrome | R054 |

- J -

| | |
|--|------|
| Jackson-Lawler pachyonychia congenita syndrome | R054 |
| Jadosohn-Lewandowski pachyonychia congenita syndrome | R054 |
| Jansen-type metaphyseal dysplasia | R054 |
| Jarcho-Levin syndrome | R054 |
| Jaundice, obstructive | R080 |
| Johanson-Blizzard syndrome | R054 |
| Jugular lymphatic obstruction sequence | R054 |

- K -

| | |
|--|------|
| Kabuki syndrome | R054 |
| Kartagener syndrome | R054 |
| Kell-isoimmunization | R080 |
| Keratoconus | R054 |
| Kidd-isoimmunization | R080 |
| Killian/Teschler-Nicola syndrome (Pallister mosaic syndrome) | R054 |
| Kinky hair syndrome (Menkes Syndrome) | R054 |
| Klein-Waardenburg syndrome | R054 |
| Klinefelter syndrome | R054 |
| Klippel-Feil sequence | R054 |
| Klippel-Trenaunay-Weber syndrome | R054 |
| Kniest dysplasia | R054 |
| Knot in cord (true) | R051 |
| Kozlowski spondylometaphyseal dysplasia | R054 |

- L -

Lab Results

| | |
|-----------------------------------|------|
| Neutropenia | R080 |
| ABO Immunizations- Definite | R080 |
| D isoimmunisation | R080 |
| Little c Isoimmunization | R080 |
| Big C Isoimmunization | R080 |
| Big E Isoimmunization | R080 |
| Kell Isoimmunization | R080 |
| Fya Isoimmunization (Duffy) | R080 |
| Kidd | R080 |

Lab Results

| | |
|---|------|
| Wright | R080 |
| MNS blood groups | R080 |
| Positive DAT | R080 |
| Misc. Isoimmunization - Little "e" | R080 |
| Misc. Isoimmunization - Little "s" | R080 |
| Hyperbilirubinemia | R080 |
| Anemia | R080 |
| Polycythemia | R080 |
| Thrombocytopenia | R080 |
| Obstructive Jaundice | R080 |
| Increased nucleated RBC and/or normoblastemia | R080 |
| Reticulocytosis | R080 |
| Hyperthyroidism | R080 |
| Rickets - Elevated alkaline phosphatase only | R080 |
| Hypoglucosemia | R080 |
| Hyperglucosemia | R080 |
| Hypocalcemia | R080 |
| Late Metabolic Acidosis | R080 |
| Hypokalemia | R080 |
| Hyperkalemia | R080 |
| Hyponatremia | R080 |
| Hypernatremia | R080 |
| Azotemia | R080 |
| Hypercreatininemia | R080 |
| Oliguria | R080 |
| Hypoproteinemia | R080 |
| Hypoalbuminemia | R080 |
| Hypomagnesemia | R080 |
| Hypermagnesemia | R080 |
| Hyperphosphatemia | R080 |
| Hypertyrosinemia | R080 |
| Hyperammonemia | R080 |
| Hyperuricemia | R080 |
| Hypercalcemia | R080 |
| Low serum alkaline/phosphatase | R080 |

- L -

| | |
|--|------|
| Lacrimal-auriculo-dento-digital syndrome | R054 |
| Ladd syndrome..... | R054 |
| Langer-Gideon Syndrome..... | R054 |
| Langer-Saldino achondrogenesis | R054 |
| Larsen syndrome..... | R054 |
| Laryngeal abnormality | R054 |
| Laryngeal atresia..... | R054 |
| Laryngeal web..... | R054 |
| Left-sidedness sequence..... | R054 |
| Lens, dislocation | R054 |
| Lenticular opacity | R054 |
| Lentigines, multiple | R054 |
| Lenz-Majewski hyperostosis syndrome..... | R054 |
| Leopard syndrome | R054 |
| Leri-weill dyschondrosteosis | R054 |
| Leroy I-cell syndrome..... | R054 |
| Lesch-Nylan syndrome | R054 |
| Lethal multiple pterygium syndrome..... | R054 |
| Leukemia, neoplasm | R064 |
| Levy-Hollister syndrome | R054 |
| Limb-body wall complex | R054 |
| Lip deformity, complication of endotracheal tube..... | R072 |
| Lipoatrophy..... | R054 |
| Lipodosis, neurovisceral | R054 |
| Lipodystrophy, generalized..... | R054 |
| Lipoma, neoplasm..... | R064 |
| Lipomatosis, encephalocraniocutaneous..... | R054 |
| Lippit-cleft hip syndrome (Van der Woude Syndrome) | R054 |
| Lissencephaly Syndrome (Miller-Dreker Syndrome)..... | R054 |
| Lobstein disease..... | R054 |
| Lorazepam, withdrawal from maternal use | R064 |
| Lupus, neonatal..... | R054 |
| Lymphangioma | R064 |
| Lymphoma | R064 |

- M -

| | |
|---|------|
| Macrocephaly..... | R054 |
| Macroglossia..... | R054 |
| Macrogyria..... | R054 |
| Macro-orchidism..... | R054 |
| Macrosomia..... | R054 |
| Macrostomia | R054 |
| Madelung deformity..... | R054 |
| Maffucci syndrome | R054 |
| Malar hypoplasia..... | R054 |
| Male pseudohermaphroditism..... | R054 |
| Mandibular hypodontia..... | R054 |
| Marden-Walker syndrome | R054 |
| Marfan syndrome | R054 |
| Marginal insertion of cord, placental anomaly | R051 |
| Maroteaux-Lamy (mucopolysaccharidosis syndrome)..... | R054 |
| Marshall Syndrome..... | R054 |
| Marshall-Smith syndrome..... | R054 |
| Masa syndrome (X-linked hydrocephalus syndrome)..... | R054 |
| Mass, unknown type neoplasm | R064 |
| Maternal phenylketonuria, fetal effects | R054 |
| Maxillary hypoplasia | R054 |
| Mccune-Albright syndrome (osteitis fibrosa cystica)..... | R054 |
| Mckusick type metaphyseal dysplasia..... | R054 |
| Meckel diverticulum | R054 |
| Median cleft face syndrome..... | R054 |
| Medications | |
| Acyclovir | R066 |
| Adenosine | R066 |
| Adrenalin | R066 |
| Alprostadil (Prostaglandin e.; Prostin)..... | R066 |
| Amoxicillin | R066 |
| Ampicillin | R066 |
| Cefazidime..... | R066 |
| Cefazolin..... | R066 |
| Cefotaxime..... | R066 |
| Ceftriaxone..... | R066 |
| Cefuroxime | R066 |
| Cloxacillin..... | R066 |
| Surfactant [Exosurf] Cortisol (Exosurf) [Surfactant]..... | R066 |
| Diazepam | R066 |
| Digoxin | R066 |

- M -

Medications

| | |
|--|------|
| Dilantin (Phenytoin)..... | R066 |
| Dobutamine..... | R066 |
| Dopamine..... | R066 |
| Epinephrine..... | R066 |
| Erythromycin | R066 |
| Fentanyl | R066 |
| Flagyl (Metronidazole) | R066 |
| Furosemide (Lasix) | R066 |
| Gentamicin..... | R066 |
| Glucagon..... | R066 |
| Insulin | R066 |
| Morphine..... | R066 |
| Naloxone (Narcan)..... | R066 |
| Penicillin | R066 |
| Phenobarbital | R066 |
| Potassium chloride | R066 |
| Propranolol..... | R066 |
| Salbutamol (Ventolin)..... | R066 |
| Septra | R066 |
| Trimethoprim | R066 |
| Vancomycin | R066 |
| Medulloblastoma, neoplasm | R064 |
| Melanoma, neoplasm | R064 |
| Melanomata..... | R054 |
| Melanosis, neurocutaneous | R054 |
| Melanotic neuroectodermal tumour, neoplasm..... | R064 |
| Melnick-Fraser syndrome | R054 |
| Melnick-needles syndrome | R054 |
| Membranous Placenta..... | R051 |
| Meningocele..... | R054 |
| Meningomyelocele | R054 |
| Meperidine, infant withdrawal from maternal use..... | R067 |
| Mesoblastic nephroma, neoplasm | R064 |
| Metacarpal hypoplasia | R054 |
| Metaphyseal dysplasia, Jansen type..... | R054 |

- M -

| | |
|--|------|
| Metaphyseal dysplasia, Mckusick type..... | R054 |
| Metaphyseal dysplasia, Pyle type | R054 |
| Metaphyseal dysplasia, Schmid type | R054 |
| Metatarsal hypoplasia | R054 |
| Metatarsus adductus..... | R054 |
| Metatropic dwarfism..... | R054 |
| Metatropic dysplasia..... | R054 |
| Methadone, infant withdrawal from maternal use | R064 |
| Methioninaemia | R054 |
| Methotrexate embryology | R054 |
| Microcephaly | R054 |
| Microcolon..... | R054 |
| Microcolon-megacystis-hypperistalsis syndrome..... | R054 |
| Microcornea | R054 |
| Microdeletion syndrome | R054 |
| Microdontia..... | R054 |
| Microgastria | R054 |
| Microglossia..... | R054 |
| Micrognathia..... | R054 |
| Micropenis | R054 |
| Microphthalmia..... | R054 |
| Microstomia | R054 |
| Miller syndrome (postaxial acrofacial dysostosis)..... | R054 |
| Mode of Ventilation | |
| Intermittent mandatory ventilation (IMV) | R071 |
| Synchronized mandatory ventilation (SIMV)..... | R071 |
| Pressure support (PS)..... | R071 |
| Continuous positive airway pressure (CPAP)..... | R071 |
| High frequency Oscillatory ventilation (HFOV) | R071 |
| Positive pressure ventilation (PPV) | R071 |
| Moebius syndrome..... | R054 |
| Mohr syndrome (OFD) | R054 |
| Morphine, infant medication..... | R066 |

- M -

| | |
|---|------|
| Morphine, infant withdrawl from maternal use | R067 |
| Morquio syndrome | R054 |
| Mucopolidosis III (pseudo Hurler) | R054 |
| Mucopolysaccharidosis I s (Scheie Syndrome) | R054 |
| Mucopolysaccharidosis III, types a, b, c, d | R054 |
| Mucopolysaccharidosis VII (Sly Syndrome) | R054 |
| Mulibrey nanism syndrome (Perheentupu Syndrome) | R054 |
| Multiple endocrine neoplasia, type 2b | R054 |
| Multiple neuroma syndrome | R054 |
| Multiple synostosis syndrome (Symphalanyism Syndrome) | R054 |
| Murcs association..... | R054 |
| Muscle, neoplasm | R064 |
| Myasthenia gravis, newborn | R054 |
| Myopathy, centronuclear | R054 |
| Myopathy, myotubular..... | R054 |
| Myxofibrosarcoma, neoplasm..... | R064 |

- N -

| | |
|--|------|
| Nanism, diastrophic | R054 |
| Narcan, infant medication | R066 |
| Nasal dysplasia..... | R054 |
| Naso/oro gastric tubes, complications of | |
| Perforation, esophagus | R074 |
| Perforation, stomach | R074 |
| Perforation, small bowel | R074 |
| Neonatal lupus | R054 |
| Neonatal teeth | R054 |
| Neoplasms..... | R064 |
| Astrocytoma..... | R064 |
| Choroid Plexus Papilloma..... | R064 |
| Connective Tissue..... | R064 |
| Craniopharyngioma..... | R064 |
| Cystadenoma..... | R064 |
| Cystic Hygroma | R064 |
| Endothelial Tissue..... | R064 |
| Ependymona | R064 |
| Epithelial Tissue | R064 |
| Familial Erythrophagocytic Lymphohistiocytosis | R064 |
| Fibroma..... | R064 |
| Follicular Cyst..... | R064 |
| Glioma | R064 |
| Hemangioma, Cavernous | R064 |

| | |
|--|------|
| Neoplasms..... | R064 |
| Hemangioma, Capillary | R064 |
| Hepatoblastoma | R064 |
| Histiocytosis..... | R064 |
| Insulinoma | R064 |
| Leukemia | R064 |
| Lipoma | R064 |
| Lymphangioma | R064 |
| Lymphoma | R064 |
| Mass, Unknown Type | R064 |
| Medulloblastoma | R064 |
| Melanoma | R064 |
| Melanotic Neuroectodermal Tumor..... | R064 |
| Mesoblastic Nephroma | R064 |
| Muscle..... | R064 |
| Myxofibrosarcoma..... | R064 |
| Nasal Glioma | R064 |
| Nephroblastoma | R064 |
| Nesidioblastosis | R064 |
| Neuroblastoma | R064 |
| Neuroectodermal Tumor..... | R064 |
| Neurofibroma..... | R064 |
| Retinoblastoma | R064 |
| Rhabdomyoma, Cardiac..... | R064 |
| Rhabdomyoma | R064 |
| Sarcoma | R064 |
| Teratoma, Cardiac..... | R064 |
| Teratoma, Embryotic Rests..... | R064 |
| Teratoma, Gonads | R064 |
| Teratoma, Sacrococcygeal | R064 |
| Teratoma, Site Not Specified..... | R064 |
| Wilm's Tumor..... | R064 |
| Nesidioblastosis | R054 |
| Neu-laxova syndrome | R054 |
| Neural tube defect | R054 |
| Neurocutaneous melanosis syndrome..... | R054 |
| Neurofibromatosis syndrome..... | R054 |

| | |
|--|------|
| Neurological findings, Non-specific | |
| Abnormal Cerebral Irritation/Hypertonicity | R083 |
| Hyperexlexia (Hereditary Startle Disease) | R083 |
| Abnormal Cerebral Depression/Hypotonicity | R083 |
| Abnormal Cerebral Depression due to Maternal Analgesia | R083 |
| Cerebral Edema | R083 |
| Cortical Atrophy | R083 |
| Encephalomalacia | R083 |
| Infarction | R083 |
| Porencephalic Cyst (s) | R083 |
| Periventricular Leukomalacia | R083 |
| Neurological findings, other specific | |
| Brachial Plexus (Erb's and Klumpke's) Palsy, left..... | R084 |
| Brachial Plexus (Erb's and Klumpke's) Palsy, right | R084 |
| Brachial Plexus (Erb's and Klumpke's) Palsy, Bilateral | R084 |
| Brachial Plexus (Erb's and Klumpke's) (Wrist Drop)..... | R084 |
| Chorioretinitis | R084 |
| Congenital Subdural Effusion..... | R084 |
| Cranial Nerve Palsy 3rd or Oculomotor Nerve..... | R084 |
| Cranial Nerve Palsy 4th or Trochlear Nerve..... | R084 |
| Cranial Nerve Palsy 5th or Trigeminal Nerve | R084 |
| Cranial Nerve Palsy 6th or Abducens Nerve | R084 |
| Cranial Nerve Palsy 10th or Vagus Nerve..... | R084 |
| Facial Palsy Left | R084 |
| Facial Palsy Right | R084 |
| Facial Palsy Bilateral | R084 |
| Hemiparesis Transient (Not present at discharge) | R084 |
| Hemiparesis Transient (Present at time of discharge)..... | R084 |
| Ondines's Curses | R084 |
| Opsoclonus..... | R084 |
| Phrenic Nerve Left..... | R084 |
| Phrenic Nerve Right..... | R084 |
| Phrenic Nerve Bilateral..... | R084 |
| Periventricular Calcification | R084 |
| Retinal hemorrhage involving the macula | R084 |
| Neuromuscular defect | R054 |
| Neurovisceral lipidosis, familial | R054 |
| Noonan syndrome | R054 |

- O -

| | |
|---|------|
| Obstructive jaundice | R080 |
| Occult spinal dysraphism | R054 |
| Oculo-auriculo-vertebral defect spectrum | R054 |
| Oculodentodigital syndrome | R054 |
| Oculo-genito-laryngeal syndrome (Optiz Syndrome)..... | R054 |
| Odontoid hypoplasia | R054 |
| Oculo-facial-digital syndrome, type I (OFD-I)..... | R054 |
| Oculo-digital-facial syndrome type III (OFD-III)..... | R054 |
| Oligohydramnios sequence | R054 |
| Oliguria | R080 |
| Ollier disease (osteochondromatosis syndrome)..... | R054 |
| Omphalocele | R054 |
| Ondines's curses | R084 |
| Opsoclonus..... | R084 |
| Optic nerve dysplasia..... | R054 |
| Oromandibular-limb hypogenesis spectrum | R054 |
| Osteochondrodysplasia | R054 |
| Osteodysplasia | R054 |
| Osteogenesis imperfecta, type I | R054 |
| Osteogenesis imperfecta, type II..... | R054 |
| Osteolysis..... | R054 |
| Osteo-onychodysplasia | R054 |
| Osteopetrosis..... | R054 |
| Otocephaly | R054 |
| Oto-palato-digital syndrome, type I (Taybi Syndrome)..... | R054 |
| Oto-palato-digital syndrome, type II..... | R054 |
| OxyContin, withdrawal from due to maternal use..... | R067 |
| Oxygen, home therapy | R061 |

- P -

| | |
|---|------|
| Pachydermoperiostosis syndrome..... | R054 |
| Pachygyria | R054 |
| Pachyonychia congenita syndrome..... | R054 |
| Pallister-Hall syndrome | R054 |
| Parabiotic syndrome, donor (Twin-to-twin transfer) | R054 |
| Parabiotic syndrome, recipient (Twin-to-twin transfer)..... | R054 |
| Patent ductus arteriosus | |
| Non-surgical closure | R057 |
| Surgical closure..... | R057 |
| Treatment not stated..... | R057 |

- P -

| | |
|---|------|
| Pachydermoperiostosis syndrome..... | R054 |
| Pachygyria | R054 |
| Pachyorchia congenita syndrome..... | R054 |
| Pallister-Hall syndrome | R054 |
| Parabiotic syndrome, donor (Twin-to-twin transfer) | R054 |
| Parabiotic syndrome, recipient (Twin-to-twin transfer)..... | R054 |
| Patent ductus arteriosus | |
| Non-surgical closure | R057 |
| Surgical closure..... | R057 |
| Treatment not stated..... | R057 |
| Pectus carinatum | R054 |
| Pectus excavatum..... | R054 |
| Pena Shokeir phenotype, type I..... | R054 |
| Pena-Shokeir phenotype, type II..... | R054 |
| Penicillin, infant medications..... | R066 |
| Paxil (Paroxetine) withdrawal from maternal use | R067 |
| Pentazocine, withdrawal from maternal use | R067 |
| Penta x syndrome | R054 |
| Pentology of Cantrell..... | R054 |
| Perinatal lethal hypophosphotasia..... | R054 |
| Peripheral IV | R088 |
| Persistent fetal Circulation/Hypertension of the newborn | |
| Congenital heart disease | R058 |
| Fetomaternal bleed..... | R058 |
| Hyaline membrane disease | R058 |
| Meconium aspiration | R058 |
| Pulmonary hypoplasia..... | R058 |
| Pneumonia | R058 |
| Primary pulmonary hypertension..... | R058 |
| Cause not stated | R058 |
| Peters'-plus syndrome..... | R054 |
| Peutz Jeghers syndrome | R054 |
| Pfeiffer syndrome..... | R054 |
| Phenobarbital, infant medication | R066 |
| Phenylketonuria | R054 |
| Phenylketonuria, maternal effects..... | R054 |
| Photosensitive dermatitis | R054 |
| Phototherapy | R078 |
| Pierre Robin syndrome | R054 |
| Pitting, lip..... | R054 |
| Pitting, preauricular..... | R054 |

| | |
|--|------|
| Placental or cord anomalies | |
| Amnionodosum..... | R051 |
| Chorioamnionitis, marked or severe..... | R051 |
| Choroangioma of placenta..... | R051 |
| Circumvallate placenta..... | R051 |
| Funisitis..... | R051 |
| Funisitis, necrotizing..... | R051 |
| Funisitis, candidal..... | R051 |
| Hematoma of umbilical cord..... | R051 |
| Marginal insertion of cord..... | R051 |
| Membranous placenta..... | R051 |
| Placenta accrete..... | R051 |
| Placenta Increta..... | R051 |
| Placenta percreta..... | R051 |
| Single umbilical artery..... | R051 |
| True knot in cord..... | R051 |
| Vasa previa..... | R051 |
| Velamentous insertion of cord..... | R051 |
| Poikiloderma congenitale syndrome (Rothmund-Thomson)..... | R054 |
| Poland sequence..... | R054 |
| Polydactyly..... | R054 |
| Polymicrogyria..... | R054 |
| Polysplenia syndrome..... | R054 |
| Popliteal pteryguim syndrome..... | R054 |
| Porencephalic cyst..... | R054 |
| Porteus syndrome..... | R054 |
| Port wine stain..... | R054 |
| Post-asphyctic: | |
| Acute tubular necrosis and hemorrhagic necrosis of kidney..... | R062 |
| Adrenal necrosis..... | R062 |
| Brain necrosis..... | R062 |
| CNS depression..... | R062 |
| CNS excitation..... | R062 |
| Congestive heart failure..... | R062 |
| Convulsions..... | R063 |
| Increased intracranial pressure..... | R062 |
| Liver and/or adrenal necrosis..... | R062 |
| Postive DAT..... | R080 |
| Potassium chloride, infant medication..... | R066 |
| Potter syndrome..... | R054 |
| Prader-Willi syndrome..... | R054 |
| Preauricular tags..... | R054 |
| Preauricular pits..... | R054 |

- P -

| | |
|---|------|
| Prognathism | R054 |
| Propranolol, infant medication..... | R066 |
| Pseudoachondroplasia..... | R054 |
| Pseudocamptodactyly | R054 |
| Pulmonary agenesis | R054 |
| Pulmonary Disease of prematurity, chronic | |
| Bronchopulmonary dysplasia, non-cystic | R060 |
| Bronchopulmonary dysplasia, cystic | R060 |
| Wilson-Mikity syndrome,non-cystic | R060 |
| Wilson-Mikity syndrome, cystic..... | R060 |
| Pulmonary hypoplasia..... | R054 |
| Pulmonary lymphangectasia, congenital..... | R054 |
| Pyknodysostosis | R054 |
| Pyle disease (Pyle metaphyseal dysplasia) | R054 |
| Pyruvate carboxylase deficiency..... | R054 |
| Pyruvate dehydrogenase deficiency..... | R054 |

- R -

| | |
|---|------|
| Rachischisis | R054 |
| Ranula | R054 |
| Rectal atresia..... | R054 |
| Rectal atresia, with fistula..... | R054 |
| Refsum's disease..... | R054 |
| Reifenstein's syndrome..... | R054 |
| Requirement for home oxygen..... | R061 |
| Respiratory: distress syndrome | |
| Benign..... | R059 |
| Mild..... | R059 |
| Moderate | R059 |
| Severe..... | R059 |
| Severity not stated..... | R059 |
| Transient | R059 |
| Transient Tachypnea of the newborn..... | R059 |
| Restrictive dermopathy | R054 |
| Resuscitation at delivery | R086 |
| Retinal hemorrhage involving macula | R084 |
| Retinoblastoma, neoplasm | R064 |
| Retinoic acid embryopathy | R054 |
| Rhabdomyoma, cardiac, neoplasm | R054 |
| Rhabdomyoma | R054 |
| Rhizomelic chondrodysplasia punctata..... | R054 |
| Rieger syndrome | R054 |
| Right-sidedness sequence | R054 |
| Rokitansky malformation sequence..... | R054 |

-R-

| | |
|--|------|
| RSV vaccine..... | R079 |
| Rubinstein-Taybi syndrome..... | R054 |
| Russell-Silver syndrome (Silver Syndrome)..... | R054 |

- S -

| | |
|--|------|
| Saddle nose | R054 |
| Saethre-Chotzen syndrome | R054 |
| Salbutamol, infant medication | R066 |
| Salino-noonan short rib-polydactyly syndrome | R054 |
| Sarcoma, neoplasm | R064 |
| Sc phocomelia..... | R054 |
| Schinzel-Giedion syndrome..... | R054 |
| Schimd type metaphyseal dysplasia..... | R054 |
| Schizencephaly..... | R054 |
| Sclerosteosis..... | R054 |
| Scrotum, shawl..... | R054 |
| Seckel syndrome | R054 |
| Septo-optic dysplasia sequence..... | R054 |
| Septra, infant medication | R066 |
| Sertraline, withdrawal from maternal use..... | R067 |
| Short bowel syndrome | R054 |
| Short rib-polydactyly syndrome, type II..... | R054 |
| Shoulder dystocia..... | R082 |
| Shprintzen syndrome | R054 |
| Shwachman syndrome | R054 |
| Simpson-Golabi-Behmel syndrome..... | R054 |
| Single umbilical artery | R051 |
| Sirenomelia sequence..... | R054 |
| Smith-Lemli-Opitz Syndrome | R054 |
| Spondylometatarsal synostosis syndrome..... | R054 |
| Spondylometaphyseal dysplasia | R054 |
| Spondylometaphyseal dysplasia, Kozlowski..... | R054 |
| Stenal malformation-vascular dysplasia spectrum..... | R054 |
| Struge-Weber sequence | R054 |
| Sulfite oxidase deficiency | R054 |
| Sugarman syndrome..... | R054 |
| Surfactant | R066 |
| Syndactyly | R054 |

- T -

| | |
|---|------|
| Tar syndrome (thromocytopenia absent radius)..... | R054 |
| Taurodontism | R054 |
| Tdo syndrome | R054 |
| Teratoma, Cardiac..... | R064 |
| Teratoma, Embryotic Rests..... | R064 |
| Teratoma, Gonads..... | R064 |
| Teratoma, Sacrococcygeal | R064 |
| Teratoma, Site Not Specified..... | R064 |
| Testicular feminization syndrome..... | R054 |
| Tesetis, hydrocele | R054 |
| Tethered cord malformation syndrome..... | R054 |
| Thanatophoric dysplasia | R054 |
| Thyroglossal cyst | R054 |
| Thrombocytopenia abent radius syndrome | R054 |
| Thrombophlebitis, complication of vascular catheter..... | R073 |
| Thurston syndrome | R054 |
| Tibial aplasia-ectrodactyly syndrome | R054 |
| Townes-brock syndrome..... | R054 |
| Tracheal perforation, complication of Endotracheal tube..... | R072 |
| Tracheobronchomalacia, complication of Endotracheal tube..... | R072 |
| Tracheoesophageal fistula..... | R054 |
| Transcobalamin II deficiency | R054 |
| Trapezoidcephaly | R054 |
| Trauma | |
| Cephalohematoma Left..... | R082 |
| Cephalohematoma Right | R082 |
| Cephalohematoma Bilateral..... | R082 |
| Cephalohematoma Other, Including Occipital..... | R082 |
| Cephalohematoma Unknown..... | R082 |
| Fracture Clavicle..... | R082 |
| Fracture Femur..... | R082 |
| Fracture Humerus..... | R082 |
| Fracture Other | R082 |
| Fracture Rib(s) | R082 |
| Fracture Skull..... | R082 |
| Shoulder Dystocia..... | R082 |
| Tricho-rhino-phalangeal syndrome, type I..... | R054 |
| Tridione embryopathy..... | R054 |
| Trimethadione embryopathy | R054 |
| Trimethoprim, infant medication | R066 |
| Triphalangeal thumb | R054 |
| Triploidy | R054 |
| Trp I | R054 |
| True knot in cord, placenta | R051 |
| Turner syndrome | R054 |
| Turner-like syndrome..... | R054 |

- U -

| | |
|---|------|
| Umbilical hernia..... | R054 |
| Urorectal septum malformation sequence..... | R054 |
| Uterus, ambiguous | R054 |

- V -

| | |
|---|------|
| Vaccine | |
| DPTP..... | R079 |
| DPT | R079 |
| Hemophilus influenza, B conjugate (HIB) | R079 |
| Hepatitis B globulin | R079 |
| Hepatitis B vaccine | R079 |
| Respiratory synticial virus | R079 |
| Varicella (Chicken Pox) vaccine | R079 |
| Viral Influenza | R079 |
| Vancomycin, infant medication | R066 |
| Varadi-Papp syndrome..... | R054 |
| Vasa previa, placental anomaly | R051 |
| Vascular Catheters, complications of | |
| Arterial thrombosis | R073 |
| Cardiac tamponade..... | R073 |
| Edema | R073 |
| Loss of finger(s)..... | R073 |
| Loss of toe(s) | R073 |
| Pericardial effusion | R073 |
| Perforation of the heart | R073 |
| Pleural effusion | R073 |
| Phrenic nerve palsy | R073 |
| Ruptured vessel..... | R073 |
| Thrombophlebitis..... | R073 |
| Vasospasm | R073 |
| Venous thrombosis | R073 |
| Vater association..... | R054 |
| Vein of Galen, aneurysm | R054 |
| Velamentous insertion of cord | R051 |

-V-

| | |
|--|------|
| Venous catheters | |
| Umbilical vein, direct..... | R069 |
| Upper limb, direct..... | R069 |
| Upper limb, percutaneous (PICC)..... | R069 |
| Upper limb, cut down (surgical)..... | R069 |
| Upper limb, Broviac..... | R069 |
| Lower limb, direct..... | R069 |
| Lower limb, percutaneous (PICC)..... | R069 |
| Lower limb, cut down (surgical)..... | R069 |
| Lower limb, Brioviac..... | R069 |
| Other..... | R069 |
| Vertebral defect..... | R054 |
| Ventilation, modes of | |
| Intermittent mandatory ventilation (IMV)..... | R071 |
| Synchronized mandatory ventilation (SIMV)..... | R071 |
| Pressure support (PS)..... | R071 |
| Continuous positive airway pressure (CPAP)..... | R071 |
| High frequency Oscillatory ventilation (HFOV)..... | R071 |
| Positive pressure ventilation (PPV)..... | R071 |
| Vocal cord paralysis, complication of surgery..... | R076 |
| Volvulus, colon..... | R054 |
| Volvulus, ileum..... | R054 |
| Volvulus, jejunum..... | R054 |
| Volvulus, small bowel..... | R054 |
| Von Hippel-Lindau syndrome..... | R054 |
| Vrolik disease..... | R054 |

- W -

| | |
|-------------------------------------|-------|
| Waardenburg syndrome, type I..... | R054 |
| Waardenburg syndrome, type II..... | R054 |
| Waardenburg syndrome, type III..... | R054 |
| Wagr syndrome..... | R054 |
| Walker-Warburg syndrome..... | R054 |
| Warfarin embryology..... | R054 |
| Wasting soft tissue..... | Pg.91 |
| Weaver syndrome..... | R054 |
| Weill-Marchesani syndrome..... | R054 |
| Werner syndrome..... | R054 |
| Whelan syndrome..... | R054 |
| Williams syndrome..... | R054 |
| Wilm's tumor..... | R064 |

- W -

| | |
|--------------------------------|------|
| Wilson-Mikity syndrome | |
| Cystic | R060 |
| Non-cystic | R060 |
| Withdrawl due to maternal use: | |
| Alprazolam (Xanax)..... | R067 |
| Barbituate..... | R067 |
| Benzodiazapam..... | R067 |
| Citalopram (Celexa)..... | R067 |
| Cocaine | R067 |
| Diazepam (Valium)..... | R067 |
| Fluoxetine (Prozac)..... | R067 |
| Ethchlorvyol (Placidyl)..... | R067 |
| Heroin | R067 |
| Hydromorphone (Dilaudid) | R067 |
| Lorazepam (Ativan)..... | R067 |
| Meperidine (Demerol) | R067 |
| Methadone | R067 |
| Morphine..... | R067 |
| OxyContin..... | R067 |
| Oxazepam | R067 |
| Paroxetine (Paxil) | R067 |
| Pentazocine (Talwin) | R067 |
| Sertraline (Zoloft) | R067 |
| Unknown..... | R067 |
| Venlafaxine (Effexor) | R067 |
| Wright-isoimmunization | R080 |
| Wrist Drop | R084 |

-X-

| | |
|-------------------------------------|------|
| Xeroderma pigmentosa syndrome | R054 |
|-------------------------------------|------|

-Y-

| | |
|----------------------------|------|
| Yunis-Varon syndrome | R054 |
|----------------------------|------|

-Z-

| | |
|----------------------------------|------|
| Zellweger syndrome..... | R054 |
| Zollinger-ellison syndrome | R054 |